1.10

Length of Stay by Operation, Western Region, 1983

A Companion Volume To
Length of Stay
by Diagnosis,
Western Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data 1
Data Quality 2
Coverage 3
Organization of Length of Stay Tables 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Short-Term Nonfederal Hospitals Number in Books (3)	Short-Term Nonfederal Hospitals Percent in Books (4)	Beds U.S. Total[2] (5)	Beds Number in Books (6)	Beds Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.
[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM*.[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP ≥ 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever ≥ 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — see Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76670	2.5	9	<1	<1	2	3	5	7	15
20-34	174022	2.7	6	<1	1	2	3	5	6	12
35-49	61993	3.7	14	<1	1	3	5	8	10	17
50-64	51828	4.3	18	<1	1	3	6	9	12	20
65+	53634	5.0	26	<1	1	3	7	11	15	23
2. MULTIPLE DX										
0-19 YRS	64628	5.0	67	<1	1	3	5	10	17	49
20-34	152226	4.6	30	1	1	3	5	8	12	30
35-49	100833	6.0	44	1	1	5	7	11	17	35
50-64	133735	7.4	65	1	2	5	9	15	21	43
65+	238472	9.2	83	1	2	7	12	19	26	49
TOT. SINGLE DX	419147	3.3	13	<1	1	2	4	7	9	17
" MULTIPLE DX	689894	7.0	64	1	1	5	8	15	21	43
TOTAL 0-19 YRS	141298	3.7	37	<1	<1	2	4	7	11	33
20-34	326248	3.6	18	<1	1	3	4	6	9	21
35-49	162826	5.2	34	<1	1	4	6	10	14	30
50-64	185563	6.5	54	1	1	4	8	13	19	38
65+	292106	8.4	75	1	2	6	11	18	24	46
GRAND TOTAL	**1108041**	**5.6**	**48**	**1**	**1**	**3**	**7**	**12**	**17**	**36**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	9.2	59	<1	1	8	11	17	23	46
20-34	114	9.0	28	1	3	9	12	15	16	28
35-49	104	10.1	90	2	3	8	11	16	19	61
50-64	130	12.5	95	5	6	10	14	21	31	58
65+	111	11.7	86	3	4	9	14	20	32	51
2. MULTIPLE DX										
0-19 YRS	150	15.9	287	<1	1	11	20	40	65	99+
20-34	123	16.1	163	2	5	13	19	40	49	99+
35-49	160	17.4	252	4	6	13	19	41	63	99+
50-64	306	21.4	326	5	7	16	26	53	67	99+
65+	419	22.5	264	6	7	19	30	47	58	92
TOT. SINGLE DX	554	10.6	74	2	4	9	12	17	26	53
" MULTIPLE DX	1158	20.0	278	4	6	15	26	46	61	99+
TOTAL 0-19 YRS	245	13.3	210	<1	1	9	16	33	45	85
20-34	237	12.7	111	2	4	10	15	23	41	70
35-49	264	14.5	201	3	5	10	16	35	50	99+
50-64	436	18.8	274	5	6	13	21	45	58	93
65+	530	20.3	246	5	6	16	28	43	56	84
GRAND TOTAL	**1712**	**17.0**	**231**	**3**	**5**	**12**	**20**	**38**	**54**	**92**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	6.2	20	1	2	5	8	11	16	27
20-34	45	9.5	79	3	4	7	11	15	18	62
35-49	36	10.1	29	3	4	9	13	18	21	24
50-64	48	10.3	36	3	4	9	13	20	23	31
65+	48	12.0	64	4	6	10	14	20	26	99+
2. MULTIPLE DX										
0-19 YRS	95	16.1	356	3	4	9	18	44	69	99+
20-34	83	18.4	236	4	6	13	23	45	53	91
35-49	85	21.6	341	5	6	14	28	57	73	99+
50-64	117	18.2	227	4	6	13	25	43	65	99+
65+	197	20.7	226	5	6	16	27	45	56	89
TOT. SINGLE DX	245	9.3	48	3	3	8	11	17	20	56
" MULTIPLE DX	577	19.2	268	4	6	14	25	45	61	99+
TOTAL 0-19 YRS	163	11.9	239	2	3	7	12	28	47	99+
20-34	128	15.3	198	4	5	10	18	42	48	80
35-49	121	10.1	275	4	5	13	22	44	66	99+
50-64	165	15.9	184	4	5	12	20	34	53	99+
65+	245	19.0	206	5	6	15	24	43	55	99+
GRAND TOTAL	**822**	**16.3**	**223**	**3**	**4**	**11**	**20**	**39**	**56**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	170	4.1	3	2	2	4	5	6	7	10
20-34	41	5.3	6	2	3	5	6	9	10	12
35-49	20	4.7	4	2	3	4	6	8	9	10
50-64	8	5.3	4	3	3	5	6	8	9	9
65+	10	7.0	27	<1	<1	6	10	15	17	17
2. MULTIPLE DX										
0-19 YRS	101	8.6	163	2	2	5	7	14	37	97
20-34	80	11.5	160	2	3	7	12	33	45	90
35-49	39	8.0	102	1	2	5	7	18	41	99+
50-64	26	10.4	161	2	3	8	13	22	72	99+
65+	7	10.1	52	4	4	10	11	22	25	25
TOT. SINGLE DX	249	4.5	5	2	2	4	5	7	9	12
" MULTIPLE DX	253	9.6	150	2	3	6	11	20	45	99+
TOTAL 0-19 YRS	271	5.8	67	2	2	4	6	8	13	58
20-34	121	9.4	117	2	3	6	10	19	43	76
35-49	59	6.9	71	2	3	5	7	15	20	96
50-64	34	9.2	128	3	3	6	11	18	56	99+
65+	17	8.3	37	<1	2	6	11	16	22	25
GRAND TOTAL	**502**	**7.1**	**85**	**2**	**2**	**5**	**7**	**12**	**20**	**79**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	5.6	44	1	1	4	7	12	16	95
20-34	9	8.1	4	5	5	8	10	11	12	12
35-49	6	7.5	11	5	5	7	7	13	14	14
50-64	9	11.2	88	2	4	8	12	27	34	34
65+	34	9.4	25	3	3	8	12	18	19	20
2. MULTIPLE DX										
0-19 YRS	128	13.3	271	2	3	7	14	37	59	99+
20-34	33	14.4	169	5	5	8	17	43	56	99+
35-49	33	14.8	326	2	3	9	12	43	58	82
50-64	41	19.2	259	5	6	14	32	85	99+	99+
65+	150	24.4	272	6	8	21	32	49	59	99+
TOT. SINGLE DX	116	7.5	40	1	2	6	9	15	18	65
" MULTIPLE DX	385	18.5	289	3	4	12	27	47	61	99+
TOTAL 0-19 YRS	186	10.9	212	1	2	6	11	35	49	99+
20-34	42	13.0	140	5	5	8	14	33	50	99+
35-49	39	13.7	283	2	3	7	12	33	56	82
50-64	50	17.8	236	4	6	13	28	55	99+	99+
65+	184	21.6	261	5	6	17	29	47	56	96
GRAND TOTAL	**501**	**15.9**	**253**	**2**	**3**	**10**	**22**	**42**	**58**	**99+**

505: Miscelianeous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	3.9	12	1	1	3	5	8	10	19
20-34	43	7.7	46	2	2	5	9	17	23	32
35-49	14	7.1	30	3	3	5	8	15	21	23
50-64	15	4.4	7	<1	1	4	6	8	9	10
65+	8	5.8	12	2	2	5	7	11	13	13
2. MULTIPLE DX										
0-19 YRS	257	10.5	181	1	2	6	11	29	47	99+
20-34	84	16.2	285	2	3	11	19	45	81	99+
35-49	44	14.7	226	1	2	9	21	37	53	58
50-64	60	11.8	147	1	2	7	16	35	41	47
65+	62	17.5	264	3	4	13	21	40	47	93
TOT. SINGLE DX	215	5.0	22	1	1	4	6	10	14	27
" MULTIPLE DX	507	12.8	215	1	2	7	16	36	49	99+
TOTAL 0-19 YRS	392	8.2	133	1	1	4	9	22	40	90
20-34	127	13.3	220	2	2	8	17	37	54	99+
35-49	58	12.9	189	1	2	7	19	28	52	58
50-64	75	10.3	128	1	2	6	12	26	39	46
65+	70	16.2	250	2	3	12	20	37	45	89
GRAND TOTAL	722	10.5	170	1	2	6	12	27	44	98

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	6.8	8	3	4	6	8	11	13	14
20-34	154	8.4	25	3	4	7	9	15	19	25
35-49	323	8.6	22	3	4	8	10	15	18	26
50-64	329	8.8	15	4	5	8	10	13	16	21
65+	248	11.4	65	5	6	9	13	18	23	60
2. MULTIPLE DX										
0-19 YRS	22	24.0	632	6	7	11	23	72	80	88
20-34	144	14.2	103	5	6	11	18	28	39	61
35-49	361	12.6	119	5	5	9	14	20	32	68
50-64	646	12.8	101	5	5	10	15	22	30	63
65+	730	16.5	130	6	7	12	19	31	43	57
TOT. SINGLE DX	1073	9.2	32	4	4	8	11	15	19	29
" MULTIPLE DX	1903	14.4	126	5	6	11	17	27	37	62
TOTAL 0-19 YRS	41	16.0	411	4	5	8	15	45	73	88
20-34	298	11.2	71	4	4	8	13	22	28	48
35-49	684	10.7	78	4	5	8	12	18	24	56
50-64	975	11.4	76	4	5	9	13	19	26	58
65+	978	15.2	119	6	6	11	18	28	38	58
GRAND TOTAL	2976	12.5	98	4	5	10	14	22	31	58

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	8.5	50	1	2	7	12	16	18	39
20-34	148	4.9	24	<1	1	3	6	12	15	26
35-49	175	5.2	22	1	1	4	7	10	15	23
50-64	77	6.8	33	1	1	4	10	17	18	26
65+	35	6.6	24	2	2	5	9	14	16	23
2. MULTIPLE DX										
0-19 YRS	91	10.9	159	<1	<1	7	14	31	44	52
20-34	129	12.5	193	1	2	9	15	30	52	99+
35-49	157	11.0	133	1	2	8	14	22	30	56
50-64	156	14.1	267	2	3	8	18	37	49	96
65+	118	19.4	282	2	3	14	25	45	55	76
TOT. SINGLE DX	471	5.7	28	1	1	4	8	13	17	26
" MULTIPLE DX	651	13.5	216	1	2	9	17	33	47	86
TOTAL 0-19 YRS	127	10.2	129	<1	<1	7	13	25	39	50
20-34	277	8.4	117	1	1	5	11	19	31	82
35-49	332	8.0	83	1	2	5	10	16	23	42
50-64	233	11.7	201	2	2	7	14	28	43	88
65+	153	16.5	252	2	3	12	21	39	52	71
GRAND TOTAL	1122	10.3	152	1	2	6	13	23	37	66

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.3	4	<1	<1	2	2	6	7	9
20-34	173	2.7	6	<1	<1	2	3	7	9	13
35-49	235	3.1	9	<1	<1	2	3	8	9	15
50-64	251	2.7	10	<1	<1	2	3	7	9	11
65+	102	3.4	26	<1	<1	2	4	7	9	31
2. MULTIPLE DX										
0-19 YRS	19	4.5	26	<1	<1	2	5	12	16	19
20-34	146	5.3	30	1	1	3	8	12	16	28
35-49	178	5.7	36	1	1	3	8	12	18	31
50-64	267	6.1	55	1	1	3	9	12	16	55
65+	166	7.1	82	1	1	4	9	14	20	62
TOT. SINGLE DX	791	2.9	11	<1	<1	2	3	7	9	14
" MULTIPLE DX	776	6.0	52	1	1	3	8	12	18	35
TOTAL 0-19 YRS	49	3.2	14	<1	<1	2	3	8	11	19
20-34	319	3.9	19	<1	<1	2	4	9	12	20
35-49	413	4.2	23	<1	<1	2	5	9	14	28
50-64	518	4.5	37	<1	1	2	5	11	13	30
65+	268	5.7	64	<1	1	3	7	12	16	54
GRAND TOTAL	1567	4.4	34	<1	<1	2	5	10	13	28

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	1.8	1	<1	<1	1	2	3	4	6
20-34	791	1.9	1	<1	<1	1	2	3	4	7
35-49	943	1.9	3	<1	<1	1	2	3	4	8
50-64	895	1.9	1	<1	<1	2	2	3	4	8
65+	568	2.0	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	142	2.3	3	<1	1	2	3	4	7	10
20-34	511	3.1	31	<1	<1	2	3	6	9	19
35-49	487	3.0	12	<1	<1	2	3	6	9	19
50-64	698	3.2	15	<1	1	2	3	6	9	19
65+	538	3.8	26	<1	1	2	4	8	12	30
TOT. SINGLE DX	3327	1.9	3	<1	<1	2	2	3	4	8
" MULTIPLE DX	2376	3.2	20	<1	1	2	3	6	10	21
TOTAL 0-19 YRS	272	2.1	3	<1	<1	2	2	4	5	9
20-34	1302	2.4	14	<1	<1	2	2	4	6	13
35-49	1430	2.3	7	<1	<1	2	2	4	6	13
50-64	1593	2.5	8	<1	<1	2	2	4	6	14
65+	1106	2.9	15	<1	<1	2	3	5	8	19
GRAND TOTAL	5703	2.5	10	<1	<1	2	3	4	6	15

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	6.0	26	<1	1	5	6	14	19	19
20-34	28	4.3	9	<1	<1	4	6	8	10	13
35-49	12	5.3	6	1	2	4	8	9	9	9
50-64	18	4.3	8	1	1	4	5	7	11	13
65+	18	6.9	32	<1	1	6	9	12	20	25
2. MULTIPLE DX										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	30	7.9	51	2	2	5	7	21	24	28
35-49	23	7.3	23	2	2	7	9	14	17	23
50-64	65	12.4	132	4	5	8	15	25	33	57
65+	123	13.9	116	4	5	10	16	28	39	59
TOT. SINGLE DX	85	5.2	16	<1	1	5	6	9	12	23
" MULTIPLE DX	244	12.0	108	2	4	9	15	25	33	57
TOTAL 0-19 YRS	12	5.9	20	<1	1	5	6	11	19	19
20-34	58	6.2	34	1	2	5	6	12	22	28
35-49	35	6.7	18	1	3	6	8	11	15	22
50-64	83	10.7	117	1	2	7	13	23	28	57
65+	141	13.0	111	3	4	10	15	27	37	59
GRAND TOTAL	329	10.3	93	1	2	7	12	22	28	57

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	8	<1	<1	3	6	6	6	6
20-34	14	7.8	81	<1	1	5	8	21	32	35
35-49	20	4.5	6	1	<1	4	6	8	9	10
50-64	15	5.1	41	<1	<1	3	6	10	32	39
65+	14	5.5	15	2	2	4	8	11	14	15
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	1	2	2	2
20-34	23	7.5	37	1	1	3	6	10	18	20
35-49	37	9.6	165	1	1	3	6	11	32	65
50-64	33	6.5	34	1	1	3	6	9	20	34
65+	30	8.6	32	2	2	5	8	12	17	19
TOT. SINGLE DX	67	5.5	32	<1	<1	4	6	10	16	33
" MULTIPLE DX	145	6.1	73	1	1	4	6	11	18	20
TOTAL 0-19 YRS	6	2.8	6	<1	<1	2	6	6	6	6
20-34	37	7.6	54	1	1	3	6	10	19	21
35-49	57	7.8	127	1	1	3	6	11	15	23
50-64	48	6.1	36	1	1	3	6	11	13	20
65+	64	7.9	30	1	2	5	7	11	17	18
GRAND TOTAL	212	7.3	61	<1	1	3	5	9	16	20

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	3.2	2	<1	1	3	4	5	6	9
20-34	479	3.3	1	1	2	3	4	5	5	8
35-49	487	3.2	1	1	2	3	4	5	5	7
50-64	321	3.4	1	2	2	3	4	5	5	8
65+	157	4.0	2	2	2	4	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	33	4.0	3	2	2	4	5	7	8	9
20-34	229	4.1	8	2	2	4	4	6	7	18
35-49	297	4.4	30	2	2	4	4	6	8	22
50-64	355	4.8	12	2	3	4	5	7	12	20
65+	247	7.4	80	3	3	5	7	14	22	63
TOT. SINGLE DX	1507	3.3	2	1	2	3	4	5	5	8
" MULTIPLE DX	1161	5.1	32	2	3	4	5	8	12	28
TOTAL 0-19 YRS	96	3.5	3	1	1	3	4	5	7	9
20-34	708	3.5	4	1	2	3	4	5	6	10
35-49	784	3.7	13	1	2	3	4	5	6	10
50-64	676	4.1	8	2	2	4	4	6	8	17
65+	404	6.1	53	2	3	4	6	10	15	43
GRAND TOTAL	**2668**	**4.1**	**16**	**2**	**2**	**4**	**4**	**6**	**8**	**19**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	1.9	9	<1	<1	1	2	3	4	16
20-34	79	2.5	2	<1	1	2	3	5	6	8
35-49	69	3.1	3	<1	1	3	4	6	6	9
50-64	60	3.4	2	1	2	3	4	5	6	8
65+	36	5.1	40	1	2	4	5	7	13	39
2. MULTIPLE DX										
0-19 YRS	25	4.4	17	<1	1	4	6	12	14	16
20-34	59	6.1	32	1	2	5	7	12	17	31
35-49	77	5.9	23	2	2	4	6	13	17	25
50-64	137	6.9	65	2	2	5	7	11	20	45
65+	124	8.2	50	2	3	6	10	17	22	40
TOT. SINGLE DX	384	2.8	10	<1	1	2	4	5	6	13
" MULTIPLE DX	422	6.8	47	2	2	5	7	14	19	38
TOTAL 0-19 YRS	165	2.3	12	<1	<1	1	2	4	6	16
20-34	138	4.0	19	1	1	3	5	7	10	30
35-49	146	4.6	16	1	1	4	5	8	13	24
50-64	197	5.8	49	2	2	4	6	9	14	42
65+	160	7.5	50	2	3	5	8	16	21	39
GRAND TOTAL	**806**	**4.9**	**33**	**1**	**1**	**3**	**5**	**10**	**14**	**32**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	6.2	24	1	2	5	7	13	19	20
20-34	41	7.6	8	4	4	7	9	12	14	15
35-49	29	8.7	11	4	5	8	11	14	15	16
50-64	18	9.1	39	5	5	7	10	11	24	33
65+	10	9.5	12	5	5	9	12	14	16	16
2. MULTIPLE DX										
0-19 YRS	15	9.7	60	1	4	7	11	27	28	28
20-34	50	11.8	75	4	5	9	13	20	36	42
35-49	54	12.3	95	5	6	10	12	18	41	52
50-64	65	11.8	81	3	5	9	13	24	30	94
65+	69	15.8	171	3	6	11	18	31	38	75
TOT. SINGLE DX	110	8.1	17	4	4	7	10	13	15	25
" MULTIPLE DX	253	12.9	108	4	5	10	14	25	34	60
TOTAL 0-19 YRS	27	8.1	46	1	2	6	9	18	27	28
20-34	91	9.9	49	4	5	8	11	16	21	41
35-49	83	11.1	68	5	5	9	12	16	24	51
50-64	83	11.2	73	4	5	9	12	23	30	86
65+	79	15.0	155	4	6	11	18	30	36	73
GRAND TOTAL	**363**	**11.4**	**85**	**4**	**5**	**9**	**12**	**21**	**31**	**59**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	1.1		<1	<1	<1	1	1	2	2
20-34	16	1.2		<1	<1	1	1	2	2	2
35-49	23	1.9	1	<1	<1	2	2	3	4	5
50-64	45	1.5		<1	<1	1	2	3	3	3
65+	79	1.7	1	<1	<1	1	2	3	3	9
2. MULTIPLE DX										
0-19 YRS	10	1.6	3	<1	<1	<1	1	4	7	7
20-34	18	2.1	4	<1	<1	1	2	4	7	9
35-49	13	4.4	24	<1	<1	3	5	10	17	19
50-64	32	5.1	55	<1	<1	2	5	16	26	30
65+	87	3.8	34	<1	<1	2	4	7	14	36
TOT. SINGLE DX	247	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	160	3.8	33	<1	<1	2	4	8	15	30
TOTAL 0-19 YRS	94	1.1		<1	<1	<1	1	1	2	5
20-34	34	1.6	2	<1	<1	1	2	3	5	9
35-49	36	2.8	11	<1	<1	2	3	5	8	19
50-64	77	3.0	26	<1	<1	1	3	5	14	29
65+	166	2.8	20	<1	<1	2	3	6	8	22
GRAND TOTAL	407	2.4	15	<1	<1	1	2	4	7	21

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	1.7	1	<1	<1	1	2	3	4	8
20-34	55	1.6	1	<1	<1	1	2	2	5	8
35-49	66	1.6	3	<1	<1	1	1	2	4	13
50-64	116	1.5		<1	<1	1	2	2	3	6
65+	201	1.6	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	159	2.9	21	<1	<1	1	3	5	9	25
20-34	188	3.8	27	<1	1	2	5	7	10	31
35-49	116	3.4	49	<1	1	2	3	5	8	41
50-64	159	2.5	7	<1	<1	2	3	4	8	18
65+	303	4.4	54	<1	1	2	4	10	19	43
TOT. SINGLE DX	620	1.6	2	<1	<1	1	2	3	3	7
" MULTIPLE DX	925	3.6	35	<1	<1	2	3	7	11	34
TOTAL 0-19 YRS	341	2.2	11	<1	<1	1	2	4	6	16
20-34	243	3.3	22	<1	<1	2	4	7	9	30
35-49	182	2.8	33	<1	<1	1	2	4	7	34
50-64	275	2.1	5	<1	<1	1	2	4	5	16
65+	504	3.3	36	<1	<1	2	2	7	11	33
GRAND TOTAL	1545	2.8	23	<1	<1	1	3	5	8	30

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	1.6	1	<1	<1	1	2	3	5	7
20-34	28	1.9	1	<1	1	2	2	3	4	6
35-49	27	1.6		<1	1	1	2	2	3	4
50-64	32	2.0		1	1	2	2	3	3	3
65+	48	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	29	1.9	2	<1	1	2	2	3	4	8
20-34	18	1.7		1	1	2	2	3	4	4
35-49	24	2.6	4	1	1	2	3	4	7	12
50-64	51	2.0	1	<1	1	2	2	3	3	8
65+	85	2.4	3	1	1	2	2	4	6	12
TOT. SINGLE DX	172	1.8	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	207	2.2	3	1	1	2	2	3	4	11
TOTAL 0-19 YRS	66	1.7	2	<1	<1	1	2	3	4	8
20-34	46	1.8	1	<1	1	2	2	3	4	6
35-49	51	2.0	3	1	1	2	2	3	4	12
50-64	83	2.0	1	1	1	2	2	3	3	7
65+	133	2.3	3	1	1	2	2	3	5	11
GRAND TOTAL	379	2.0	2	<1	1	2	2	3	4	10

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	1.5	2	<1	<1	<1	1	2	5	7
20-34	6	1.7		<1	<1	1	2	3	3	3
35-49	6	3.0	10	<1	<1	1	6	8	8	8
50-64	9	1.2		<1	<1	<1	1	2	2	2
65+	12	3.1	35	<1	<1	1	2	8	20	22
2. MULTIPLE DX										
0-19 YRS	10	1.8	2	<1	<1	1	2	4	5	5
20-34	6	2.8	2	1	1	3	4	5	5	5
35-49	10	7.7	77	<1	1	4	8	23	28	28
50-64	6	2.8	3	1	1	2	4	6	6	6
65+	20	4.8	37	<1	<1	2	7	16	20	20
TOT. SINGLE DX	50	2.0	10	<1	<1	1	2	3	7	22
" MULTIPLE DX	52	4.3	33	<1	<1	2	5	10	20	28
TOTAL 0-19 YRS	27	1.6	2	<1	<1	<1	2	4	5	7
20-34	12	2.3	2	<1	<1	2	3	4	5	5
35-49	16	5.9	55	<1	<1	4	7	18	25	28
50-64	15	1.9	2	<1	<1	1	2	4	5	6
65+	32	4.2	36	<1	<1	2	2	14	20	22
GRAND TOTAL	102	3.2	23	<1	<1	1	3	7	15	25

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	3.1	2	2	2	3	3	6	7	7
20-34	64	2.5	2	1	1	2	3	4	5	9
35-49	57	2.3	1	1	1	2	3	4	5	7
50-64	41	2.5	1	1	1	2	3	5	5	6
65+	123	3.0	3	1	1	3	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	30	4.6	10	1	2	4	5	10	11	15
20-34	40	4.0	18	1	1	3	4	6	9	28
35-49	47	5.0	32	1	1	3	5	11	20	29
50-64	83	3.9	11	1	1	3	4	7	10	22
65+	334	3.8	8	1	1	3	5	7	8	16
TOT. SINGLE DX	303	2.7	3	1	1	3	3	4	6	9
" MULTIPLE DX	534	4.0	12	1	1	3	5	7	10	21
TOTAL 0-19 YRS	48	4.0	8	2	2	3	5	7	11	15
20-34	104	3.1	9	1	1	3	4	5	6	19
35-49	104	3.5	17	1	1	3	4	6	10	25
50-64	124	3.4	9	1	1	3	4	5	8	20
65+	457	3.6	7	1	1	3	4	6	8	16
GRAND TOTAL	**837**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.6	7	<1	<1	2	3	5	8	17
20-34	133	1.5	1	<1	<1	<1	2	3	4	5
35-49	86	1.4		<1	<1	<1	1	3	3	4
50-64	50	1.5		<1	<1	1	2	3	4	5
65+	41	1.9	3	<1	<1	1	2	4	7	9
2. MULTIPLE DX										
0-19 YRS	56	3.5	7	1	1	3	5	7	8	15
20-34	50	3.1	3	<1	1	3	4	5	5	11
35-49	28	3.3	5	<1	1	3	4	7	8	10
50-64	29	4.2	9	1	1	3	7	9	10	12
65+	71	3.5	15	<1	1	2	3	8	13	22
TOT. SINGLE DX	369	1.7	2	<1	<1	1	2	3	4	9
" MULTIPLE DX	234	3.5	9	<1	1	3	4	7	9	15
TOTAL 0-19 YRS	115	3.0	6	<1	<1	2	4	6	8	16
20-34	183	2.0	2	<1	<1	1	3	4	5	7
35-49	114	1.8	2	<1	<1	<1	2	4	5	9
50-64	79	2.5	6	<1	<1	2	3	6	8	11
65+	112	2.9	12	<1	<1	2	3	7	9	19
GRAND TOTAL	**603**	**2.4**	**6**	**<1**	**<1**	**1**	**3**	**5**	**7**	**13**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.0	1	<1	<1	2	2	4	5	6
20-34	29	1.9	1	<1	1	2	2	3	4	8
35-49	58	2.6	2	<1	1	2	3	5	6	8
50-64	103	2.6	5	<1	1	2	3	5	6	15
65+	165	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	26	2.5	3	<1	1	2	3	6	6	7
20-34	22	5.8	97	<1	<1	3	5	12	27	47
35-49	34	3.6	22	<1	<1	2	3	6	12	27
50-64	79	3.7	13	<1	1	2	4	9	12	18
65+	197	3.7	14	1	1	3	4	7	12	22
TOT. SINGLE DX	402	2.3	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	358	3.7	19	<1	1	2	4	8	12	22
TOTAL 0-19 YRS	73	2.1	2	<1	1	2	2	5	6	7
20-34	51	3.6	46	<1	<1	2	3	8	12	47
35-49	92	2.9	10	<1	<1	2	3	5	7	21
50-64	182	3.1	10	<1	1	2	3	6	10	18
65+	362	3.0	9	<1	<1	2	3	6	8	15
GRAND TOTAL	**760**	**3.0**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**15**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.8	8	1	1	4	5	8	10	11
20-34	28	2.8	2	1	1	3	4	5	6	6
35-49	26	2.3	3	<1	1	2	3	4	5	10
50-64	54	2.1	2	<1	<1	1	2	5	6	7
65+	103	2.1	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	30	4.4	13	<1	1	3	7	10	12	15
20-34	34	4.2	28	<1	1	2	5	7	16	28
35-49	19	2.7	5	<1	1	2	3	7	8	8
50-64	58	3.4	18	1	1	2	3	8	10	26
65+	191	4.1	28	<1	1	2	4	8	12	34
TOT. SINGLE DX	230	2.3	4	<1	<1	2	3	5	7	11
" MULTIPLE DX	332	3.9	24	<1	1	2	4	8	12	27
TOTAL 0-19 YRS	49	4.2	11	1	1	3	6	9	11	15
20-34	62	3.5	17	1	1	3	4	6	8	27
35-49	45	2.4	4	<1	1	2	3	4	8	10
50-64	112	2.8	11	<1	<1	2	3	6	8	20
65+	294	3.4	21	<1	<1	2	3	7	11	22
GRAND TOTAL	**562**	**3.3**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**	**21**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	1.6		<1	<1	1	2	3	4	4
20-34	12	2.5	2	1	1	2	3	5	5	5
35-49	113	2.0		<1	1	2	2	3	3	6
50-64	701	1.9		<1	1	2	2	3	3	5
65+	3120	2.1		<1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	25	2.0	1	<1	1	2	2	4	4	5
20-34	8	2.6	2	1	1	2	4	5	5	5
35-49	96	2.6	1	1	2	2	3	4	6	7
50-64	680	2.4	3	1	1	2	3	3	5	11
65+	3353	2.6	5	1	1	2	3	4	5	13
TOT. SINGLE DX	3958	2.0	1	<1	1	2	2	3	3	5
" MULTIPLE DX	4171	2.5	5	1	1	2	3	4	5	12
TOTAL 0-19 YRS	37	1.9	1	<1	<1	2	2	4	4	5
20-34	20	2.6	2	1	1	2	4	5	5	5
35-49	209	2.3	1	1	1	2	2	3	4	7
50-64	1390	2.2	2	1	1	2	2	3	4	7
65+	6473	2.3	3	<1	1	2	3	3	4	9
GRAND TOTAL	**8129**	**2.2**	**3**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	1.9	2	<1	<1	1	2	3	6	8
20-34	45	1.7		<1	<1	2	2	2	3	3
35-49	318	1.7		<1	<1	2	2	2	3	4
50-64	1631	1.8		<1	<1	2	2	2	3	4
65+	6461	1.8		<1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	54	2.3	2	<1	<1	2	3	4	5	10
20-34	44	2.7	7	<1	1	2	2	6	9	15
35-49	231	2.2	3	<1	1	2	2	3	4	11
50-64	1442	2.2	4	<1	1	2	2	3	4	9
65+	7087	2.3	6	1	1	2	2	3	4	11
TOT. SINGLE DX	8534	1.8	1	<1	1	2	2	2	3	4
" MULTIPLE DX	8858	2.3	6	1	1	2	2	3	4	11
TOTAL 0-19 YRS	133	2.1	2	<1	<1	2	2	4	5	8
20-34	89	2.2	4	<1	<1	2	2	3	6	13
35-49	549	1.9	2	<1	1	2	2	3	3	7
50-64	3073	2.0	3	<1	1	2	2	3	3	7
65+	13548	2.1	4	<1	1	2	2	3	3	8
GRAND TOTAL	**17392**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**3**	**3**	**8**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	1.5		<1	<1	1	2	3	3	3
20-34	5	1.8		<1	<1	2	2	3	3	3
35-49	30	1.6	1	<1	<1	1	2	2	4	7
50-64	195	1.7	1	<1	<1	2	2	2	3	4
65+	704	1.8		<1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	4	3.0	7	1	1	2	5	7	7	7
20-34	7	1.3		<1	<1	<1	2	2	2	2
35-49	28	2.3	1	1	1	2	3	3	4	6
50-64	181	2.2	5	<1	1	2	2	3	4	11
65+	769	2.2	1	1	1	2	2	3	4	8
TOT. SINGLE DX	940	1.8	1	<1	1	2	2	2	3	4
" MULTIPLE DX	989	2.2	3	1	1	2	2	3	4	8
TOTAL 0-19 YRS	10	2.1	3	<1	<1	2	2	5	7	7
20-34	12	1.5		<1	<1	1	2	3	3	3
35-49	58	2.0	1	<1	1	2	2	3	4	7
50-64	376	2.0	3	<1	1	2	2	3	4	8
65+	1473	2.0	1	<1	1	2	2	3	3	6
GRAND TOTAL	**1929**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**3**	**3**	**7**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	3.5	3	1	2	3	5	6	6	10
20-34	106	3.7	3	1	2	3	4	6	7	9
35-49	116	4.0	4	1	2	4	5	7	8	11
50-64	340	4.5	31	1	2	4	5	7	9	14
65+	381	4.2	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	50	4.3	6	1	2	4	6	7	8	14
20-34	131	5.1	7	2	2	5	6	8	10	17
35-49	135	5.1	11	1	2	4	7	9	11	20
50-64	413	4.8	7	1	2	4	6	8	9	15
65+	548	4.9	10	1	2	4	6	8	11	16
TOT. SINGLE DX	991	4.2	14	1	2	4	5	7	8	12
" MULTIPLE DX	1277	4.9	9	1	2	4	6	8	10	16
TOTAL 0-19 YRS	98	3.9	5	1	2	4	5	6	7	13
20-34	237	4.5	6	2	2	4	5	7	9	14
35-49	251	4.6	8	1	2	4	6	8	9	14
50-64	753	4.6	19	1	2	4	6	8	9	14
65+	929	4.6	8	1	2	4	6	8	10	14
GRAND TOTAL	**2268**	**4.6**	**11**	**1**	**2**	**4**	**6**	**8**	**9**	**14**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.1	1	<1	<1	2	3	4	5	5
20-34	45	2.6	19	<1	<1	1	3	5	6	30
35-49	34	2.1	2	<1	<1	2	3	4	6	7
50-64	54	2.7	3	<1	<1	2	4	5	7	9
65+	119	2.3	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	34	5.5	252	<1	1	3	4	5	7	95
20-34	106	3.5	3	1	2	3	4	6	7	9
35-49	74	4.2	8	1	1	4	5	7	9	18
50-64	197	3.8	15	1	1	3	5	7	8	23
65+	311	4.1	23	<1	1	3	5	7	9	24
TOT. SINGLE DX	274	2.4	5	<1	<1	2	3	4	5	9
" MULTIPLE DX	722	4.0	27	1	1	3	5	7	8	21
TOTAL 0-19 YRS	56	4.2	155	<1	<1	2	4	5	5	90
20-34	151	3.2	8	<1	<1	3	4	6	7	9
35-49	108	3.5	8	<1	<1	3	4	7	8	16
50-64	251	3.6	13	<1	1	3	4	7	8	17
65+	430	3.6	18	<1	1	3	4	7	8	21
GRAND TOTAL	**996**	**3.6**	**22**	**<1**	**<1**	**3**	**4**	**7**	**8**	**18**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	916	1.4		<1	<1	1	2	2	2	7
20-34	154	1.5		<1	<1	1	2	2	2	4
35-49	79	1.4		<1	<1	1	2	2	3	3
50-64	35	1.5		<1	<1	1	2	2	2	3
65+	41	1.6		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	265	1.3		<1	<1	1	1	2	2	3
20-34	66	1.6		<1	<1	1	2	2	3	4
35-49	49	1.6		<1	<1	1	2	2	3	5
50-64	28	2.1	2	1	1	2	2	4	5	9
65+	57	1.8		1	1	2	2	3	3	4
TOT. SINGLE DX	1225	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	465	1.5	1	<1	<1	1	2	2	3	4
TOTAL 0-19 YRS	1181	1.3	1	<1	<1	1	2	2	2	4
20-34	220	1.5	1	<1	<1	1	2	2	3	4
35-49	128	1.5		<1	<1	1	2	2	3	4
50-64	63	1.8	1	<1	<1	2	2	3	3	8
65+	98	1.7		<1	1	2	2	2	3	4
GRAND TOTAL	**1690**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	4	1.5		1	1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.8	1	1	1	1	2	4	4	4
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	4	5.5	7	2	2	6	7	8	8	8
65+	6	3.7	13	1	1	2	3	10	11	11
TOT. SINGLE DX	18	1.6	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	18	3.6	10	1	1	2	5	9	10	11
TOTAL 0-19 YRS	11	1.5	1	<1	<1	1	2	3	4	4
20-34	9	1.7	1	1	1	1	2	3	4	4
35-49	4	3.3	15	1	1	2	5	9	9	9
50-64	5	4.8	8	2	2	5	7	8	8	8
65+	7	3.4	12	1	1	2	3	9	11	11
GRAND TOTAL	**36**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**7**	**9**	**11**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	2.8	5	<1	<1	2	3	6	7	13
20-34	55	2.7	3	<1	1	2	3	5	7	9
35-49	39	2.8	3	1	1	2	3	5	7	11
50-64	58	2.8	3	<1	1	3	3	4	6	11
65+	71	2.8	6	<1	1	2	3	5	6	17
2. MULTIPLE DX										
0-19 YRS	65	4.2	17	<1	1	3	5	8	14	22
20-34	81	3.2	4	1	1	3	4	6	7	10
35-49	62	3.6	8	1	1	3	5	6	9	90
50-64	87	4.2	16	1	1	3	4	8	13	22
65+	147	4.4	37	1	1	3	5	9	12	27
TOT. SINGLE DX	307	2.8	5	<1	1	2	3	5	7	12
" MULTIPLE DX	442	4.0	20	1	1	3	5	7	11	23
TOTAL 0-19 YRS	149	3.4	11	<1	<1	2	4	7	8	19
20-34	136	3.0	4	<1	1	2	4	6	7	9
35-49	101	3.3	7	1	1	3	4	5	8	59
50-64	145	3.6	11	1	1	3	4	7	10	18
65+	218	3.9	28	1	1	3	4	7	10	21
GRAND TOTAL	**749**	**3.5**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	212	1.6	1	<1	<1	1	2	3	4	8
20-34	80	1.9	3	<1	<1	1	2	4	5	9
35-49	63	1.7	1	<1	<1	1	2	3	5	8
50-64	51	2.0	6	<1	<1	1	2	3	5	18
65+	64	2.4	12	<1	<1	1	3	3	7	21
2. MULTIPLE DX										
0-19 YRS	180	2.6	7	<1	<1	2	3	5	6	14
20-34	75	2.9	15	<1	<1	2	3	5	8	26
35-49	56	5.3	49	<1	1	3	8	11	16	39
50-64	66	5.5	78	<1	1	2	5	11	31	44
65+	114	6.4	55	<1	1	3	8	16	23	36
TOT. SINGLE DX	470	1.8	4	<1	<1	1	2	3	5	9
" MULTIPLE DX	491	4.2	37	<1	1	2	4	9	16	33
TOTAL 0-19 YRS	392	2.0	5	<1	<1	1	2	4	6	10
20-34	155	2.4	9	<1	<1	1	3	5	7	15
35-49	119	3.4	27	<1	<1	2	3	9	11	33
50-64	117	3.9	50	<1	<1	2	3	8	20	37
65+	178	4.9	43	<1	<1	2	6	12	19	34
GRAND TOTAL	961	3.0	22	<1	<1	2	3	6	10	30

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	1.5		<1	1	1	2	3	3	3
20-34	184	1.5		1	1	1	2	3	3	5
35-49	272	1.5		1	1	1	2	3	3	4
50-64	266	1.5		1	1	1	2	3	3	4
65+	106	1.5		1	1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	25	2.1	1	<1	1	2	2	3	4	6
20-34	71	1.8		1	1	2	2	3	3	5
35-49	95	1.8		1	1	1	2	3	4	4
50-64	103	1.9	1	1	1	2	2	3	4	7
65+	55	2.4	2	1	1	2	3	4	6	9
TOT. SINGLE DX	874	1.5	1	1	1	1	2	3	3	4
" MULTIPLE DX	349	1.9	1	1	1	2	2	3	4	6
TOTAL 0-19 YRS	71	1.7	1	<1	1	2	2	3	3	5
20-34	255	1.6	1	1	1	1	2	3	3	5
35-49	367	1.6	1	1	1	1	2	3	3	4
50-64	369	1.6	1	1	1	1	2	3	3	4
65+	161	1.8	2	1	1	1	2	3	4	7
GRAND TOTAL	1223	1.6	1	1	1	1	2	3	3	5

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	466	1.5	1	<1	<1	1	2	2	2	3
20-34	331	1.5		1	1	1	2	2	3	4
35-49	264	1.7	13	<1	1	1	2	2	3	4
50-64	253	1.5		1	1	1	2	2	3	4
65+	92	1.5		1	1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	434	1.6		<1	1	1	2	2	3	4
20-34	268	1.7		<1	1	1	2	3	3	5
35-49	228	1.9	3	<1	1	2	2	3	3	6
50-64	214	2.3	7	1	1	2	2	3	4	21
65+	110	1.9		<1	1	2	2	3	4	5
TOT. SINGLE DX	1406	1.5	3	<1	1	1	2	2	3	4
" MULTIPLE DX	1254	1.8	2	<1	1	2	2	3	3	5
TOTAL 0-19 YRS	900	1.5	1	<1	<1	1	2	2	3	4
20-34	599	1.6	1	<1	1	1	2	3	3	4
35-49	492	1.8	9	<1	1	1	2	3	3	5
50-64	467	1.9	4	1	1	2	2	3	3	8
65+	202	1.7	1	<1	1	2	2	3	4	5
GRAND TOTAL	2660	1.7	3	<1	1	1	2	2	3	5

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2587	1.1	1	<1	<1	<1	<1	1	1	2
20-34	26	1.5								
35-49	25	1.6	1							
50-64	29	1.6								
65+	12	1.2								
2. MULTIPLE DX										
0-19 YRS	1555	1.6	7	<1	<1	1	1	3	3	13
20-34	41	2.8	35						20	99+
35-49	33	2.7	12					7	9	18
50-64	38	3.5	129				2	7	9	18
65+	41	7.3	86	<1	<1	2	10	26	36	46
TOT. SINGLE DX	2679	1.1	2	<1	<1	<1	<1	1	1	2
" MULTIPLE DX	1708	1.9	14	<1	<1	1	1	2	5	22
TOTAL 0-19 YRS	4142	1.2	4	<1	<1	<1	1	1	2	6
20-34	67	2.3	22						7	87
35-49	58	2.2	8						7	17
50-64	67	4.9	82						28	45
65+	53	5.9	73					21	27	32
GRAND TOTAL	4387	1.4	7	<1	<1	<1	1	1	2	10

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	2.0	3	1	1	2	2	3	4	11
20-34	105	2.2	6					4	5	15
35-49	74	2.1	1						5	7
50-64	52	2.1	1						4	7
65+	35	3.1	8	1	1	2	3	7	8	16
2. MULTIPLE DX										
0-19 YRS	204	2.7	15	1	1	2	3	4	8	23
20-34	162	2.6	6					4	7	13
35-49	150	2.6	6					4	7	9
50-64	141	3.8	50					5	10	40
65+	82	4.2	28	1	1	3	4	8	15	33
TOT. SINGLE DX	381	2.2	4	1	1	2	2	4	5	9
" MULTIPLE DX	739	3.0	20	1	1	2	3	5	8	23
TOTAL 0-19 YRS	319	2.4	11	1	1	2	2	4	6	16
20-34	267	2.5	6					4	6	13
35-49	224	2.4	5					4	6	9
50-64	193	3.4	38					5	8	34
65+	117	3.9	23	1	1	3	4	7	15	26
GRAND TOTAL	1120	2.7	15	1	1	2	3	4	7	19

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	1.8	1	<1	<1	1	2	3	3	9
20-34	156	1.9							4	7
35-49	173	2.0							4	7
50-64	195	2.2							5	7
65+	79	3.0							6	17
2. MULTIPLE DX									5	13
0-19 YRS	124	2.4	14	<1	<1	1	2	4	7	25
20-34	100	3.0	12						11	20
35-49	89	3.8	36						17	36
50-64	101	3.9	9						7	9
65+	54	3.7	8	1	1	3	4	8	10	16
TOT. SINGLE DX	794	2.1	4	<1	1	2	2	4	5	8
" MULTIPLE DX	468	3.1	15	<1	1	2	3	6	9	23
TOTAL 0-19 YRS	315	2.1	7	<1	<1	1	2	3	5	13
20-34	256	2.4	6						6	14
35-49	262	2.7	15						6	24
50-64	296	2.6	7						6	10
65+	133	2.8	6						8	15
GRAND TOTAL	1262	2.5	8	<1	1	2	3	4	6	15

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	1.4		1	1	1	2	2	3	3
20-34	147	1.4		<1	<1	1	2	2	3	3
35-49	80	1.4		<1	<1	1	2	2	3	4
50-64	39	1.4		1	1	1	2	3	3	3
65+	13	1.6		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	131	1.8	1	1	1	2	2	3	3	6
20-34	407	1.9	1	1	1	2	3	3	4	5
35-49	246	1.8		<1	1	2	2	3	4	5
50-64	126	2.2	2	1	1	2	3	4	6	8
65+	37	3.5	55	<1	1	2	3	4	12	45
TOT. SINGLE DX	344	1.4		<1	1	1	2	2	3	3
" MULTIPLE DX	947	2.0	3	1	1	2	3	3	4	6
TOTAL 0-19 YRS	196	1.7	1	1	1	1	2	3	3	5
20-34	554	1.8	1	<1	1	1	2	3	4	5
35-49	326	1.7	1	<1	1	1	2	3	3	5
50-64	165	2.0	2	1	1	2	3	3	5	8
65+	50	3.0	41	<1	1	2	3	3	4	45
GRAND TOTAL	**1291**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**3**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	408	1.6		<1	1	1	2	3	3	6
20-34	784	1.5	1	<1	1	1	2	3	3	5
35-49	425	1.7	1	<1	1	1	2	3	4	6
50-64	199	1.6		<1	1	1	2	3	3	5
65+	67	1.8		<1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	705	1.9	2	<1	1	1	2	3	4	6
20-34	1676	1.9	2	<1	1	2	2	3	4	7
35-49	992	2.0	3	<1	1	2	2	3	4	9
50-64	519	2.3	2	1	1	2	3	4	5	8
65+	217	2.9	6	1	1	2	4	6	7	13
TOT. SINGLE DX	1883	1.6	1	<1	1	1	2	3	3	5
" MULTIPLE DX	4109	2.0	3	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	1113	1.8	2	<1	1	1	2	3	3	6
20-34	2460	1.8	2	<1	1	1	2	3	4	6
35-49	1417	1.9	3	<1	1	1	2	3	4	7
50-64	718	2.1	2	1	1	2	2	3	4	8
65+	284	2.7	5	<1	1	2	3	5	7	13
GRAND TOTAL	**5992**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	1.6	1	<1	<1	1	2	3	3	8
20-34	80	1.6	2	<1	<1	1	2	3	4	10
35-49	117	1.5		<1	<1	1	2	3	4	5
50-64	129	1.7	3	<1	<1	1	2	3	5	9
65+	145	2.0	4	<1	<1	1	2	4	5	13
2. MULTIPLE DX										
0-19 YRS	95	2.3	3	<1	<1	2	3	4	6	9
20-34	174	2.2	7	<1	1	2	2	4	5	13
35-49	211	2.2	9	1	1	2	3	3	5	11
50-64	239	2.2	3	<1	1	2	3	4	5	9
65+	238	4.0	16	<1	1	3	5	10	13	19
TOT. SINGLE DX	553	1.7	3	<1	<1	1	2	3	4	9
" MULTIPLE DX	957	2.7	9	<1	1	2	3	5	8	15
TOTAL 0-19 YRS	177	2.0	2	<1	<1	2	2	4	5	9
20-34	254	2.0	6	<1	<1	1	2	4	5	12
35-49	328	1.9	6	<1	<1	1	2	3	4	8
50-64	368	2.1	4	<1	<1	2	2	3	5	9
65+	383	3.3	13	<1	<1	2	3	8	11	19
GRAND TOTAL	**1510**	**2.3**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	292	1.3		<1	<1	1	1	2	2	5
20-34	201	1.6	1	<1	<1	1	2	3	4	5
35-49	95	2.3	3	<1	<1	1	3	5	7	8
50-64	74	3.7	6	<1	1	3	5	7	8	13
65+	83	4.1	6	1	1	4	5	7	10	13
2. MULTIPLE DX										
0-19 YRS	211	2.2	10	<1	<1	1	2	4	5	8
20-34	263	3.3	29	<1	1	2	3	7	10	20
35-49	165	3.6	11	1	1	3	5	7	9	17
50-64	151	4.7	23	1	1	3	6	9	10	30
65+	226	5.9	38	1	2	4	7	12	16	43
TOT. SINGLE DX	745	2.1	3	<1	<1	1	2	5	6	10
" MULTIPLE DX	1016	3.9	25	1	1	3	5	8	11	23
TOTAL 0-19 YRS	503	1.7	5	<1	<1	1	2	3	4	7
20-34	464	2.6	18	<1	<1	2	3	5	8	18
35-49	260	3.1	9	<1	1	2	4	6	8	12
50-64	225	4.4	18	1	1	3	5	8	10	25
65+	309	5.4	31	1	1	4	6	10	14	27
GRAND TOTAL	**1761**	**3.1**	**17**	**<1**	**<1**	**2**	**4**	**7**	**9**	**20**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.6		1	1	1	2	3	4	5
20-34	120	2.0	2	1	1	1	2	4	5	9
35-49	124	1.9	1	1	1	2	3	3	4	7
50-64	87	1.9	1	<1	1	2	3	3	4	6
65+	50	2.6	2	1	1	2	3	5	5	9
2. MULTIPLE DX										
0-19 YRS	36	4.1	35	1	1	2	4	12	20	27
20-34	181	3.2	26	1	1	2	3	5	9	23
35-49	168	2.6	5	1	1	2	3	4	5	14
50-64	185	3.3	10	1	1	2	4	6	9	15
65+	117	4.6	39	1	1	3	4	9	18	32
TOT. SINGLE DX	421	2.0	2	1	1	2	3	4	4	7
" MULTIPLE DX	687	3.4	20	1	1	2	3	6	9	21
TOTAL 0-19 YRS	76	2.8	19	1	1	1	3	4	11	25
20-34	301	2.7	17	1	1	2	3	4	7	17
35-49	292	2.3	4	1	1	2	3	4	5	8
50-64	272	2.9	8	1	1	2	3	5	7	14
65+	167	4.0	29	1	1	3	4	8	11	21
GRAND TOTAL	1108	2.8	14	1	1	2	3	5	7	18

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	2.1	6	<1	<1	1	2	5	8	14
20-34	106	2.3	3	<1	<1	2	3	4	5	10
35-49	105	2.3	7	<1	<1	1	2	5	7	16
50-64	65	3.2	15	<1	<1	2	4	6	11	25
65+	52	2.7	3	<1	<1	2	4	5	7	7
2. MULTIPLE DX										
0-19 YRS	129	3.3	21	<1	<1	1	4	7	11	25
20-34	230	4.0	43	1	1	2	4	8	14	35
35-49	222	3.2	15	<1	1	2	4	6	10	24
50-64	200	3.9	34	1	1	2	4	8	14	36
65+	149	5.9	54	1	1	3	7	14	23	46
TOT. SINGLE DX	388	2.5	7	<1	<1	2	3	5	7	11
" MULTIPLE DX	930	4.0	34	<1	1	2	4	9	14	33
TOTAL 0-19 YRS	189	2.9	17	<1	<1	1	3	7	10	23
20-34	336	3.5	31	<1	1	2	4	7	10	32
35-49	327	2.9	13	<1	<1	2	3	6	8	22
50-64	265	3.7	30	<1	1	2	4	7	12	28
65+	201	5.1	43	<1	1	3	6	12	17	44
GRAND TOTAL	1318	3.6	27	<1	1	2	4	7	11	28

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	219	1.2		<1	<1	1	1	2	2	3
20-34	148	1.5	4	<1	<1	1	1	2	3	13
35-49	41	2.1	6	<1	<1	1	2	4	6	16
50-64	35	2.1		<1	1	2	3	3	4	4
65+	32	2.9	6	<1	1	2	3	7	9	12
2. MULTIPLE DX										
0-19 YRS	167	4.1	130	<1	<1	1	2	5	11	77
20-34	176	4.6	48	<1	1	2	4	9	16	39
35-49	159	4.9	89	1	1	2	4	8	20	44
50-64	166	4.5	48	1	1	2	4	9	17	30
65+	247	4.9	43	1	1	2	5	12	16	34
TOT. SINGLE DX	475	1.6	3	<1	<1	1	2	2	3	9
" MULTIPLE DX	915	4.6	69	<1	1	2	4	9	17	40
TOTAL 0-19 YRS	386	2.4	59	<1	<1	1	2	3	4	39
20-34	324	3.2	31	<1	1	1	3	6	12	33
35-49	200	4.3	73	<1	1	2	4	8	16	41
50-64	201	4.1	41	1	1	2	4	8	15	30
65+	279	4.7	39	1	1	2	5	12	15	34
GRAND TOTAL	1390	3.6	49	<1	<1	2	3	7	13	35

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	1.1		<1	<1	<1	1	1	1	3
20-34	11	1.7		<1	<1	2	2	3	3	3
35-49	5	2.0	2	<1	<1	1	3	4	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	143	1.2		<1	<1	<1	1	2	2	4
20-34	32	5.8	222	<1	<1	1	2	11	38	74
35-49	18	1.9	8	<1	<1	1	1	3	9	13
50-64	7	1.4		1	1	1	2	3	3	3
65+	5	5.2	29	1	1	2	9	14	14	14
TOT. SINGLE DX	158	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	205	2.1	38	<1	<1	1	1	2	3	34
TOTAL 0-19 YRS	283	1.1		<1	<1	<1	1	1	2	3
20-34	43	4.7	168	<1	<1	1	2	3	83	74
35-49	23	1.9	7	<1	<1	1	2	3	7	13
50-64	9	1.7	1	1	1	1	2	3	3	3
65+	5	5.2	30	1	1	2	9	14	14	14
GRAND TOTAL	363	1.7	22	<1	<1	<1	1	2	3	14

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	1.7	1	<1	<1	1	2	3	4	8
20-34	39	2.2	5	<1	1	1	3	4	7	13
35-49	71	2.2	1	<1	1	2	3	4	4	5
50-64	65	3.2	11	1	1	3	4	4	5	25
65+	27	3.3	2	1	1	3	4	4	6	10
2. MULTIPLE DX										
0-19 YRS	95	2.6	36	<1	<1	1	2	3	8	38
20-34	52	3.4	61	<1	<1	2	3	5	9	56
35-49	76	2.4	2	1	1	2	3	4	6	76
50-64	103	3.4	10	1	1	3	4	6	9	19
65+	50	5.1	37	1	1	3	5	10	13	41
TOT. SINGLE DX	251	2.5	5	<1	<1	2	3	4	5	10
" MULTIPLE DX	376	3.2	26	<1	<1	2	3	5	10	36
TOTAL 0-19 YRS	144	2.3	24	<1	<1	1	2	3	6	21
20-34	91	2.9	38	<1	1	2	3	5	9	39
35-49	147	2.3	2	1	1	2	3	4	5	12
50-64	168	3.3	11	1	1	3	4	5	8	21
65+	77	4.5	26	1	1	3	4	9	11	34
GRAND TOTAL	**627**	**2.9**	**18**	**<1**	**<1**	**2**	**3**	**5**	**8**	**20**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	2.2	2	<1	<1	2	3	4	5	10
20-34	193	2.4	1	<1	1	2	3	4	5	7
35-49	208	2.7	1	1	1	3	3	4	5	8
50-64	263	2.8	2	1	1	3	4	5	5	7
65+	174	3.4	6	1	2	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	35	3.2	11	1	1	2	4	7	9	18
20-34	89	3.1	4	1	1	2	4	6	7	13
35-49	120	3.6	9	1	1	3	4	6	8	19
50-64	143	3.7	7	1	2	3	4	7	9	16
65+	212	5.7	39	1	2	4	6	11	18	36
TOT. SINGLE DX	924	2.8	3	1	1	3	3	4	5	8
" MULTIPLE DX	599	4.3	20	1	1	3	5	8	11	26
TOTAL 0-19 YRS	121	2.5	5	<1	1	2	3	4	6	14
20-34	282	2.6	3	<1	1	2	3	4	6	9
35-49	328	3.0	5	1	1	3	3	5	6	12
50-64	406	3.1	4	1	1	3	4	5	6	11
65+	386	4.6	26	1	2	3	5	9	12	30
GRAND TOTAL	**1523**	**3.3**	**10**	**1**	**1**	**3**	**4**	**5**	**8**	**17**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	233	3.3	4	1	1	3	4	5	6	13
20-34	12	3.3	3	1	1	3	4	7	7	7
35-49	12	2.6	2	1	1	2	3	5	6	6
50-64	4	7.3	26	2	2	7	11	13	13	13
65+	6	3.3	2	1	1	3	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	197	3.8	8	1	2	3	4	6	7	11
20-34	11	3.4	2	2	2	3	4	5	7	7
35-49	11	3.5	6	<1	<1	3	5	7	10	10
50-64	8	3.0	1	1	1	3	4	4	4	4
65+	7	2.9	6	1	1	2	4	7	8	8
TOT. SINGLE DX	267	3.3	4	1	1	3	4	5	6	13
" MULTIPLE DX	234	3.7	8	1	1	3	4	6	7	10
TOTAL 0-19 YRS	430	3.5	6	1	1	3	4	5	6	13
20-34	23	3.3	3	1	2	3	4	7	7	7
35-49	23	3.0	5	<1	1	2	4	5	7	10
50-64	12	4.4	12	1	1	4	4	11	13	13
65+	13	3.1	4	1	1	3	4	6	8	8
GRAND TOTAL	**501**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	385	2.8	4	<1	<1	2	3	6	8	10
20-34	104	3.1	9	<1	<1	2	4	8	10	14
35-49	110	2.9	9	<1	<1	2	3	7	10	17
50-64	160	3.1	10	<1	<1	2	4	7	9	16
65+	187	3.4	18	<1	<1	2	4	6	11	25
2. MULTIPLE DX										
0-19 YRS	278	3.1	7	<1	1	2	4	6	7	17
20-34	185	4.6	49	<1	1	3	5	9	11	40
35-49	154	6.6	93	<1	1	3	7	17	30	43
50-64	236	6.7	75	1	1	3	8	17	25	49
65+	355	7.6	89	1	1	5	9	16	25	55
TOT. SINGLE DX	946	3.0	10	<1	<1	2	4	6	9	16
" MULTIPLE DX	1208	5.8	65	<1	1	3	6	13	20	48
TOTAL 0-19 YRS	663	2.9	6	<1	<1	2	4	6	8	10
20-34	289	4.1	36	<1	<1	2	5	9	10	21
35-49	264	5.1	62	<1	<1	2	5	11	19	39
50-64	396	5.3	52	<1	1	3	6	13	18	38
65+	542	6.2	69	<1	1	3	7	14	21	50
GRAND TOTAL	**2154**	**4.6**	**43**	**<1**	**<1**	**3**	**5**	**10**	**15**	**37**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3962	1.3		<1	1	1	2	2	2	3
20-34	2347	1.5		1	1	1	2	2	3	4
35-49	287	1.7		<1	1	1	2	3	3	5
50-64	32	1.9		1	1	2	2	3	4	5
65+	24	1.9	5	<1	1	1	2	3	6	12
2. MULTIPLE DX										
0-19 YRS	1065	1.6	4	<1	1	1	2	2	3	6
20-34	617	1.9	3	1	1	1	2	3	4	7
35-49	105	2.4	11	1	1	2	2	4	5	22
50-64	25	4.2	49	<1	1	2	4	8	17	36
65+	13	4.1	41	1	1	2	3	10	22	25
TOT. SINGLE DX	6652	1.4	1	<1	1	1	2	2	3	4
" MULTIPLE DX	1825	1.8	6	<1	1	1	2	3	4	8
TOTAL 0-19 YRS	5027	1.4	1	<1	1	1	2	2	2	3
20-34	2964	1.6	1	1	1	1	2	3	3	5
35-49	392	1.9	4	1	1	2	2	3	4	8
50-64	57	2.9	23	1	1	2	3	4	7	34
65+	37	2.7	18	1	1	2	2	4	10	25
GRAND TOTAL	**8477**	**1.5**	**2**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5854	1.3		<1	<1	1	2	2	2	3
20-34	132	1.5		1	1	1	2	2	3	4
35-49	13	1.4		<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4139	1.4		<1	<1	1	2	2	2	4
20-34	69	2.1	20	1	1	1	2	3	4	32
35-49	5	2.0	1	1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	7	2.6	4	1	1	2	3	6	7	7
TOT. SINGLE DX	6007	1.3		<1	<1	1	2	2	2	3
" MULTIPLE DX	4221	1.4	1	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	9993	1.3	1	<1	<1	1	2	2	2	3
20-34	201	1.7	7	1	1	1	2	3	3	5
35-49	18	1.6	1	<1	<1	1	2	2	3	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	14	1.8	3	1	1	1	2	3	6	7
GRAND TOTAL	**10228**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	332	1.1		<1	<1	<1	1	1	2	2
20-34	7	1.1		<1	<1	1	1	2	2	2
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	703	1.2		<1	<1	1	1	2	2	4
20-34	7	1.7	1	1	1	1	3	4	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
TOT. SINGLE DX	340	1.1	1	<1	<1	<1	1	1	2	2
" MULTIPLE DX	714	1.2	1	<1	<1	1	1	2	2	4
TOTAL 0-19 YRS	1035	1.2	1	<1	<1	1	1	2	2	3
20-34	14	1.4	1	<1	<1	1	1	3	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**1054**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	349	1.9	2	<1	<1	1	2	4	5	8
20-34	216	2.0	1	<1	1	2	2	4	5	8
35-49	78	2.1	4	<1	<1	2	2	3	5	13
50-64	68	3.9	32	<1	<1	2	4	9	14	35
65+	64	3.7	11	<1	1	2	5	8	9	19
2. MULTIPLE DX										
0-19 YRS	121	2.7	4	<1	1	2	4	5	7	10
20-34	88	3.2	7	1	1	2	4	6	7	17
35-49	49	3.2	9	<1	1	2	4	7	11	17
50-64	110	5.9	59	1	1	3	7	13	25	38
65+	123	7.9	63	1	1	5	11	20	24	64
TOT. SINGLE DX	775	2.3	6	<1	<1	2	2	4	6	11
" MULTIPLE DX	491	4.8	37	<1	1	3	5	12	18	33
TOTAL 0-19 YRS	470	2.1	3	<1	<1	1	3	4	5	9
20-34	304	2.3	4	<1	1	2	3	4	6	10
35-49	127	2.5	7	<1	<1	2	3	5	7	16
50-64	178	5.1	50	<1	1	2	5	12	21	39
65+	187	6.4	50	<1	1	4	8	16	21	44
GRAND TOTAL	**1266**	**3.3**	**20**	**<1**	**1**	**2**	**3**	**7**	**11**	**24**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	1.6	1	<1	<1	<1	2	3	4	5
20-34	15	2.3	2	<1	1	2	3	5	6	6
35-49	15	2.7	4	<1	<1	2	3	4	8	9
50-64	20	3.1	2	<1	<1	3	4	5	6	7
65+	21	2.4	1	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	75	2.7	2	<1	1	3	4	5	6	7
20-34	14	9.9	170	<1	<1	4	8	31	40	43
35-49	24	4.5	8	<1	1	4	6	9	10	11
50-64	51	4.7	36	<1	1	3	6	10	12	40
65+	115	4.9	29	1	1	4	6	10	15	60
TOT. SINGLE DX	112	2.3	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	279	4.5	30	1	1	3	5	8	13	40
TOTAL 0-19 YRS	116	2.3	2	<1	<1	2	3	5	5	7
20-34	29	6.0	95	<1	<1	2	5	18	31	43
35-49	39	3.8	8	<1	1	3	5	9	10	11
50-64	71	4.3	27	<1	1	3	5	8	11	35
65+	136	4.5	26	1	1	3	5	8	14	48
GRAND TOTAL	**391**	**3.9**	**23**	**<1**	**<1**	**3**	**4**	**7**	**10**	**36**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	1.2		<1	<1	1	1	2	2	6
20-34	97	1.1		<1	<1	1	1	2	2	3
35-49	173	1.4		<1	<1	1	1	2	3	5
50-64	265	1.5	1	<1	<1	1	2	2	3	6
65+	205	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
0-19 YRS	40	1.9	3	<1	<1	1	2	3	5	11
20-34	48	3.7	98	<1	<1	1	3	4	9	67
35-49	101	2.7	32	<1	<1	2	2	5	7	34
50-64	234	2.9	30	<1	<1	2	2	5	9	36
65+	255	4.2	56	<1	1	2	3	10	16	48
TOT. SINGLE DX	826	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	678	3.4	44	<1	<1	2	2	6	12	42
TOTAL 0-19 YRS	126	1.4	2	<1	<1	1	1	2	3	8
20-34	145	2.0	34	<1	<1	1	1	2	3	25
35-49	274	1.9	13	<1	<1	1	2	3	4	9
50-64	499	2.2	15	<1	<1	1	2	3	6	15
65+	460	3.1	33	<1	<1	2	2	5	11	35
GRAND TOTAL	**1504**	**2.3**	**21**	**<1**	**<1**	**1**	**2**	**3**	**6**	**20**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.3	6	1	1	1	2	7	9	9
20-34	10	1.4		<1	<1	1	2	3	3	3
35-49	9	3.6	16	1	1	2	5	11	11	11
50-64	29	7.8	40	<1	1	8	12	17	20	21
65+	13	4.2	15	<1	<1	2	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	23	3.1	20	<1	<1	1	2	7	15	20
20-34	13	3.7	12	<1	1	2	5	9	12	13
35-49	14	7.4	102	<1	<1	1	12	28	29	29
50-64	39	11.3	134	1	1	8	15	30	32	52
65+	30	14.1	360	1	1	7	18	39	63	81
TOT. SINGLE DX	70	5.0	28	<1	1	2	9	13	15	21
" MULTIPLE DX	119	9.2	167	<1	1	3	12	25	32	69
TOTAL 0-19 YRS	32	2.9	17	<1	<1	1	2	7	13	20
20-34	23	2.7	8	<1	<1	2	3	6	10	13
35-49	23	5.9	70	<1	<1	1	10	18	28	29
50-64	68	9.8	96	1	1	8	14	23	30	49
65+	43	11.1	275	<1	1	5	11	24	53	81
GRAND TOTAL	**189**	**7.6**	**119**	**<1**	**1**	**3**	**10**	**19**	**29**	**59**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	24	12.7	7	9	9	13	14	16	17	20
65+	17	18.1	163	6	9	15	17	30	51	62
2. MULTIPLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	6	19.0	376	8	8	11	17	54	58	58
50-64	66	17.9	108	9	9	15	20	32	35	60
65+	55	24.2	286	10	10	18	29	44	60	91
TOT. SINGLE DX	42	14.8	76	8	9	13	16	20	27	62
" MULTIPLE DX	128	20.6	202	9	10	16	23	40	54	76
TOTAL 0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	7	17.6	328	8	8	11	16	50	58	58
50-64	90	16.5	87	9	9	14	19	27	33	59
65+	72	22.7	262	10	10	16	26	43	61	88
GRAND TOTAL	**170**	**19.2**	**177**	**9**	**10**	**15**	**20**	**34**	**50**	**70**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	15.0	50	10	10	15	20	20	20	20
20-34										
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	3	8.3	32	2	2	11	56	99+	99+	99+
65+	2	33.5	1513	6	6	33	61	61	61	61
2. MULTIPLE DX										
0-19 YRS	4	29.0	474	5	5	39	65	99+	99+	99+
20-34	5	16.6	16	10	10	17	19	21	21	21
35-49	12	14.3	158	1	3	9	23	34	39	40
50-64	20	24.0	541	2	3	16	32	68	76	78
65+	26	34.7	638	2	7	35	59	85	99+	99+
TOT. SINGLE DX	9	14.4	337	2	2	10	20	80	99+	99+
" MULTIPLE DX	67	26.1	510	2	4	20	40	69	90	99+
TOTAL 0-19 YRS	6	24.3	347	5	6	20	50	91	99+	99+
20-34	5	16.6	16	10	10	17	19	21	21	21
35-49	14	12.8	149	1	2	7	18	32	38	40
50-64	23	21.9	499	2	3	13	32	75	85	99+
65+	28	34.6	648	2	6	35	60	82	99+	99+
GRAND TOTAL	76	24.7	499	2	3	18	40	69	95	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.4	230	<1	<1	6	8	14	45	69
20-34	16	5.8	107	<1	<1	2	7	10	33	43
35-49	16	7.7	162	<1	<1	2	7	33	41	43
50-64	22	4.4	21	1	1	2	8	11	15	17
65+	21	5.6	35	<1	1	2	7	16	19	21
2. MULTIPLE DX										
0-19 YRS	84	14.4	334	1	1	7	27	67	99+	99+
20-34	48	20.4	498	1	1	18	44	99+	99+	99+
35-49	65	25.6	526	1	2	20	40	75	88	99+
50-64	149	24.2	538	1	2	18	41	74	99+	99+
65+	217	30.2	648	1	2	28	51	81	99+	99+
TOT. SINGLE DX	94	6.3	103	<1	1	3	7	13	20	58
" MULTIPLE DX	563	24.9	572	1	2	20	44	77	99+	99+
TOTAL 0-19 YRS	103	13.3	315	<1	1	6	21	61	99+	99+
20-34	64	16.7	438	<1	1	8	31	85	99+	99+
35-49	81	22.0	503	1	1	16	35	64	85	99+
50-64	171	21.6	516	1	1	14	39	71	99	99+
55+	238	28.1	644	1	2	25	49	78	99+	99+
GRAND TOTAL	657	22.2	547	1	1	15	39	72	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	3.3	9	<1	<1	2	4	9	10	10
20-34	28	5.1	45	<1	1	2	6	16	21	28
35-49	76	4.6	19	<1	<1	3	7	11	12	22
50-64	208	4.0	13	<1	1	3	5	9	12	16
65+	251	4.4	20	<1	1	3	6	10	13	28
2. MULTIPLE DX										
0-19 YRS	16	4.9	9	1	2	4	7	12	69	99+
20-34	107	8.2	64	1	1	6	12	19	24	40
35-49	261	9.3	66	1	2	7	13	19	24	46
50-64	832	9.0	69	1	2	7	12	18	23	45
65+	1576	10.9	99	1	2	9	14	23	30	50
TOT. SINGLE DX	575	4.3	19	<1	1	3	6	10	13	21
" MULTIPLE DX	2792	10.0	86	1	2	8	13	21	28	48
TOTAL 0-19 YRS	28	4.2	10	<1	1	4	6	10	17	99+
20-34	135	7.5	62	1	1	4	11	18	24	35
35-49	337	8.2	60	1	1	6	11	17	22	43
50-64	1040	8.0	62	1	1	6	11	17	22	43
65+	1827	10.0	93	1	2	8	13	22	29	48
GRAND TOTAL	3367	9.1	79	1	1	7	12	19	26	47

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	15.0	588	1	1	1	33	43	43	43
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
TOT. SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
" MULTIPLE DX	6	12.8	242	1	1	10	12	40	43	43
TOTAL 0-19 YRS	5	9.6	349	<1	<1	1	12	43	43	43
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	8	10.0	200	<1	<1	5	11	34	43	43

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	5.8	4	2	3	6	8	8	8	8
20-34	39	7.7	34	1	2	7	8	12	18	35
35-49	91	6.6	16	1	1	6	9	11	14	22
50-64	160	6.4	22	<1	1	6	8	13	16	22
65+	183	7.8	47	<1	1	7	10	15	19	49
2. MULTIPLE DX										
0-19 YRS	59	14.2	183	4	5	11	16	27	36	87
20-34	120	9.9	48	3	4	8	12	17	22	40
35-49	221	11.3	78	2	4	9	14	21	30	41
50-64	581	11.4	86	2	3	9	14	22	27	55
65+	892	12.4	100	1	3	10	16	24	32	52
TOT. SINGLE DX	486	7.1	31	1	1	6	9	14	17	30
" MULTIPLE DX	1873	11.8	93	2	3	9	15	22	30	52
TOTAL 0-19 YRS	72	12.7	161	4	4	9	14	21	35	82
20-34	159	9.3	45	2	4	7	11	16	21	39
35-49	312	9.9	65	2	3	8	12	17	26	38
50-64	741	10.3	77	1	2	8	13	20	24	47
65+	1075	11.6	94	1	2	9	15	23	30	52
GRAND TOTAL	2359	10.9	84	1	2	9	14	21	28	50

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	6.7	5	4	4	7	8	10	10	10
20-34	4	8.5	19	6	6	7	11	15	15	15
35-49	30	10.0	13	6	6	9	12	15	17	21
50-64	97	10.9	28	6	6	9	12	17	23	33
65+	92	11.8	25	7	7	10	14	18	21	34
2. MULTIPLE DX										
0-19 YRS	7	20.4	985	1	2	10	14	76	91	91
20-34	16	14.4	150	6	7	11	14	25	47	56
35-49	74	14.3	119	5	7	10	16	23	44	57
50-64	381	13.7	77	7	7	11	16	22	27	55
65+	415	15.2	72	7	8	13	18	25	30	57
TOT. SINGLE DX	230	11.0	25	6	7	10	13	17	21	31
" MULTIPLE DX	893	14.5	87	7	7	12	17	24	29	57
TOTAL 0-19 YRS	14	13.6	508	2	3	8	10	23	76	91
20-34	20	13.2	127	5	6	10	14	23	41	56
35-49	104	13.1	92	6	7	10	15	21	33	55
50-64	478	13.1	69	6	7	11	15	22	27	53
65+	507	14.6	66	7	8	12	17	24	29	51
GRAND TOTAL	1123	13.8	76	7	7	11	16	23	28	54

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	179	2.8	42	<1	<1	1	2	5	7	42
20-34	59	5.0	43	<1	1	4	6	11	13	43
35-49	59	5.3	28	<1	<1	3	7	11	16	26
50-64	152	4.3	23	<1	<1	2	6	9	13	32
65+	153	5.2	37	<1	<1	2	6	12	19	39
2. MULTIPLE DX										
0-19 YRS	199	7.6	75	<1	1	5	10	20	23	46
20-34	125	9.7	80	1	2	7	14	23	28	70
35-49	246	8.7	57	1	2	7	13	19	24	36
50-64	678	8.9	74	1	2	7	12	18	26	55
65+	1207	12.8	130	1	2	9	16	27	37	63
TOT. SINGLE DX	602	4.3	36	<1	<1	2	5	10	14	32
" MULTIPLE DX	2455	10.6	105	1	2	8	14	23	32	57
TOTAL 0-19 YRS	378	5.3	66	<1	1	2	6	14	21	47
20-34	184	8.2	73	1	2	6	11	17	27	55
35-49	305	8.0	54	<1	2	6	11	18	24	33
50-64	830	8.0	69	1	2	6	11	17	24	52
65+	1360	11.7	126	1	2	9	16	26	35	62
GRAND TOTAL	3057	9.4	98	1	1	6	13	21	29	55

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	5.0	20	1	1	4	6	12	16	16
20-34	31	4.5	4	2	3	4	5	7	7	11
35-49	20	6.8	25	1	2	6	8	13	19	22
50-64	15	5.2	16	1	1	4	8	11	13	14
65+	6	5.3	4	2	2	5	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	25	7.6	69	2	2	5	9	27	50	99+
20-34	47	8.3	40	2	3	7	10	17	27	34
35-49	24	11.4	68	2	4	9	14	22	31	37
50-64	42	14.6	160	3	3	11	19	32	42	59
65+	74	11.8	83	2	3	9	17	26	29	42
TOT. SINGLE DX	83	5.3	14	1	2	4	7	9	13	20
" MULTIPLE DX	212	11.1	90	2	3	8	16	23	32	53
TOTAL 0-19 YRS	36	6.8	55	1	2	5	8	16	34	99+
20-34	78	6.8	30	2	3	5	8	13	19	31
35-49	44	9.3	53	1	3	7	11	18	24	37
50-64	57	12.2	139	1	2	9	17	26	35	58
65+	80	11.3	80	2	2	9	16	25	28	41
GRAND TOTAL	295	9.4	75	2	2	7	13	21	28	47

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	5.4	13	2	2	5	7	10	13	20
20-34	295	5.1	13	2	2	4	6	10	13	18
35-49	126	6.1	20	2	2	5	7	11	17	23
50-64	71	7.9	48	2	3	6	9	14	17	45
65+	75	8.7	49	2	3	7	10	16	23	40
2. MULTIPLE DX										
0-19 YRS	222	13.1	241	3	3	7	15	27	58	82
20-34	357	8.6	77	2	3	6	10	17	21	61
35-49	308	9.7	95	2	3	7	11	18	26	54
50-64	493	12.2	147	3	4	9	14	27	37	87
65+	782	13.4	142	3	4	10	17	28	38	60
TOT. SINGLE DX	661	6.0	24	2	2	5	7	11	15	25
" MULTIPLE DX	2162	11.8	140	3	3	8	14	25	35	67
TOTAL 0-19 YRS	316	10.8	185	2	3	6	12	22	41	77
20-34	652	7.0	51	2	2	5	8	14	18	42
35-49	434	8.6	77	2	3	6	10	16	23	51
50-64	564	11.7	137	3	3	8	14	26	34	82
65+	857	13.0	136	3	4	9	16	28	37	59
GRAND TOTAL	**2823**	**10.4**	**118**	**2**	**3**	**7**	**12**	**21**	**31**	**62**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	5.0	6	<1	1	5	7	8	9	12
20-34	102	5.1	15	1	1	5	6	10	13	20
35-49	71	5.5	20	1	1	4	8	12	16	17
50-64	98	4.7	12	<1	1	4	6	11	12	15
65+	81	6.0	29	1	1	4	9	12	17	29
2. MULTIPLE DX										
0-19 YRS	64	11.2	175	1	3	7	13	20	34	76
20-34	116	9.6	56	1	3	8	12	18	24	44
35-49	137	9.6	75	1	1	7	13	21	26	41
50-64	401	9.6	90	1	2	7	13	21	26	37
65+	513	11.4	102	1	2	8	15	26	34	47
TOT. SINGLE DX	423	5.2	17	1	1	5	7	10	13	18
" MULTIPLE DX	1231	10.4	96	1	2	8	14	22	30	47
TOTAL 0-19 YRS	135	8.0	95	1	1	6	8	15	19	70
20-34	218	7.5	43	1	2	6	10	15	19	32
35-49	208	8.2	60	1	1	7	10	17	22	38
50-64	499	8.6	79	1	2	6	12	19	25	36
65+	594	10.7	96	1	2	8	14	24	32	47
GRAND TOTAL	**1654**	**9.1**	**81**	**1**	**2**	**6**	**12**	**19**	**26**	**42**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	7.5	6	4	5	7	8	10	12	18
20-34	31	8.7	6	5	6	8	11	13	14	14
35-49	40	10.4	14	6	7	9	12	14	18	26
50-64	84	10.6	23	3	6	10	13	17	20	26
65+	39	12.3	11	8	9	11	14	18	18	22
2. MULTIPLE DX										
0-19 YRS	373	11.3	74	5	6	9	12	18	30	59
20-34	119	13.0	91	2	7	10	15	22	32	55
35-49	208	13.3	71	7	8	11	14	22	30	75
50-64	499	16.0	116	8	9	13	17	26	36	63
65+	546	18.4	104	9	9	16	22	32	41	77
TOT. SINGLE DX	354	9.2	15	5	6	8	11	14	17	22
" MULTIPLE DX	1745	15.2	104	7	8	12	17	27	36	68
TOTAL 0-19 YRS	533	10.1	57	5	6	8	11	16	22	49
20-34	150	12.1	77	3	6	10	14	20	30	47
35-49	248	12.8	64	7	8	11	14	21	30	58
50-64	583	15.2	106	7	8	12	16	25	34	60
65+	585	18.0	101	9	9	15	21	31	41	75
GRAND TOTAL	**2099**	**14.2**	**94**	**6**	**7**	**11**	**16**	**25**	**34**	**61**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	13.5	25	10	10	13	17	17	17	17
20-34	1	11.0		11	11	11	11	11	11	11
35-49	107	9.1	8	6	6	8	10	13	15	21
50-64	383	9.9	12	6	7	9	11	14	16	25
65+	191	10.9	17	7	8	10	12	15	20	29
2. MULTIPLE DX										
0-19 YRS	8	12.4	14	7	8	12	14	18	19	19
20-34	44	16.2	369	7	8	11	13	23	81	89
35-49	915	10.8	31	6	7	9	12	15	18	38
50-64	3741	12.2	39	7	8	11	14	18	23	39
65+	2857	15.1	80	8	8	12	17	24	31	54
TOT. SINGLE DX	684	10.1	13	6	7	9	11	14	17	26
" MULTIPLE DX	7565	13.2	58	7	8	11	15	21	26	46
TOTAL 0-19 YRS	10	12.6	14	7	8	12	16	18	19	19
20-34	45	16.1	361	7	8	11	13	22	81	89
35-49	1022	10.6	30	6	7	9	12	15	18	35
50-64	4124	12.0	38	7	8	10	14	18	23	38
65+	3048	14.8	77	8	8	12	17	24	30	53
GRAND TOTAL	**8249**	**12.9**	**55**	**7**	**8**	**11**	**14**	**20**	**26**	**45**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	338	1.4		<1	<1	1	2	2	2	4
20-34	132	2.8	12	1	1	2	2	5	8	22
35-49	787	2.4	4	1	1	2	2	4	7	12
50-64	1628	2.4	8	1	1	2	2	4	7	13
65+	807	2.5	6	1	1	2	2	5	8	13
2. MULTIPLE DX										
0-19 YRS	615	2.4	18	<1	<1	1	2	4	8	23
20-34	320	3.9	17	1	1	2	4	9	11	24
35-49	2932	3.7	17	1	1	2	4	9	12	18
50-64	8187	3.8	18	1	1	2	4	9	12	22
65+	5574	5.0	36	1	1	2	6	11	16	28
TOT. SINGLE DX	3692	2.3	7	1	1	2	2	4	7	13
" MULTIPLE DX	17628	4.1	25	1	1	2	5	10	13	23
TOTAL 0-19 YRS	953	2.0	12	<1	<1	1	2	2	6	17
20-34	452	3.5	16	1	1	2	4	8	11	23
35-49	3719	3.5	15	1	1	2	4	8	11	17
50-64	9815	3.6	17	1	1	2	4	8	11	20
65+	6381	4.7	34	1	1	2	6	11	15	27
GRAND TOTAL	21320	3.8	22	1	1	2	4	9	12	22

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.6	3	3	3	4	6	7	8	8
20-34	13	5.5	8	2	2	5	7	10	11	11
35-49	30	3.8	5	1	1	3	5	8	9	10
50-64	121	4.3	15	<1	1	3	5	10	13	18
65+	536	4.4	10	1	1	3	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	24	5.5	21	1	2	4	6	12	16	20
20-34	46	7.7	108	1	1	4	10	16	23	63
35-49	141	8.1	51	1	2	6	11	16	22	33
50-64	767	9.1	79	2	2	7	11	18	23	45
65+	4142	9.5	68	2	3	7	12	19	24	42
TOT. SINGLE DX	708	4.4	11	1	1	3	6	9	12	17
" MULTIPLE DX	5120	9.4	70	2	2	7	12	18	24	42
TOTAL 0-19 YRS	32	5.3	17	1	2	4	6	11	15	20
20-34	59	7.2	87	1	1	5	9	14	19	60
35-49	171	7.3	46	1	2	5	10	14	19	32
50-64	888	8.5	73	1	2	6	11	16	22	42
65+	4678	8.9	64	2	2	7	11	18	23	40
GRAND TOTAL	5828	8.8	65	2	2	7	11	18	23	40

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	7.0	23	1	2	6	8	14	19	21
20-34	19	6.2	36	1	1	4	8	12	21	27
35-49	52	4.1	7	1	2	3	6	8	10	12
50-64	131	3.8	7	1	1	3	4	8	10	13
65+	47	5.1	17	2	2	3	7	10	18	18
2. MULTIPLE DX										
0-19 YRS	49	10.8	114	1	2	8	13	23	37	53
20-34	59	10.0	70	1	2	8	13	22	29	41
35-49	286	5.9	38	1	2	3	7	12	21	31
50-64	705	6.9	48	2	2	4	9	14	19	35
65+	473	9.1	78	2	2	6	12	20	28	50
TOT. SINGLE DX	274	4.6	14	1	2	3	6	9	12	19
" MULTIPLE DX	1572	7.6	60	2	2	5	10	16	22	42
TOTAL 0-19 YRS	74	9.5	86	1	2	7	11	21	25	51
20-34	78	9.1	65	1	2	7	12	20	28	38
35-49	338	5.6	34	1	2	3	7	12	20	28
50-64	836	6.4	43	1	2	4	9	13	18	31
65+	520	8.8	75	2	2	6	12	19	26	46
GRAND TOTAL	1846	7.2	55	2	2	4	9	15	21	40

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	3.4	58	<1	<1	2	3	7	12	31
20-34	86	3.1	11	<1	<1	1	4	9	11	17
35-49	94	3.4	15	<1	<1	1	5	10	13	17
50-64	109	3.3	15	<1	<1	1	4	8	12	20
65+	139	4.7	36	<1	1	2	5	10	17	33
2. MULTIPLE DX										
0-19 YRS	292	5.9	46	<1	1	4	7	15	21	48
20-34	167	7.9	54	1	1	6	10	18	23	38
35-49	277	8.3	51	1	1	7	11	17	21	39
50-64	733	8.5	82	1	1	6	11	18	25	51
65+	1806	10.7	78	1	2	9	15	22	27	42
TOT. SINGLE DX	617	3.6	33	<1	<1	2	4	9	13	27
" MULTIPLE DX	3275	9.5	75	1	2	7	13	20	26	42
TOTAL 0-19 YRS	481	4.9	53	<1	<1	2	5	12	19	39
20-34	253	6.3	45	<1	1	4	8	15	20	36
35-49	371	7.1	47	<1	1	5	10	16	20	33
50-64	842	7.8	77	1	1	5	10	17	24	44
65+	1945	10.3	78	1	2	8	14	21	27	41
GRAND TOTAL	3892	8.5	73	1	1	6	12	19	24	41

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.7	2	<1	<1	2	3	5	6	6
20-34	357	2.9	1	1	1	3	4	4	5	7
35-49	495	3.1	3	1	1	3	4	5	6	10
50-64	391	3.4	2	1	2	3	4	5	6	9
65+	116	3.9	4	1	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	83	3.6	5	1	1	3	4	6	8	12
35-49	200	4.3	31	1	2	3	5	7	9	17
50-64	214	5.3	49	2	2	4	5	10	13	24
65+	137	8.6	73	2	2	5	11	22	28	56
TOT. SINGLE DX	1369	3.2	3	1	1	3	4	5	6	9
" MULTIPLE DX	635	5.5	46	1	2	4	5	11	16	34
TOTAL 0-19 YRS	11	2.5	2	<1	<1	2	3	5	6	6
20-34	440	3.0	2	1	1	3	4	5	5	9
35-49	695	3.4	12	1	1	3	4	5	7	12
50-64	605	4.0	20	1	2	3	4	6	8	19
65+	253	6.5	47	1	2	4	6	15	22	36
GRAND TOTAL	**2004**	**3.9**	**18**	**1**	**1**	**3**	**4**	**6**	**8**	**22**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.5	23	1	2	6	8	15	17	17
20-34	26	4.1	8	<1	2	3	4	10	11	11
35-49	52	6.2	28	<1	1	6	8	11	12	35
50-64	230	7.0	12	2	2	7	9	11	13	17
65+	229	9.0	34	2	4	8	11	15	18	31
2. MULTIPLE DX										
0-19 YRS	73	11.9	105	4	5	9	13	26	53	99+
20-34	112	11.3	172	2	2	8	13	24	43	92
35-49	331	10.7	77	2	2	9	14	22	26	41
50-64	1274	12.8	125	3	5	10	14	23	32	71
65+	1966	15.6	158	4	6	12	18	30	43	74
TOT. SINGLE DX	548	7.6	25	2	2	7	10	13	15	28
" MULTIPLE DX	3756	14.0	143	3	5	11	16	27	38	73
TOTAL 0-19 YRS	84	11.2	98	3	4	9	13	25	42	99+
20-34	138	10.0	150	1	2	7	11	20	41	88
35-49	383	10.1	73	1	2	8	13	20	26	38
50-64	1504	12.0	112	3	4	9	13	21	30	65
65+	2195	14.9	150	4	6	11	17	29	41	72
GRAND TOTAL	**4304**	**13.2**	**132**	**3**	**4**	**10**	**15**	**25**	**36**	**69**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	11.0		11	11	11	11	11	11	11
50-64	2	10.0	2	9	9	10	11	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	2	17.5	25	14	14	17	21	21	21	21
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	8	10.1	6	8	8	10	12	14	15	15
50-64	22	13.5	28	8	8	12	15	21	27	27
65+	9	23.0	308	6	8	18	28	53	56	56
TOT. SINGLE DX	4	9.3	6	6	6	10	11	11	11	11
" MULTIPLE DX	42	14.8	102	7	8	12	17	23	36	56
TOTAL 0-19 YRS	2	17.5	25	14	14	17	21	21	21	21
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	9	10.2	6	8	8	11	11	14	15	15
50-64	24	13.2	27	8	8	12	15	19	27	27
65+	9	23.0	308	6	8	18	28	53	56	56
GRAND TOTAL	**46**	**14.3**	**95**	**6**	**8**	**12**	**15**	**21**	**32**	**56**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	1.7	1	<1	<1	<1	2	4	5	5
35-49	23	2.8	6	<1	<1	2	4	7	9	11
50-64	15	4.1	8	<1	1	4	6	9	9	9
65+	9	5.9	8	1	2	5	7	10	12	12
2. MULTIPLE DX										
0-19 YRS	43	7.5	101	1	1	4	7	15	27	56
20-34	376	5.9	48	1	1	4	7	13	20	35
35-49	420	6.0	59	1	1	4	7	12	16	42
50-64	775	7.3	81	1	1	5	8	15	22	51
65+	776	7.4	60	1	2	5	9	15	22	38
TOT. SINGLE DX	63	3.3	8	<1	<1	2	5	7	9	12
" MULTIPLE DX	2390	6.9	66	1	1	5	8	14	21	41
TOTAL 0-19 YRS	44	7.4	100	1	2	4	7	15	26	56
20-34	391	5.7	47	<1	1	4	6	12	19	35
35-49	443	5.8	57	1	1	4	7	12	15	40
50-64	790	7.2	81	1	1	5	8	14	21	50
65+	785	7.4	60	1	2	5	9	15	22	38
GRAND TOTAL	**2453**	**6.8**	**65**	**1**	**1**	**5**	**8**	**14**	**21**	**41**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	249	5.4	18	1	2	5	6	9	11	18
20-34	181	3.8	18	<1	1	2	5	9	13	29
35-49	217	5.2	29	<1	<1	3	6	11	15	28
50-64	601	6.0	23	1	2	5	8	10	13	27
65+	948	6.4	22	1	2	5	8	12	14	23
2. MULTIPLE DX										
0-19 YRS	2774	16.2	331	2	3	9	21	44	66	99+
20-34	552	9.4	137	1	1	5	12	24	34	79
35-49	854	9.3	114	1	1	6	11	21	28	66
50-64	3337	10.2	122	1	2	7	12	21	31	65
65+	6437	11.4	124	2	3	8	14	23	33	66
TOT. SINGLE DX	2196	5.8	23	1	1	5	7	11	14	24
" MULTIPLE DX	13954	11.9	170	2	3	8	14	26	40	83
TOTAL 0-19 YRS	3023	15.3	314	1	2	8	20	42	62	99+
20-34	733	8.0	114	1	1	4	10	20	31	77
35-49	1071	8.5	100	1	1	5	11	19	26	57
50-64	3938	9.5	109	1	2	7	11	19	29	62
65+	7385	10.8	114	2	3	8	13	21	31	63
GRAND TOTAL	16150	11.0	154	1	2	7	13	24	37	78

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	264	2.5	11	<1	<1	1	3	5	7	12
20-34	236	2.8	12	<1	<1	2	3	6	9	20
35-49	190	2.8	7	<1	<1	2	3	6	8	15
50-64	236	3.8	17	<1	<1	2	5	8	13	19
65+	197	4.6	34	<1	1	3	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	131	4.4	23	<1	<1	3	5	10	15	27
20-34	187	6.6	43	<1	1	5	8	13	18	39
35-49	237	6.0	53	<1	<1	3	8	13	21	38
50-64	510	7.1	57	1	1	5	9	16	22	37
65+	663	8.7	72	1	1	6	11	18	27	40
TOT. SINGLE DX	1123	3.2	17	<1	<1	2	4	7	10	17
" MULTIPLE DX	1728	7.3	60	<1	1	5	9	17	23	39
TOTAL 0-19 YRS	395	3.1	17	<1	<1	2	4	7	9	20
20-34	423	4.5	30	<1	<1	2	6	10	14	28
35-49	427	4.6	36	<1	<1	2	5	10	16	31
50-64	746	6.0	47	<1	1	4	8	14	19	35
65+	860	7.7	67	<1	1	5	10	17	24	40
GRAND TOTAL	2851	5.7	47	<1	<1	3	7	13	18	35

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	3.1	5	1	1	2	4	7	9	9
20-34	37	4.2	9	<1	<1	4	6	8	10	11
35-49	30	4.3	8	<1	1	3	7	9	9	10
50-64	51	7.8	66	2	3	6	8	11	21	57
65+	45	6.0	15	1	2	5	8	11	15	19
2. MULTIPLE DX										
0-19 YRS	8	5.1	12	<1	<1	4	8	10	10	10
20-34	77	7.3	12	2	3	7	9	12	13	19
35-49	70	7.5	26	2	2	6	10	14	16	27
50-64	160	8.9	79	2	3	6	10	17	23	58
65+	179	11.1	106	2	3	8	13	24	30	61
TOT. SINGLE DX	176	5.6	29	1	1	5	7	10	11	24
" MULTIPLE DX	494	9.2	73	2	3	7	10	18	24	48
TOTAL 0-19 YRS	21	3.9	9	<1	1	3	5	9	10	10
20-34	114	6.3	14	1	1	6	9	11	12	18
35-49	100	6.6	23	1	2	6	9	12	15	26
50-64	211	8.6	76	2	3	6	10	16	22	59
65+	224	10.1	92	2	3	7	11	22	28	55
GRAND TOTAL	670	8.3	64	1	2	6	9	16	22	42

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	2	6.5	5	5	5	6	8	8	8	8
" MULTIPLE DX	3	4.3	10	2	2	3	7	8	8	8
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	5	5.2	8	2	2	5	8	8	8	8

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5	29.8	257	2	2	35	38	43	43	43
20-34	1	30.0		30	30	30	30	30	30	30
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	6	29.8	206	2	5	33	37	42	43	43
TOTAL 0-19 YRS	5	29.8	258	2	2	35	38	43	43	43
20-34	1	30.0		30	30	30	30	30	30	30
35-49										
50-64										
65+										
GRAND TOTAL	**6**	**29.8**	**206**	**2**	**5**	**33**	**37**	**42**	**43**	**43**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	5.2	16	<1	1	5	7	10	13	21
20-34	184	7.1	45	1	2	6	7	10	21	38
35-49	109	7.7	82	1	1	6	8	12	30	51
50-64	114	7.1	83	1	2	5	8	12	20	54
65+	169	7.7	51	1	1	6	9	15	23	38
2. MULTIPLE DX										
0-19 YRS	410	9.4	119	<1	1	6	10	22	32	65
20-34	448	10.6	92	3	4	8	12	22	30	61
35-49	420	12.4	162	2	2	8	15	29	40	75
50-64	868	10.9	87	2	3	8	13	23	29	45
65+	2215	12.1	118	2	3	9	15	23	32	57
TOT. SINGLE DX	805	6.8	50	1	1	5	8	12	18	39
" MULTIPLE DX	4361	11.5	115	2	3	8	14	23	32	57
TOTAL 0-19 YRS	639	7.9	86	<1	1	6	9	17	25	57
20-34	632	9.6	82	2	3	7	10	20	28	58
35-49	529	11.4	150	1	2	7	13	27	38	63
50-64	982	10.4	89	2	3	8	13	22	29	45
65+	2384	11.8	115	2	3	9	15	23	32	56
GRAND TOTAL	**5166**	**10.7**	**108**	**2**	**3**	**8**	**13**	**22**	**31**	**56**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	9.3	118	1	1	5	9	26	36	43
20-34	48	6.6	59	1	1	4	8	17	21	35
35-49	36	9.4	119	1	1	5	12	27	30	49
50-64	51	6.7	88	<1	1	4	6	16	25	50
65+	42	8.5	191	<1	1	4	10	19	23	86
2. MULTIPLE DX										
0-19 YRS	191	14.7	268	1	2	8	22	43	58	99+
20-34	187	12.7	154	1	2	8	17	33	40	57
35-49	268	13.0	187	1	2	8	17	34	38	62
50-64	460	12.1	162	1	2	7	16	30	40	61
65+	568	14.9	182	1	3	10	20	34	44	63
TOT. SINGLE DX	249	8.1	113	1	1	4	9	22	29	49
" MULTIPLE DX	1674	13.6	185	1	2	9	18	33	43	65
TOTAL 0-19 YRS	263	13.2	233	1	2	7	20	38	55	95
20-34	235	11.4	141	1	2	7	16	31	37	52
35-49	304	12.6	181	1	1	8	17	32	38	61
50-64	511	11.6	157	1	1	7	15	29	39	60
65+	610	14.4	185	1	2	10	20	33	44	63
GRAND TOTAL	**1923**	**12.8**	**179**	**1**	**2**	**8**	**17**	**32**	**42**	**63**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	3.8	18	<1	<1	2	6	9	14	18
20-34	55	4.3	14	<1	<1	3	7	10	11	17
35-49	52	3.8	12	<1	<1	3	5	8	10	18
50-64	86	3.3	7	<1	<1	2	5	7	8	12
65+	136	4.2	22	<1	<1	2	6	10	13	28
2. MULTIPLE DX										
0-19 YRS	99	6.0	161	<1	<1	2	5	13	19	86
20-34	119	9.2	122	<1	1	6	11	23	31	59
35-49	230	7.4	54	1	1	5	10	17	25	61
50-64	545	8.1	68	1	1	6	11	17	22	44
65+	1047	9.3	78	1	2	7	12	20	27	45
TOT. SINGLE DX	367	3.9	16	<1	<1	2	6	9	11	18
" MULTIPLE DX	2040	8.6	80	1	1	6	11	18	25	43
TOTAL 0-19 YRS	137	5.4	123	<1	<1	2	5	13	18	84
20-34	174	7.6	93	<1	1	5	9	17	27	53
35-49	262	6.7	49	1	1	5	8	16	21	49
50-64	631	7.5	63	1	1	5	10	16	21	42
65+	1183	8.7	75	<1	1	6	11	18	26	44
GRAND TOTAL	**2407**	**7.9**	**73**	**<1**	**1**	**6**	**10**	**17**	**24**	**45**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	362	3.1	1	1	2	3	4	5	6	8
20-34	6	8.2	17	3	3	8	11	14	14	14
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	5	8.6	4	6	6	9	10	11	11	11
65+	4	9.3	6	8	8	8	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	111	4.9	21	2	2	4	5	8	13	28
20-34	6	7.2	7	3	3	8	9	10	10	10
35-49	4	17.5	200	6	6	13	26	38	38	38
50-64	14	13.3	31	6	8	12	16	21	26	26
65+	41	23.7	236	7	8	19	32	47	57	62
TOT. SINGLE DX	380	3.3	3	1	2	3	4	5	7	11
" MULTIPLE DX	176	10.3	136	2	2	5	12	28	37	58
TOTAL 0-19 YRS	473	3.5	7	2	2	3	4	5	7	14
20-34	12	7.7	12	3	3	8	10	12	14	14
35-49	7	11.9	150	3	3	6	14	33	38	38
50-64	19	12.1	29	6	7	10	15	20	24	26
65+	45	22.4	233	7	8	17	31	45	57	62
GRAND TOTAL	556	5.5	96	2	2	3	5	11	18	44

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	9	1	1	2	5	8	8	8
20-34	1	14.0		14	14	14	14	14	14	14
35-49										
50-64	8	9.3	59	4	4	6	11	22	27	27
65+	15	8.9	53	1	1	6	13	20	24	26
2. MULTIPLE DX										
0-19 YRS	36	20.4	589	3	4	13	52	99+	99+	99+
20-34	19	23.6	523	1	3	17	40	50	73	90
35-49	28	29.3	430	5	7	20	48	60	65	80
50-64	72	21.2	295	3	5	18	28	40	61	78
65+	320	22.4	282	3	7	18	29	45	56	91
TOT. SINGLE DX	28	8.4	49	1	1	6	11	19	26	27
" MULTIPLE DX	475	22.5	326	3	6	18	29	50	64	99+
TOTAL 0-19 YRS	40	18.7	556	2	3	10	44	99+	99+	99+
20-34	20	23.2	500	1	3	16	35	49	71	90
35-49	28	29.3	431	5	7	20	48	60	65	80
50-64	80	20.0	284	3	5	16	28	39	57	78
65+	335	21.8	280	2	6	17	28	44	55	89
GRAND TOTAL	503	21.8	321	3	5	17	28	48	62	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0	31	2	2	3	6	15	15	15
20-34	35	5.7	20	1	2	4	7	11	17	21
35-49	72	4.0	7	<1	1	3	5	8	11	14
50-64	93	5.9	25	<1	<1	4	7	10	14	31
65+	134	5.7	13	2	2	5	7	10	13	17
2. MULTIPLE DX										
0-19 YRS	29	9.0	288	1	1	6	8	16	31	92
20-34	148	6.0	34	1	1	4	8	11	15	31
35-49	333	7.2	55	2	2	5	9	12	16	39
50-64	672	7.8	52	2	3	6	9	14	20	42
65+	1810	9.6	73	2	3	7	12	19	25	44
TOT. SINGLE DX	339	5.3	17	<1	2	4	7	10	12	22
" MULTIPLE DX	2992	8.8	68	2	3	7	10	17	23	43
TOTAL 0-19 YRS	34	8.4	251	1	1	5	7	15	26	92
20-34	183	6.0	31	1	2	4	7	11	16	30
35-49	405	6.6	49	1	2	5	8	12	16	38
50-64	765	7.5	50	1	2	6	9	13	19	42
65+	1944	9.4	70	2	3	7	11	18	24	43
GRAND TOTAL	3331	8.4	64	2	2	6	10	16	22	42

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.0	18							
20-34	34	8.4	11							
35-49	77	10.2	30							
50-64	100	10.1	8							
65+	82	12.4	21							
2. MULTIPLE DX										
0-19 YRS	1	6.0								
20-34	57	13.8	80							
35-49	180	13.9	75							
50-64	329	16.2	131							
65+	562	19.2	152							
TOT. SINGLE DX	295	10.5	17							
" MULTIPLE DX	1129	17.2	134							
TOTAL 0-19 YRS	3	6.0	9							
20-34	91	11.8	62							
35-49	257	12.8	62							
50-64	429	14.8	109							
65+	644	18.3	141							
GRAND TOTAL	1424	15.8	117	7	8	12	18	28	38	72

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	11.0	8							
35-49	3	14.7	17							
50-64	10	13.9	7							
65+	8	15.3	40							
2. MULTIPLE DX										
0-19 YRS										
20-34	6	22.2	141							
35-49	10	18.6	168							
50-64	51	20.4	233							
65+	97	26.2	232							
TOT. SINGLE DX	23	14.2	19							
" MULTIPLE DX	164	23.8	231							
TOTAL 0-19 YRS										
20-34	8	19.4	129							
35-49	13	17.7	132							
50-64	61	19.3	202							
65+	105	25.4	226							
GRAND TOTAL	187	22.6	219	9	11	18	25	45	60	99

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0								
20-34	32	6.2	5							
35-49	47	8.9	19							
50-64	58	9.9	14							
65+	59	10.9	10							
2. MULTIPLE DX										
0-19 YRS	1	7.0								
20-34	45	12.3	70							
35-49	93	11.8	53							
50-64	132	14.4	87							
65+	182	19.1	142							
TOT. SINGLE DX	195	9.4	14							
" MULTIPLE DX	453	15.5	110							
TOTAL 0-19 YRS	2	7.0								
20-34	77	10.6	47							
35-49	140	10.8	43							
50-64	190	12.1	69							
65+	209	18.0	133							
GRAND TOTAL	618	13.9	91	6	7	11	16	25	35	57

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	6.6	61							
20-34	164	7.5	15							
35-49	181	7.8	16							
50-64	85	8.1	14							
65+	75	10.9	54							
2. MULTIPLE DX										
0-19 YRS	115	14.5	281							
20-34	353	8.8	27							
35-49	540	10.2	71							
50-64	438	11.4	120							
65+	586	18.0	166							
TOT. SINGLE DX	541	8.0	29							
" MULTIPLE DX	2052	13.1	126							
TOTAL 0-19 YRS	151	12.6	240							
20-34	517	8.4	24							
35-49	721	9.5	59							
50-64	523	12.5	107							
65+	661	17.2	159							
GRAND TOTAL	2593	12.0	109	5	5	9	13	23	31	68

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	4.7	16	<1	1	3	6	10	13	21
20-34	125	5.6	20	<1	1	5	7	11	12	23
35-49	158	4.5	9	<1	<1	4	6	9	10	14
50-64	203	3.8	12	<1	<1	3	5	9	10	15
65+	227	3.6	9	<1	<1	2	6	9	10	12
2. MULTIPLE DX										
0-19 YRS	124	6.9	35	1	2	5	9	12	16	38
20-34	281	7.6	58	1	2	5	9	16	22	44
35-49	404	6.4	37	<1	1	5	8	11	16	36
50-64	800	7.4	68	1	1	5	9	15	22	42
65+	1895	8.8	33	1	1	7	11	17	25	50
TOT. SINGLE DX	811	4.3	13	<1	<1	3	6	9	11	16
" MULTIPLE DX	3504	8.0	72	1	1	6	10	16	23	45
TOTAL 0-19 YRS	222	5.9	28	<1	1	5	8	11	15	28
20-34	406	7.0	48	1	1	5	8	14	19	41
35-49	562	5.8	30	<1	1	5	8	11	14	30
50-64	1003	6.7	59	<1	1	5	8	14	20	38
65+	2122	8.2	78	1	1	6	10	16	23	47
GRAND TOTAL	4315	7.3	63	<1	1	5	9	15	21	42

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	8.9	21	4	5	8	10	14	19	25
20-34	29	9.9	14	5	6	9	12	15	17	20
35-49	35	10.1	21	4	5	9	11	17	22	23
50-64	25	10.6	22	5	7	10	11	18	20	24
65+	35	13.4	62	6	7	12	17	20	23	49
2. MULTIPLE DX										
0-19 YRS	74	17.4	266	5	6	11	24	51	73	99+
20-34	111	13.3	81	6	6	10	16	26	31	47
35-49	133	15.0	194	5	6	10	17	36	49	99+
50-64	220	17.3	178	6	8	12	21	33	42	86
65+	475	18.7	160	7	8	15	22	37	49	95
TOT. SINGLE DX	148	10.7	32	5	6	9	13	17	21	25
" MULTIPLE DX	1013	17.2	171	6	7	13	21	35	48	99+
TOTAL 0-19 YRS	98	15.3	219	5	6	9	19	45	69	99+
20-34	140	12.6	69	5	6	10	15	23	30	42
35-49	168	14.0	162	5	6	10	15	26	44	98
50-64	245	16.7	167	6	7	12	20	31	40	83
65+	510	18.4	156	7	8	15	22	36	48	89
GRAND TOTAL	1161	16.4	158	6	7	12	20	34	45	92

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	7.6	8	4	4	7	9	12	14	15
20-34	80	11.0	40	5	6	9	12	19	24	37
35-49	149	9.7	17	6	6	9	11	13	14	28
50-64	357	10.0	12	6	7	9	11	14	17	24
65+	493	11.8	35	7	8	11	13	16	20	28
2. MULTIPLE DX										
0-19 YRS	54	18.9	349	5	6	10	28	45	60	99+
20-34	189	15.0	129	6	7	11	18	33	42	84
35-49	378	13.9	92	6	7	11	15	22	30	60
50-64	1337	13.9	82	7	8	11	16	23	30	55
65+	3299	16.4	98	8	9	14	19	28	36	64
TOT. SINGLE DX	1110	10.8	26	6	7	10	12	15	18	28
" MULTIPLE DX	5257	15.6	99	7	8	13	18	27	35	63
TOTAL 0-19 YRS	85	14.8	253	5	5	9	14	40	55	99
20-34	269	13.8	106	6	6	10	15	29	39	61
35-49	527	12.7	75	6	7	10	14	20	27	56
50-64	1694	13.1	70	7	8	11	14	21	27	53
65+	3792	15.8	92	8	8	13	18	27	34	63
GRAND TOTAL	6367	14.7	89	7	8	12	17	25	33	61

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	8.3	13	5	5	7	11	14	15	15
20-34	6	6.8	11	3	3	6	9	12	12	12
35-49	11	10.8	34	3	4	11	12	19	24	25
50-64	16	9.5	14	4	5	9	11	16	17	18
65+	21	10.5	12	7	7	10	11	15	19	22
2. MULTIPLE DX										
0-19 YRS	17	11.9	59	4	5	9	17	24	28	29
20-34	21	11.0	17	5	7	9	13	17	19	21
35-49	28	15.7	201	3	6	11	16	24	57	67
50-64	74	15.6	162	6	7	11	17	32	40	75
65+	152	18.5	190	7	8	14	21	35	46	72
TOT. SINGLE DX	65	9.6	17	4	5	9	11	15	17	25
" MULTIPLE DX	292	16.6	168	6	7	13	19	30	45	70
TOTAL 0-19 YRS	28	10.5	43	5	5	8	14	20	25	29
20-34	27	10.1	18	4	5	9	12	17	18	21
35-49	39	14.3	157	3	5	11	15	24	42	67
50-64	90	14.5	141	6	7	10	15	27	39	72
65+	173	17.5	176	7	8	13	20	32	46	71
GRAND TOTAL	357	15.3	148	5	7	12	17	28	39	67

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	6.1	8	2	3	6	8	10	11	17
20-34	89	8.3	65	3	4	7	9	11	12	55
35-49	118	8.7	10	4	5	8	11	14	14	17
50-64	110	8.5	8	4	5	9	10	11	13	20
65+	154	9.0	12	3	5	9	11	13	14	18
2. MULTIPLE DX										
0-19 YRS	180	11.1	147	3	4	7	12	23	33	99
20-34	192	11.5	124	4	5	8	12	19	28	71
35-49	244	11.8	71	5	6	10	13	20	24	67
50-64	415	13.7	129	5	6	10	15	25	38	65
65+	677	14.0	98	5	6	11	16	27	37	56
TOT. SINGLE DX	582	8.2	20	3	4	8	10	12	14	18
" MULTIPLE DX	1708	13.0	112	4	6	10	14	23	36	64
TOTAL 0-19 YRS	291	9.2	101	3	3	7	10	17	25	87
20-34	281	10.5	108	4	5	8	11	17	21	73
35-49	362	10.8	54	5	6	9	12	17	23	49
50-64	525	12.6	109	5	6	10	13	22	33	63
65+	831	13.1	86	5	6	11	14	22	35	56
GRAND TOTAL	**2290**	**11.8**	**93**	**4**	**5**	**9**	**13**	**20**	**30**	**61**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.7	19	7	7	9	13	18	19	19
20-34	6	12.8	35	7	7	12	17	21	21	21
35-49	8	9.1	8	5	6	9	10	14	15	15
50-64	24	13.3	225	6	7	10	12	16	39	82
65+	31	14.6	65	7	8	12	19	25	30	43
2. MULTIPLE DX										
0-19 YRS	30	16.6	238	5	6	10	28	39	72	99+
20-34	26	20.8	352	7	10	14	21	68	80	99+
35-49	54	21.5	323	6	8	15	25	38	74	84
50-64	141	15.7	102	6	7	12	20	29	41	99+
65+	351	21.5	186	8	9	18	27	41	52	76
TOT. SINGLE DX	76	13.1	103	7	7	10	15	21	26	72
" MULTIPLE DX	602	19.9	194	7	8	16	25	38	54	99+
TOTAL 0-19 YRS	37	15.5	201	5	6	10	19	37	61	99+
20-34	32	19.3	300	7	8	14	20	58	76	99+
35-49	62	19.9	299	6	8	14	23	33	67	84
50-64	165	15.4	120	6	7	12	19	28	40	99+
65+	382	21.0	180	8	9	17	26	39	51	75
GRAND TOTAL	**678**	**19.1**	**188**	**7**	**8**	**15**	**24**	**38**	**52**	**94**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5333	3.6	3	2	2	3	4	6	7	11
20-34	3791	3.6	3	2	2	3	4	6	7	10
35-49	1171	4.2	4	2	2	4	5	7	8	11
50-64	502	5.2	6	2	3	5	7	9	10	12
65+	186	6.1	8	3	3	6	8	10	12	14
2. MULTIPLE DX										
0-19 YRS	1568	5.5	15	2	2	4	7	10	13	20
20-34	1421	5.2	10	2	2	4	6	9	11	17
35-49	636	7.0	28	2	3	6	9	12	16	26
50-64	494	8.6	33	3	4	7	11	15	18	31
65+	379	10.4	65	3	4	9	13	18	22	59
TOT. SINGLE DX	10983	3.8	4	2	2	3	4	6	8	11
" MULTIPLE DX	4498	6.4	25	2	3	5	8	12	15	25
TOTAL 0-19 YRS	6901	4.0	7	2	2	3	5	7	9	14
20-34	5212	4.0	6	2	2	3	5	7	8	13
35-49	1807	5.2	15	2	2	4	6	9	11	18
50-64	996	6.9	23	2	3	6	8	12	15	25
65+	565	9.0	50	3	3	8	11	16	20	37
GRAND TOTAL	**15481**	**4.5**	**12**	**2**	**2**	**4**	**5**	**8**	**10**	**17**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	3.5	2	1	2	3	4	6	8	8
20-34	49	3.8	4	1	2	3	5	6	7	13
35-49	7	4.4	3	1	2	4	6	7	7	7
50-64	5	4.0	2	2	2	4	5	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	35	4.9	20	1	2	4	6	8	10	27
20-34	41	5.9	24	2	3	5	6	10	15	30
35-49	12	5.2	7	1	2	5	6	9	12	12
50-64	5	13.8	94	6	6	9	21	29	29	29
65+	2	19.5	313	7	7	19	32	32	32	32
TOT. SINGLE DX	119	3.7	3	1	2	3	4	6	7	10
" MULTIPLE DX	95	6.2	34	1	2	5	7	10	18	31
TOTAL 0-19 YRS	92	4.0	10	1	2	3	5	7	8	20
20-34	90	4.8	14	2	2	4	5	7	10	25
35-49	19	4.9	6	1	2	4	6	7	10	12
50-64	10	8.9	70	2	2	6	9	23	29	29
65+	3	14.3	236	4	4	7	26	32	32	32
GRAND TOTAL	**214**	**4.8**	**18**	**1**	**2**	**4**	**5**	**8**	**10**	**29**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	5.7	9	1	2	5	8	10	12	12
20-34	19	8.1	15	2	3	8	11	14	15	15
35-49	4	5.0	8	2	2	4	7	9	9	9
50-64	3	6.7	16	3	3	6	10	11	11	11
65+	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	10	8.1	29	3	3	6	10	17	19	19
20-34	13	9.4	34	3	4	8	11	18	24	25
35-49	7	11.6	11	7	7	12	14	16	17	17
50-64	9	14.8	131	6	6	11	18	33	42	42
65+	5	21.2	155	10	10	18	27	42	42	42
TOT. SINGLE DX	49	6.6	13	2	3	6	9	12	13	15
" MULTIPLE DX	44	11.9	73	4	4	10	16	20	30	42
TOTAL 0-19 YRS	31	6.5	17	2	3	6	8	12	16	19
20-34	32	8.6	23	3	3	8	11	14	16	25
35-49	11	9.2	21	2	3	9	12	15	17	17
50-64	12	12.8	112	3	5	10	17	26	40	42
65+	7	16.7	162	5	5	14	21	38	42	42
GRAND TOTAL	**93**	**9.1**	**48**	**3**	**3**	**8**	**11**	**17**	**19**	**42**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	2.6	6	<1	<1	2	3	5	7	14
20-34	70	2.9	3	<1	1	2	4	6	7	9
35-49	50	3.8	10	<1	1	3	4	9	11	14
50-64	84	3.4	10	<1	<1	2	4	7	9	17
65+	144	3.5	8	<1	1	3	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	36	6.5	81	1	2	4	7	15	17	53
20-34	66	6.2	47	1	1	4	6	14	23	36
35-49	80	5.7	20	1	1	5	7	12	16	77
50-64	182	7.1	68	1	1	4	9	14	23	51
65+	530	7.9	69	1	2	6	10	16	23	47
TOT. SINGLE DX	411	3.3	8	<1	<1	2	4	7	9	15
" MULTIPLE DX	894	7.4	64	1	2	5	9	15	23	50
TOTAL 0-19 YRS	99	4.0	37	<1	<1	2	4	8	14	36
20-34	136	4.5	27	<1	1	3	5	8	14	29
35-49	130	5.0	18	1	1	4	7	11	14	41
50-64	266	5.9	53	<1	1	3	7	13	17	48
65+	674	7.0	60	1	1	5	9	15	21	45
GRAND TOTAL	**1305**	**6.1**	**50**	**<1**	**1**	**4**	**7**	**13**	**18**	**43**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.6	4	<1	<1	2	3	6	8	9
20-34	127	2.5	2	1	1	2	3	5	6	8
35-49	124	2.8	4	1	1	2	4	5	8	10
50-64	71	3.2	4	1	1	3	4	6	7	12
65+	18	3.4	5	1	2	3	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	20	3.7	4	<1	1	4	5	6	8	10
20-34	102	4.9	22	1	1	4	6	9	12	29
35-49	84	4.4	25	1	1	3	5	9	12	29
50-64	91	6.6	45	1	2	4	8	14	19	39
65+	58	9.4	89	2	3	6	10	23	29	49
TOT. SINGLE DX	362	2.8	4	1	1	2	3	5	7	10
" MULTIPLE DX	355	5.9	42	1	1	4	7	11	19	34
TOTAL 0-19 YRS	42	3.1	5	<1	1	3	4	6	8	10
20-34	229	3.6	13	1	1	2	4	7	9	20
35-49	208	3.5	13	1	1	3	4	6	9	24
50-64	162	5.1	30	1	1	3	6	10	15	33
65+	76	8.0	76	2	2	5	9	20	24	46
GRAND TOTAL	**717**	**4.3**	**25**	**1**	**1**	**3**	**5**	**9**	**12**	**29**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.5	2	6	6	8	9	11	11	11
20-34	9	11.6	8	8	8	12	13	16	17	17
35-49	32	11.5	26	8	8	10	13	16	20	33
50-64	95	11.8	21	7	8	11	13	17	20	31
65+	112	12.0	20	6	8	11	15	18	20	26
2. MULTIPLE DX										
0-19 YRS	33	14.6	172	4	5	9	16	37	46	56
20-34	26	14.9	42	7	9	13	17	26	30	32
35-49	69	13.8	59	7	8	11	16	24	27	47
50-64	295	15.2	76	8	9	13	18	25	30	63
65+	627	17.8	97	8	10	15	21	30	37	69
TOT. SINGLE DX	262	11.7	21	6	8	11	14	17	20	29
" MULTIPLE DX	1050	16.6	92	8	9	14	20	28	36	63
TOTAL 0-19 YRS	47	12.8	128	5	6	9	12	28	44	56
20-34	35	14.0	36	7	9	12	17	22	28	32
35-49	101	13.1	50	7	8	11	14	22	26	45
50-64	390	14.4	65	7	8	12	16	24	27	49
65+	739	16.9	90	8	9	15	20	29	36	63
GRAND TOTAL	**1312**	**15.6**	**82**	**7**	**8**	**13**	**18**	**26**	**33**	**55**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	3.3	14	<1	<1	2	4	7	10	19
20-34	401	4.1	10	<1	1	3	5	8	10	18
35-49	409	3.8	7	<1	1	3	5	8	9	14
50-64	443	4.2	12	<1	<1	3	5	8	11	20
65+	420	4.7	20	<1	<1	4	6	9	12	28
2. MULTIPLE DX										
0-19 YRS	199	5.9	80	<1	1	3	6	11	21	56
20-34	1131	5.5	28	1	2	4	7	10	14	29
35-49	1662	6.2	38	1	2	5	7	11	17	32
50-64	2467	6.7	36	1	2	5	8	13	18	31
65+	4761	8.3	54	2	3	6	10	16	21	39
TOT. SINGLE DX	1788	4.2	13	<1	<1	3	5	8	10	18
" MULTIPLE DX	10220	7.2	46	1	2	5	9	14	19	34
TOTAL 0-19 YRS	314	5.0	58	<1	<1	3	5	9	13	40
20-34	1532	5.1	25	1	1	4	6	10	13	26
35-49	2071	5.7	33	1	2	4	7	10	14	30
50-64	2910	6.3	34	1	2	5	7	12	17	29
65+	5181	8.0	53	1	2	6	10	15	21	38
GRAND TOTAL	**12008**	**6.8**	**43**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	1.6	1	<1	<1	1	2	3	4	5
20-34	227	2.6	2	1	1	3	3	4	5	8
35-49	253	2.6	2	1	1	2	3	4	5	8
50-64	161	2.6	1	1	1	2	3	4	5	7
65+	64	3.0	4	1	1	3	4	5	6	14
2. MULTIPLE DX										
0-19 YRS	11	1.9	1	<1	<1	1	3	4	4	4
20-34	168	3.4	7	1	1	3	4	7	9	15
35-49	230	3.5	7	1	1	3	4	6	7	15
50-64	177	3.7	11	1	1	3	4	6	8	17
65+	105	6.1	83	1	2	4	5	12	20	56
TOT. SINGLE DX	749	2.6	3	1	1	2	3	4	5	7
" MULTIPLE DX	691	3.9	21	1	1	3	4	7	9	22
TOTAL 0-19 YRS	55	1.7	1	<1	<1	1	2	3	4	5
20-34	395	3.0	5	1	1	3	3	5	7	13
35-49	483	3.1	5	1	1	3	4	5	7	12
50-64	338	3.1	7	1	1	3	4	5	7	14
65+	169	4.9	55	1	1	3	5	7	15	39
GRAND TOTAL	**1440**	**3.2**	**12**	**1**	**1**	**3**	**4**	**5**	**7**	**15**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	2.1		<1	<1	2	3	3	4	4
20-34	206	2.0	2	<1	<1	2	3	3	4	6
35-49	112	2.2	1	<1	<1	2	3	4	5	8
50-64	64	2.9	3	<1	<1	3	4	5	6	10
65+	28	2.9	1	1	2	3	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	13	2.5	1	<1	<1	3	3	4	4	4
20-34	153	3.5	8	1	1	3	4	6	8	17
35-49	140	3.5	4	1	1	3	4	6	7	12
50-64	128	4.4	19	1	1	4	5	7	12	24
65+	110	5.8	28	1	1	4	6	11	18	28
TOT. SINGLE DX	428	2.3	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	544	4.2	14	1	1	3	5	7	10	21
TOTAL 0-19 YRS	31	2.3	1	<1	<1	2	3	4	4	4
20-34	359	2.7	5	<1	<1	2	3	5	6	16
35-49	252	2.9	4	<1	1	3	4	5	6	10
50-64	192	3.9	14	<1	1	3	4	6	9	21
65+	138	5.2	24	1	2	4	6	10	17	26
GRAND TOTAL	**972**	**3.3**	**10**	**<1**	**1**	**3**	**4**	**6**	**8**	**19**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.0	3	2	2	4	5	7	7	7
20-34	185	3.8	2	1	2	4	5	6	6	8
35-49	263	3.9	2	1	2	4	5	6	8	9
50-64	197	4.0	3	1	2	4	5	6	7	10
65+	73	3.9	3	1	2	4	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	23	3.7	4	<1	1	4	5	6	8	10
20-34	696	4.3	5	2	2	4	5	7	8	12
35-49	1216	4.5	6	2	2	4	5	7	8	13
50-64	930	4.8	7	2	3	4	6	7	8	18
65+	549	6.1	35	2	3	5	7	10	12	20
TOT. SINGLE DX	723	3.9	3	1	2	4	5	6	7	9
" MULTIPLE DX	3414	4.8	11	2	2	4	6	7	9	15
TOTAL 0-19 YRS	28	3.8	4	1	1	4	5	6	7	10
20-34	881	4.2	5	2	2	4	5	6	7	11
35-49	1479	4.4	6	2	2	4	5	7	8	12
50-64	1127	4.7	7	2	2	4	5	7	8	17
65+	622	5.8	32	2	3	5	7	9	12	19
GRAND TOTAL	**4137**	**4.6**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.4	2	<1	<1	2	3	5	6	7
20-34	171	2.8	3	<1	1	2	4	6	7	9
35-49	162	2.9	6	<1	1	3	4	5	6	13
50-64	88	3.3	23	<1	1	2	4	5	7	32
65+	72	4.0	10	1	1	3	5	8	12	18
2. MULTIPLE DX										
0-19 YRS	62	5.1	29	<1	1	4	6	11	17	28
20-34	167	5.2	103	1	1	3	5	9	13	68
35-49	160	3.6	6	1	1	3	5	7	9	14
50-64	150	5.4	41	1	2	3	6	11	18	33
65+	163	7.7	72	1	2	5	9	18	21	43
TOT. SINGLE DX	529	3.1	9	<1	1	2	4	6	7	13
" MULTIPLE DX	702	5.5	56	1	1	3	6	11	17	35
TOTAL 0-19 YRS	98	4.1	21	<1	<1	3	5	8	13	27
20-34	338	4.0	54	<1	1	3	4	7	9	34
35-49	322	3.3	7	1	1	3	4	6	8	13
50-64	238	4.6	36	1	1	3	5	9	13	34
65+	235	6.6	56	1	2	4	8	14	20	42
GRAND TOTAL	1231	4.4	37	1	1	3	5	8	13	29

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	9.0	19	6	6	7	12	14	14	14
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	6	12.5	26	8	8	11	15	20	21	21
50-64	6	20.3	644	1	1	15	21	64	69	69
65+	2	11.5	61	6	6	11	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	6	18.2	153	8	8	12	34	34	34	34
20-34	13	15.6	314	5	7	10	22	48	63	67
35-49	14	17.3	121	3	5	16	23	31	39	42
50-64	32	19.8	213	1	3	18	26	39	52	58
65+	34	16.6	218	1	3	12	24	38	45	69
TOT. SINGLE DX	19	13.7	218	1	2	9	16	21	47	69
" MULTIPLE DX	99	18.1	205	2	4	15	24	36	49	68
TOTAL 0-19 YRS	9	15.1	122	6	6	11	19	34	34	34
20-34	15	17.0	289	4	5	10	20	43	61	67
35-49	20	15.9	95	4	5	15	21	29	36	42
50-64	38	19.9	266	1	2	18	25	46	56	69
65+	36	16.4	209	1	3	12	23	36	45	69
GRAND TOTAL	118	17.4	208	1	4	14	22	34	49	69

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.5	18	1	1	2	6	10	13	20
20-34	136	3.0	11	<1	1	2	4	7	10	18
35-49	146	2.6	10	<1	<1	1	2	7	11	16
50-64	169	3.2	24	<1	1	1	3	8	12	24
65+	133	3.7	22	1	1	2	4	11	13	21
2. MULTIPLE DX										
0-19 YRS	97	10.3	128	1	2	7	13	20	35	86
20-34	249	8.7	119	1	1	6	10	18	25	77
35-49	391	6.8	62	1	1	4	9	16	22	37
50-64	675	8.6	77	1	1	6	12	20	28	40
65+	795	11.0	114	1	2	9	14	24	32	56
TOT. SINGLE DX	633	3.2	18	<1	1	1	3	9	12	18
" MULTIPLE DX	2207	9.2	97	1	1	7	12	21	29	55
TOTAL 0-19 YRS	146	8.4	99	1	1	6	10	19	26	71
20-34	385	6.7	88	<1	1	4	8	14	22	66
35-49	537	5.6	52	<1	1	3	8	14	19	33
50-64	844	7.5	71	1	1	5	10	18	25	40
65+	928	10.0	108	1	1	8	13	22	31	56
GRAND TOTAL	2840	7.9	86	1	1	5	11	18	25	48

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	5.5	3	3	4	5	6	8	9	12
20-34	2296	5.7	5	3	4	5	6	8	9	12
35-49	2006	6.0	4	4	4	6	7	8	10	13
50-64	1767	6.4	5	4	4	6	7	9	10	15
65+	1099	7.9	11	4	5	7	9	12	15	21
2. MULTIPLE DX										
0-19 YRS	146	7.8	15	4	4	7	9	13	16	22
20-34	2012	7.1	15	4	4	6	8	11	14	21
35-49	2475	7.7	20	4	4	7	9	12	15	25
50-64	3472	8.9	33	4	5	7	10	14	18	37
65+	4377	11.9	60	5	6	10	14	20	26	44
TOT. SINGLE DX	7370	6.3	6	4	4	6	7	9	11	15
" MULTIPLE DX	12482	9.4	41	4	5	8	11	16	20	36
TOTAL 0-19 YRS	348	6.5	10	4	4	6	7	10	13	20
20-34	4308	6.3	10	4	4	6	7	9	11	17
35-49	4481	6.9	14	4	4	6	8	10	13	22
50-64	5239	8.0	26	4	5	7	9	12	16	30
65+	5476	11.1	53	5	5	9	13	19	24	40
GRAND TOTAL	19852	8.2	30	4	4	7	9	13	17	31

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.7	17		3	9	11	16	16	16
20-34	32	7.8	42			7	9	15	20	34
35-49	37	8.0	92			6	10	15	19	56
50-64	67	8.8	43			6	11	15	24	31
65+	79	10.5	60		2	9	13	20	23	31
2. MULTIPLE DX										
0-19 YRS	16	13.5	216			9	24	47	62	99+
20-34	42	12.0	118			9	15	24	35	54
35-49	91	10.8	59			10	13	22	23	41
50-64	199	15.3	112		5	12	20	30	36	62
65+	521	16.6	109	3	6	15	21	29	39	64
TOT. SINGLE DX	229	9.1	63		1	8	11	17	21	50
" MULTIPLE DX	869	15.4	111	2	4	13	20	28	38	62
TOTAL 0-19 YRS	30	11.3	125			9	16	32	48	99+
20-34	74	10.2	89			8	12	19	26	52
35-49	128	10.0	70			9	13	21	23	52
50-64	266	13.7	103		5	11	17	28	34	59
65+	600	15.8	110	3	5	14	20	28	38	57
GRAND TOTAL	1098	14.1	107	2	3	12	19	27	36	55

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.2	20			4	8	12	15	15
20-34	54	5.6	16			5	7	11	13	18
35-49	67	5.6	43			3	7	12	22	33
50-64	87	6.2	63			2	8	16	26	33
65+	58	7.5	84			4	8	20	31	44
2. MULTIPLE DX										
0-19 YRS	18	17.8	313		2	13	26	40	59	70
20-34	97	13.1	310			8	13	31	47	67
35-49	173	11.7	219			7	14	26	47	61
50-64	298	13.0	208			9	17	30	43	75
65+	451	14.5	190		2	11	18	32	42	68
TOT. SINGLE DX	275	6.2	52	<1	1	4	8	14	24	34
" MULTIPLE DX	1037	13.5	214	1	1	9	17	31	44	76
TOTAL 0-19 YRS	27	13.6	248		2	8	16	34	46	70
20-34	151	10.3	218			7	11	20	40	60
35-49	240	10.0	178			6	12	23	34	62
50-64	385	11.5	183			7	15	28	38	73
65+	509	13.7	183	1	2	10	18	31	41	67
GRAND TOTAL	1312	12.0	189	1	1	8	15	29	41	73

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	4.3	32	<1	1	3	5	7	10	25
20-34	331	4.2	19	1	2	3	5	7	9	22
35-45	265	3.9	9	1	2	3	4	7	9	18
50-64	302	3.9	9	1	2	3	4	6	10	18
65+	378	4.2	13	1	2	3	5	8	13	19
2. MULTIPLE DX										
0-19 YRS	121	5.9	102	<1	1	3	5	8	19	68
20-34	561	6.0	48	1	2	4	6	10	17	33
35-49	751	6.3	43	1	2	4	6	10	17	33
50-64	1364	6.7	61	1	2	4	6	10	18	38
65+	3571	7.9	56	1	2	5	7	12	21	39
TOT. SINGLE DX	1183	4.1	13	<1	1	3	5	6	10	19
" MULTIPLE DX	6368	7.2	52	1	2	5	8	14	20	37
TOTAL 0-19 YRS	228	5.1	70	<1	1	3	5	8	15	56
20-34	892	5.4	38	1	2	4	6	9	15	31
35-49	1016	5.7	36	1	2	4	6	10	16	31
50-64	1666	6.2	57	1	2	4	6	10	18	30
65+	3949	7.5	53	1	2	5	8	13	20	37
GRAND TOTAL	7751	6.7	47	1	2	5	8	13	18	35

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1676	1.5		<1	<1	1	1	3	3	4
20-34	3131	1.9		1	1	1	2	4	4	5
35-49	1839	2.6		1	1	2	3	4	5	6
50-64	2633	2.7		1	1	2	3	4	5	7
65+	2312	3.2		1	1	2	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	927	1.7	4	<1	<1	1	1	3	4	9
20-34	662	3.0	3	1	1	2	3	5	6	9
35-49	864	3.2	4	1	1	2	4	5	6	9
50-64	1832	3.6	7	1	1	2	4	6	8	12
65+	3153	4.8	17	1	1	2	5	8	12	17
TOT. SINGLE DX	10591	2.5	2	<1	1	2	3	4	5	7
" MULTIPLE DX	7438	3.8	12	1	1	2	3	5	7	10
TOTAL 0-19 YRS	2603	1.6	2	<1	<1	1	1	3	3	6
20-34	3793	2.1	5	1	1	1	2	4	4	7
35-49	2703	2.8	4	1	1	2	3	4	5	7
50-64	4465	3.1	4	1	1	2	3	5	7	11
65+	5465	4.1	12	1	1	2	4	7	10	16
GRAND TOTAL	19029	3.0	6	<1	1	2	3	5	7	13

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	394	1.3		<1	<1	1	1	2	3	5
20-34	227	2.8	1	1	1	3	4	5	5	6
35-49	277	3.0	1	1	1	3	4	5	5	6
50-64	392	3.3	1	1	2	3	4	5	6	7
65+	305	3.7	3	1	2	4	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	290	3.5	127	<1	<1	1	2	4	10	98
20-34	82	2.9	1	1	1	3	4	4	5	6
35-49	182	3.6	5	1	2	3	4	6	7	11
50-64	361	4.2	8	2	2	4	5	6	9	16
65+	511	5.2	12	2	2	4	6	9	11	19
TOT. SINGLE DX	1595	2.7	2	<1	<1	3	4	5	5	7
" MULTIPLE DX	1426	4.3	34	<1	1	3	5	7	9	27
TOTAL 0-19 YRS	684	2.2	56	<1	<1	1	2	3	4	69
20-34	309	2.8	2	1	1	3	4	4	5	6
35-49	459	3.3	3	1	2	3	4	5	6	7
50-64	753	3.7	5	1	2	3	4	6	7	12
65+	816	4.6	10	2	2	4	5	8	10	17
GRAND TOTAL	**3021**	**3.5**	**18**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.8	1	<1	<1	2	2	3	4	4
20-34	61	2.5	1	1	1	2	3	4	5	7
35-49	82	2.9	2	1	1	3	4	4	5	10
50-64	100	3.1	4	1	1	3	4	5	7	11
65+	153	3.9	4	1	1	4	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	27	4.5	23	1	1	3	5	9	15	24
35-49	52	3.7	9	1	1	3	4	7	11	16
50-64	70	4.4	16	2	2	3	4	9	12	25
65+	242	8.0	63	2	3	6	9	16	21	40
TOT. SINGLE DX	407	3.2	4	1	1	3	4	5	7	11
" MULTIPLE DX	394	6.5	48	1	2	4	8	13	18	37
TOTAL 0-19 YRS	14	1.7	1	<1	<1	1	2	3	4	4
20-34	88	3.1	9	1	1	3	4	5	7	20
35-49	134	3.2	5	1	1	3	4	5	7	15
50-64	170	3.6	10	1	1	3	4	6	10	15
65+	395	6.4	45	1	2	5	8	12	17	37
GRAND TOTAL	**801**	**4.8**	**28**	**1**	**1**	**3**	**5**	**9**	**14**	**25**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	225	1.3		<1	<1	1	1	2	3	3
20-34	161	2.1	1	<1	1	2	3	4	4	8
35-49	253	2.3	1	1	1	2	3	4	5	8
50-64	201	2.7	2	1	1	2	3	5	6	7
65+	92	3.6	8	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	63	3.3	111	<1	<1	1	2	4	7	75
20-34	80	3.2	3	1	1	3	4	6	8	72
35-49	207	4.1	21	1	1	3	5	7	8	27
50-64	226	4.8	20	1	2	4	5	9	12	26
65+	193	6.4	33	1	2	5	8	12	18	36
TOT. SINGLE DX	932	2.2	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	769	4.7	31	1	1	3	5	9	12	35
TOTAL 0-19 YRS	288	1.7	25	<1	<1	1	2	2	3	8
20-34	241	2.4	3	<1	1	2	3	4	6	8
35-49	460	3.1	12	1	1	2	4	5	7	19
50-64	427	3.8	13	1	1	3	4	6	9	18
65+	285	5.5	27	1	2	4	6	11	16	31
GRAND TOTAL	**1701**	**3.4**	**17**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.1	2	<1	<1	2	2	4	5	8
20-34	258	3.0	4	<1	1	3	4	6	6	8
35-49	398	3.9	7	1	1	4	5	7	8	11
50-64	447	4.3	5	1	2	4	5	7	9	12
65+	351	4.9	6	2	2	5	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	29	4.6	33	<1	<1	3	7	9	10	31
20-34	149	4.6	9	1	1	4	6	8	12	16
35-49	403	5.7	13	2	2	5	7	10	12	22
50-64	619	6.4	17	2	3	6	8	10	14	26
65+	797	7.8	34	2	3	7	9	14	17	30
TOT. SINGLE DX	1523	4.0	6	1	1	4	5	7	8	12
" MULTIPLE DX	1997	6.7	24	2	3	6	8	11	15	27
TOTAL 0-19 YRS	98	2.8	13	<1	<1	2	3	6	8	21
20-34	407	3.6	7	1	1	3	5	6	8	14
35-49	801	4.8	11	1	2	4	6	8	10	19
50-64	1066	5.5	14	2	2	5	7	9	11	17
65+	1148	6.9	28	2	3	6	8	12	15	28
GRAND TOTAL	**3520**	**5.5**	**18**	**1**	**2**	**5**	**7**	**10**	**12**	**22**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	4.0	5	<1	<1	4	6	7	8	9
20-34	18	6.7	22	1	2	5	10	14	16	18
35-49	23	5.8	7	1	1	6	8	9	10	10
50-64	27	5.6	9	2	2	5	7	9	12	16
65+	28	7.7	9	3	4	8	9	11	12	17
2. MULTIPLE DX										
0-19 YRS	21	11.6	160	1	2	9	12	19	39	62
20-34	33	7.5	32	1	2	7	8	13	23	26
35-49	79	9.0	39	4	5	7	9	12	26	36
50-64	124	8.5	10	4	6	8	10	12	15	21
65+	159	13.3	79	6	6	11	15	24	34	53
TOT. SINGLE DX	116	6.0	11	1	2	6	8	10	11	17
" MULTIPLE DX	426	10.6	57	4	5	9	12	18	26	52
TOTAL 0-19 YRS	41	7.9	97	<1	1	6	9	15	19	62
20-34	51	7.2	29	1	2	7	8	13	19	26
35-49	102	8.3	34	3	4	7	9	14	23	34
50-64	151	8.0	12	3	4	7	10	12	15	21
65+	197	12.5	73	5	6	10	15	22	33	53
GRAND TOTAL	542	9.6	91	2	4	8	11	16	22	41

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	4.0	47	<1	<1	2	4	8	11	49
20-34	188	3.8	7	<1	1	3	5	8	10	12
35-49	158	4.8	18	<1	1	4	6	9	14	25
50-64	151	5.1	16	<1	1	4	7	10	14	19
65+	123	7.7	49	1	1	5	10	17	20	37
2. MULTIPLE DX										
0-19 YRS	117	6.9	64	<1	1	4	8	17	25	43
20-34	285	7.7	72	1	2	5	9	17	24	61
35-49	405	9.7	72	1	2	7	13	20	28	44
50-64	712	10.5	98	1	2	8	13	22	29	49
65+	920	12.0	100	2	3	10	16	23	33	49
TOT. SINGLE DX	746	4.9	27	<1	1	3	6	10	14	25
" MULTIPLE DX	2439	10.4	93	1	2	8	13	22	30	49
TOTAL 0-19 YRS	243	5.4	58	<1	<1	3	6	12	23	44
20-34	473	6.1	51	1	1	4	7	12	18	38
35-49	563	8.3	63	1	2	6	11	18	24	39
50-64	863	9.6	89	1	2	7	12	21	27	44
65+	1043	11.5	96	2	2	9	15	22	32	49
GRAND TOTAL	3185	9.1	83	1	1	7	12	20	26	46

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	5.0	13	2	2	4	6	9	14	19
20-34	378	4.8	8	1	2	4	6	8	10	14
35-49	174	6.3	11	2	2	6	8	11	12	16
50-64	96	8.5	43	2	3	7	10	17	23	35
65+	74	10.6	35	4	5	9	13	20	24	83
2. MULTIPLE DX										
0-19 YRS	218	7.9	56	2	3	6	9	14	25	51
20-34	619	7.3	62	2	3	5	8	12	20	51
35-49	306	11.0	105	2	3	8	13	22	31	50
50-64	397	14.8	157	4	5	11	18	29	44	83
65+	496	16.3	126	5	7	13	20	29	39	73
TOT. SINGLE DX	853	6.1	20	1	2	5	7	11	14	27
" MULTIPLE DX	2036	11.6	117	3	4	8	14	24	34	64
TOTAL 0-19 YRS	349	6.8	42	2	3	5	8	13	17	39
20-34	997	6.4	43	1	3	5	7	10	14	42
35-49	480	9.3	76	2	3	7	10	18	26	49
50-64	493	13.6	142	4	4	10	16	28	42	72
65+	570	15.5	118	5	6	12	19	28	38	73
GRAND TOTAL	2889	9.9	94	2	3	7	12	21	29	56

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	284	2.5	4	<1	<1	2	3	5	7	10
20-34	1184	2.0	3	<1	<1	1	2	4	6	9
35-49	179	1.9	5	<1	<1	1	2	4	6	14
50-64	33	2.9	6	<1	1	2	4	7	9	11
65+	14	2.4	5	<1	<1	1	3	5	[illegible]	9
2. MULTIPLE DX										
0-19 YRS	245	3.3	9	<1	1	2	4	7	9	14
20-34	1516	2.5	10	<1	<1	1	3	5	7	12
35-49	282	2.5	7	<1	<1	1	3	5	7	14
50-64	65	3.7	13	<1	<1	2	5	8	12	19
65+	39	9.4	99	<1	1	7	12	22	30	47
TOT. SINGLE DX	1694	2.1	4	<1	<1	1	2	5	6	9
" MULTIPLE DX	2147	2.8	12	<1	<1	1	3	6	8	15
TOTAL 0-19 YRS	529	2.9	7	<1	<1	2	4	6	8	12
20-34	2700	2.3	7	<1	<1	1	3	5	6	11
35-49	461	2.2	6	<1	<1	1	2	5	7	14
50-64	98	3.4	11	<1	<1	2	4	7	11	17
65+	53	7.6	84	<1	<1	4	10	21	26	47
GRAND TOTAL	3841	2.5	9	<1	<1	1	3	5	7	13

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	5.9	9	<1	1	6	7	10	11	14
20-34	312	4.6	10	<1	1	4	6	8	10	15
35-49	210	7.3	21	1	1	7	9	12	15	26
50-64	188	9.0	23	3	4	8	11	15	19	27
65+	138	9.4	18	2	5	9	12	15	18	23
2. MULTIPLE DX										
0-19 YRS	172	9.0	66	2	2	7	11	20	31	99+
20-34	835	6.0	35	<1	1	5	7	10	15	32
35-49	493	9.1	68	1	3	7	11	17	24	42
50-64	511	14.1	121	3	5	11	17	27	38	62
65+	813	16.1	109	5	7	13	20	29	38	67
TOT. SINGLE DX	934	6.9	20	1	1	7	9	12	15	22
" MULTIPLE DX	2824	11.1	97	2	3	8	14	23	31	58
TOTAL 0-19 YRS	258	8.0	49	1	2	6	9	17	25	99+
20-34	1147	5.6	29	<1	1	5	7	10	14	28
35-49	703	8.6	55	1	2	7	10	15	21	37
50-64	699	12.7	100	3	5	10	15	25	32	58
65+	951	15.1	102	5	7	12	19	27	36	64
GRAND TOTAL	3758	10.1	81	1	2	8	13	21	27	50

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	8.2	14	4	5	8	9	12	17	21
20-34	49	7.1	4	5	5	7	8	9	11	16
35-49	73	8.2	5	5	6	8	10	11	13	14
50-64	88	9.2	14	5	5	8	11	14	17	22
65+	66	10.2	12	6	6	9	12	15	18	21
2. MULTIPLE DX										
0-19 YRS	76	9.1	49	3	4	7	11	16	21	44
20-34	102	11.9	111	5	5	9	12	20	33	62
35-49	144	12.2	76	5	6	9	13	25	36	99+
50-64	260	12.6	77	6	7	10	14	22	27	59
65+	407	15.3	130	7	8	12	17	27	36	83
TOT. SINGLE DX	302	8.8	11	5	6	8	10	13	16	21
" MULTIPLE DX	989	13.3	103	5	6	10	15	24	33	62
TOTAL 0-19 YRS	102	8.9	40	3	4	7	10	15	20	39
20-34	151	10.4	81	5	5	8	11	17	24	59
35-49	217	10.8	56	5	6	8	12	20	30	70
50-64	348	11.8	63	6	6	9	13	20	25	56
65+	473	14.6	117	7	7	11	17	25	34	76
GRAND TOTAL	1291	12.2	86	5	6	9	14	21	28	58

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	5.3	25	1	1	4	7	10	15	29
20-34	222	6.7	25	1	2	6	8	11	17	27
35-49	224	7.5	31	2	2	7	9	11	14	30
50-64	201	7.0	21	1	2	7	9	11	16	25
65+	88	6.6	20	1	1	7	9	11	14	24
2. MULTIPLE DX										
0-19 YRS	173	8.1	64	1	2	6	9	16	25	40
20-34	408	13.4	165	2	2	9	18	29	43	67
35-49	448	13.0	171	1	2	9	17	30	44	63
50-64	436	11.3	115	1	2	9	14	21	28	52
65+	445	12.5	130	2	3	10	15	24	30	66
TOT. SINGLE DX	869	6.8	26	1	2	6	9	11	15	28
" MULTIPLE DX	1910	12.1	140	1	2	9	15	25	35	63
TOTAL 0-19 YRS	307	6.9	49	1	2	5	8	14	20	32
20-34	630	11.1	126	1	2	8	14	25	37	61
35-49	672	11.2	132	1	2	8	12	25	34	59
50-64	637	9.9	90	1	2	8	12	18	25	46
65+	533	11.5	117	1	2	9	14	23	29	64
GRAND TOTAL	2779	10.5	111	1	2	8	12	22	29	57

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.8	9	1	1	7	9	11	11	11
20-34	183	6.2	7	2	3	6	8	9	11	13
35-49	243	6.6	10	2	3	6	8	10	12	18
50-64	220	7.5	12	2	3	7	9	12	14	21
65+	108	7.2	10	2	2	7	9	11	13	16
2. MULTIPLE DX										
0-19 YRS	21	5.6	18	<1	<1	6	8	10	14	18
20-34	130	7.3	13	2	3	7	10	12	14	19
35-49	192	8.9	19	3	5	8	11	14	17	23
50-64	280	9.5	55	2	4	8	11	15	20	44
65+	269	11.5	104	2	4	9	13	18	24	61
TOT. SINGLE DX	768	6.8	11	2	3	7	8	11	12	18
" MULTIPLE DX	892	9.6	57	2	4	8	11	16	20	46
TOTAL 0-19 YRS	35	6.1	15	<1	1	6	8	11	11	18
20-34	313	6.7	10	2	3	6	8	11	12	17
35-49	435	7.6	16	2	4	7	9	12	15	22
50-64	500	8.6	37	2	4	8	10	14	18	29
65+	377	10.3	81	2	3	8	12	17	21	57
GRAND TOTAL	**1660**	**8.3**	**38**	**2**	**3**	**7**	**10**	**13**	**17**	**30**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	6.3	5	3	4	6	8	9	11	13
20-34	10	8.9	8	6	6	9	10	13	14	14
35-49	7	8.6	2	6	6	9	10	10	10	10
50-64	6	6.5	3	5	5	6	8	9	9	9
65+	4	11.5	25	7	7	10	15	18	18	18
2. MULTIPLE DX										
0-19 YRS	193	7.7	13	3	4	7	9	12	14	21
20-34	47	11.9	66	5	7	9	12	25	31	41
35-49	32	13.5	51	7	7	12	16	20	26	43
50-64	35	13.4	70	4	5	12	16	20	26	49
65+	60	18.6	154	7	8	15	23	28	45	73
TOT. SINGLE DX	205	6.6	7	3	4	6	8	10	11	14
" MULTIPLE DX	367	11.1	58	4	5	9	13	20	25	48
TOTAL 0-19 YRS	371	7.0	10	3	4	7	9	11	13	17
20-34	57	11.4	57	5	6	9	12	23	29	41
35-49	39	12.6	46	6	7	10	15	19	25	43
50-64	41	12.4	67	4	5	10	15	20	25	49
65+	64	18.1	149	7	8	15	22	28	43	73
GRAND TOTAL	**572**	**9.5**	**51**	**3**	**4**	**8**	**11**	**16**	**22**	**41**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	3.7	4	1	1	3	4	7	8	8
20-34	294	3.6	5	1	1	3	4	7	8	12
35-49	309	3.4	5	1	1	3	4	6	9	12
50-64	244	3.8	6	1	1	3	5	7	8	14
65+	101	3.8	7	1	1	3	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	35	7.6	30	<1	<1	6	12	15	16	22
20-34	143	6.1	40	1	2	5	7	11	15	34
35-49	200	5.2	23	1	1	4	6	10	15	25
50-64	237	6.0	20	1	2	5	8	12	15	20
65+	237	8.3	72	2	2	6	10	16	25	44
TOT. SINGLE DX	980	3.6	6	1	1	3	5	7	8	12
" MULTIPLE DX	852	6.5	41	1	2	5	8	13	17	32
TOTAL 0-19 YRS	67	5.7	21	<1	1	4	8	14	15	21
20-34	437	4.4	18	1	1	3	5	8	10	26
35-49	509	4.1	13	1	1	3	5	8	10	22
50-64	481	4.9	15	1	2	4	6	10	13	19
65+	338	7.0	57	1	2	5	8	13	19	40
GRAND TOTAL	**1832**	**5.0**	**24**	**1**	**1**	**4**	**6**	**10**	**13**	**26**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	276	1.7	2	<1	<1	<1	1	4	5	9
20-34	260	2.7	5	<1	<1	2	4	6	8	13
35-49	296	3.0	7	<1	<1	2	4	7	8	13
50-64	351	3.0	9	<1	<1	2	4	7	9	15
65+	412	3.4	13	<1	<1	2	4	7	9	19
2. MULTIPLE DX										
0-19 YRS	425	2.9	26	<1	<1	1	3	7	10	26
20-34	486	6.1	68	<1	1	4	7	12	18	45
35-49	602	6.2	56	<1	1	4	7	13	20	42
50-64	1010	6.6	60	<1	1	4	8	14	19	40
65+	2271	8.5	81	1	1	6	11	18	24	46
TOT. SINGLE DX	1595	2.8	9	<1	<1	2	4	6	8	14
" MULTIPLE DX	4794	7.1	70	<1	1	5	9	16	21	45
TOTAL 0-19 YRS	701	2.4	18	<1	<1	1	2	6	8	18
20-34	746	4.9	49	<1	<1	3	6	9	14	41
35-49	898	5.2	43	<1	<1	3	6	11	17	32
50-64	1361	5.7	50	<1	<1	3	7	12	17	38
65+	2683	7.7	74	1	1	5	10	17	23	45
GRAND TOTAL	**6389**	**6.0**	**58**	**<1**	**<1**	**4**	**8**	**14**	**19**	**39**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	46	2.1	2	<1	<1	2	3	4	5	8
35-49	112	2.3	2	<1	<1	2	3	4	5	8
50-64	477	2.6	4	<1	1	2	3	4	6	13
65+	950	3.2	6	<1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	7	4.1	7	1	1	4	6	8	9	9
20-34	64	3.4	7	<1	1	3	4	7	10	14
35-49	178	4.0	19	<1	1	3	5	8	13	23
50-64	696	4.4	29	1	1	3	5	8	12	31
65+	2331	5.8	38	1	2	4	7	12	17	29
TOT. SINGLE DX	1588	2.9	6	<1	1	2	4	5	7	12
" MULTIPLE DX	3276	5.4	35	1	1	4	6	11	16	29
TOTAL 0-19 YRS	10	3.7	7	1	1	3	5	7	9	9
20-34	110	2.9	6	<1	<1	2	4	6	7	13
35-49	290	3.4	14	<1	1	2	4	7	9	21
50-64	1173	3.7	20	<1	1	3	4	7	10	24
65+	3281	5.1	30	1	1	4	6	10	15	27
GRAND TOTAL	**4864**	**4.6**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	3.7	9	<1	1	3	4	9	10	14
20-34	79	4.7	18	<1	1	4	6	10	12	24
35-49	108	4.5	12	1	1	4	7	9	11	16
50-64	171	5.1	19	<1	1	4	7	12	15	20
65+	244	5.7	26	1	1	4	8	12	18	23
2. MULTIPLE DX										
0-19 YRS	165	7.7	119	1	2	5	8	16	22	83
20-34	143	7.0	65	1	1	5	10	14	17	80
35-49	188	7.5	69	1	1	5	9	16	25	46
50-64	438	8.7	73	1	2	6	12	18	26	47
65+	999	10.1	114	1	2	7	13	20	28	59
TOT. SINGLE DX	661	5.1	20	1	1	4	7	11	14	20
" MULTIPLE DX	1933	9.1	99	1	2	6	12	18	26	55
TOTAL 0-19 YRS	224	6.6	93	1	1	4	8	13	19	82
20-34	222	6.2	50	1	1	4	8	13	17	44
35-49	296	6.4	51	1	1	5	8	13	18	42
50-64	609	7.6	61	1	1	5	11	16	22	43
65+	1243	9.2	100	1	2	6	12	19	26	56
GRAND TOTAL	**2594**	**8.0**	**82**	**1**	**1**	**5**	**10**	**17**	**23**	**48**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	1.1		<1	<1	<1	1	1	2	3
20-34	5	1.8	1	<1	<1	1	2	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	53	2.0	12	<1	<1	1	2	3	6	25
20-34	10	2.5	7	<1	<1	1	2	7	9	9
35-49	6	3.3	6	<1	<1	3	4	8	8	8
50-64	10	4.1	13	<1	<1	3	6	10	11	11
65+	17	4.5	17	<1	<1	3	6	12	14	15
TOT. SINGLE DX	111	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	96	2.8	13	<1	<1	1	3	6	9	21
TOTAL 0-19 YRS	151	1.4	5	<1	<1	<1	1	2	2	7
20-34	15	2.3	6	<1	<1	1	2	6	8	9
35-49	8	3.1	5	<1	<1	3	4	7	8	8
50-64	14	3.4	11	<1	1	2	5	9	11	11
65+	19	4.2	16	<1	<1	3	6	11	14	15
GRAND TOTAL	**207**	**1.9**	**7**	**<1**	**<1**	**<1**	**2**	**4**	**6**	**14**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	296	3.9	8	<1	<1	3	6	8	9	13
20-34	93	3.0	7	<1	<1	2	4	6	8	14
35-49	74	4.5	16	<1	1	3	6	8	16	19
50-64	61	3.4	4	<1	1	3	4	6	8	9
65+	64	3.3	4	1	1	3	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	200	5.5	41	<1	<1	4	7	11	15	26
20-34	74	5.8	105	1	1	3	7	14	15	69
35-49	84	5.7	68	<1	1	4	7	10	13	55
50-64	108	5.9	37	1	1	4	8	11	19	67
65+	148	6.3	42	1	2	4	8	13	23	30
TOT. SINGLE DX	588	3.7	9	<1	<1	3	5	8	9	14
" MULTIPLE DX	614	5.8	52	<1	1	4	7	11	17	36
TOTAL 0-19 YRS	496	4.5	22	<1	<1	3	7	9	12	19
20-34	167	4.3	53	<1	<1	3	4	8	14	22
35-49	158	5.1	44	<1	1	4	6	9	14	23
50-64	169	5.0	27	<1	1	4	6	9	12	42
65+	212	5.4	33	1	1	4	6	10	17	29
GRAND TOTAL	**1202**	**4.8**	**32**	**<1**	**1**	**3**	**6**	**9**	**13**	**25**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	1.3	1	<1	<1	<1	1	2	4	72
20-34	45	1.8	2	<1	<1	1	2	5	5	7
35-49	47	1.8	3	<1	<1	1	2	4	6	10
50-64	59	2.1	9	<1	<1	1	2	3	6	22
65+	60	2.7	3	<1	<1	2	3	6	7	10
2. MULTIPLE DX										
0-19 YRS	142	1.9	35	<1	<1	<1	1	2	4	20
20-34	88	3.9	8	<1	1	3	6	8	9	13
35-49	122	5.1	34	<1	1	3	6	10	17	29
50-64	166	6.9	99	1	1	4	8	13	20	48
65+	453	8.4	65	1	2	6	11	17	24	42
TOT. SINGLE DX	290	1.9	4	<1	<1	1	2	4	6	10
" MULTIPLE DX	971	6.4	63	<1	<1	4	8	14	20	41
TOTAL 0-19 YRS	221	1.7	23	<1	<1	<1	1	2	4	31
20-34	133	3.2	7	<1	<1	2	5	7	8	11
35-49	169	4.2	28	<1	<1	2	6	10	15	25
50-64	225	5.6	80	<1	<1	3	7	12	18	46
65+	513	7.7	61	1	1	6	10	16	23	41
GRAND TOTAL	1261	5.3	53	<1	<1	3	7	12	18	40

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	1.4		<1	<1	1	2	3	3	6
20-34	111	2.5	6	1	1	2	3	7	8	13
35-49	88	2.8	5	<1	1	2	4	6	7	11
50-64	82	3.1	6	<1	1	2	4	7	8	12
65+	98	2.9	2	1	1	3	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	107	2.7	42	<1	<1	1	2	5	7	35
20-34	128	3.3	13	1	1	2	4	7	9	21
35-49	120	5.3	46	1	1	2	6	11	19	40
50-64	170	4.9	39	1	1	3	6	11	15	41
65+	361	5.3	25	1	1	4	7	11	15	27
TOT. SINGLE DX	451	2.6	5	<1	1	2	3	5	7	11
" MULTIPLE DX	886	4.6	32	<1	1	3	5	10	13	29
TOTAL 0-19 YRS	179	2.2	26	<1	<1	1	2	3	6	11
20-34	239	2.9	11	1	1	2	3	7	8	17
35-49	208	4.2	30	1	1	2	5	8	12	33
50-64	252	4.3	30	1	1	3	5	9	13	27
65+	459	4.8	22	1	1	3	5	10	13	25
GRAND TOTAL	1337	3.9	24	<1	1	2	5	8	11	25

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	44	5.8	3	3	4	6	7	8	8	14
35-49	151	6.1	2	4	4	6	7	9	9	11
50-64	176	6.8	5	4	4	6	8	10	11	15
65+	80	7.8	5	5	5	8	9	11	12	15
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	68	6.3	3	4	4	6	7	8	10	13
35-49	277	7.0	6	4	5	6	8	10	12	16
50-64	324	7.2	7	4	5	7	8	11	12	17
65+	223	9.0	24	5	5	8	10	14	17	32
TOT. SINGLE DX	453	6.7	5	4	4	6	8	9	10	14
" MULTIPLE DX	893	7.6	12	4	5	7	9	11	13	19
TOTAL 0-19 YRS	3	7.3	4	5	5	8	9	9	9	9
20-34	112	6.1	4	4	4	6	7	8	9	13
35-49	428	6.7	5	4	4	6	8	10	11	14
50-64	500	7.1	7	4	5	7	8	10	12	16
65+	303	8.7	20	5	5	8	9	13	16	30
GRAND TOTAL	1346	7.3	10	4	5	7	8	10	12	18

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	19	5.2	3	2	3	5	6	8	9	9
35-49	92	5.9	4	3	4	5	7	9	10	11
50-64	103	5.8	3	3	4	5	8	9	9	10
65+	76	6.7	10	3	4	6	8	9	12	21
2. MULTIPLE DX										
0-19 YRS	4	5.5	11	1	1	6	8	8	8	8
20-34	34	6.1	7	2	3	6	7	9	10	15
35-49	131	6.4	9	3	3	6	7	10	11	19
50-64	142	7.1	11	3	4	7	9	11	13	19
65+	137	7.2	9	4	4	7	8	10	14	18
TOT. SINGLE DX	291	6.0	6	3	4	5	8	9	9	13
" MULTIPLE DX	448	6.8	10	3	4	6	8	10	13	18
TOTAL 0-19 YRS	5	4.6	12	<1	<1	5	8	8	8	8
20-34	53	5.8	6	2	3	6	7	8	10	15
35-49	223	6.2	7	3	3	6	7	9	11	17
50-64	245	6.5	8	3	4	6	8	10	11	18
65+	213	7.0	10	3	4	7	8	10	14	20
GRAND TOTAL	739	6.5	8	3	4	6	8	10	11	18

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	19	<1	<1	1	6	10	10	10
20-34	6	4.7	10	1	1	4	8	9	9	9
35-49	10	4.5	7	1	1	5	7	8	8	8
50-64	13	3.5	5	1	1	4	5	6	7	7
65+	4	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	10	3.0	12	<1	<1	1	5	9	11	11
20-34	11	7.9	26	1	2	7	11	16	17	17
35-49	14	6.6	19	1	2	5	8	14	14	16
50-64	26	7.8	65	1	2	4	12	19	23	35
65+	56	9.6	72	1	2	7	15	21	23	43
TOT. SINGLE DX	37	3.9	7	1	1	4	6	8	9	10
" MULTIPLE DX	117	8.1	58	1	1	6	12	19	21	38
TOTAL 0-19 YRS	14	3.1	13	<1	<1	1	5	10	11	11
20-34	17	6.8	23	1	2	6	9	15	17	17
35-49	24	5.7	15	1	2	5	7	13	14	14
50-64	39	6.4	49	1	2	4	7	18	20	35
65+	60	9.2	71	1	2	6	14	20	22	42
GRAND TOTAL	154	7.1	49	1	1	5	9	17	20	35

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0	10	2	2	4	7	9	9	9
20-34	5	7.4	4	5	5	7	9	10	10	10
35-49	1	5.0	.	5	5	5	5	5	5	5
50-64	5	6.0	21	1	1	4	9	13	13	13
65+	3	7.0	13	3	3	8	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	3	14.0	61	9	9	10	20	23	23	23
20-34	14	9.9	23	4	4	8	14	15	19	20
35-49	14	7.4	29	1	2	7	9	14	20	22
50-64	27	14.0	314	1	2	11	14	22	37	98
65+	29	10.2	61	1	2	8	14	20	23	36
TOT. SINGLE DX	18	6.3	10	1	2	6	9	10	12	13
" MULTIPLE DX	87	11.0	130	2	2	9	14	20	23	75
TOTAL 0-19 YRS	7	8.9	48	2	2	9	10	20	23	23
20-34	19	9.2	19	4	4	8	13	15	18	20
35-49	15	7.3	27	1	2	6	9	13	20	22
50-64	32	12.8	275	1	2	11	14	18	26	98
65+	32	9.9	58	1	2	8	14	20	22	36
GRAND TOTAL	105	10.2	112	2	2	8	13	18	22	64

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	4.7	.	4	4	5	5	5	5	5
35-49	32	4.7	4	3	3	4	6	7	8	11
50-64	1068	4.7	3	3	3	5	5	7	7	10
65+	2272	5.2	4	3	3	5	6	7	9	11
2. MULTIPLE DX										
0-19 YRS	9	8.2	51	3	3	5	9	21	22	22
20-34	12	7.4	17	3	3	5	7	11	15	15
35-49	108	5.9	16	3	3	5	6	8	7	16
50-64	2277	6.0	17	3	3	5	7	10	13	22
65+	8196	7.7	39	3	4	6	8	14	19	36
TOT. SINGLE DX	3375	5.0	4	3	3	5	6	7	8	12
" MULTIPLE DX	10603	7.3	35	3	4	5	8	13	17	32
TOTAL 0-19 YRS	9	8.2	51	3	3	5	9	21	22	22
20-34	15	7.1	15	3	3	6	10	11	14	15
35-49	140	5.6	14	3	3	5	6	8	11	16
50-64	3345	5.6	13	3	3	5	6	9	11	22
65+	10468	7.1	33	3	4	5	8	13	17	32
GRAND TOTAL	13978	6.8	28	3	3	5	7	11	16	30

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	41	<1	<1	5	10	10	10	10
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	2	11.0		11	11	11	11	11	11	11
50-64	157	8.9	10	5	6	8	10	13	16	20
65+	204	9.2	10	5	6	9	11	13	15	20
2. MULTIPLE DX										
0-19 YRS	3	7.3	22	2	2	9	10	11	11	11
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	14.8	37	7	7	13	20	22	22	22
50-64	233	11.0	21	5	7	10	13	17	20	27
65+	731	12.2	49	6	7	10	14	20	23	46
TOT. SINGLE DX	367	9.1	11	5	6	8	11	13	15	20
" MULTIPLE DX	973	11.9	42	6	7	10	14	19	22	44
TOTAL 0-19 YRS	5	6.6	22	<1	<1	9	10	11	11	11
20-34	3	4.0	9	1	1	4	6	7	7	7
35-49	7	13.7	29	7	8	12	18	22	22	22
50-64	390	10.2	18	5	6	9	12	16	18	26
65+	935	11.5	42	6	7	10	13	18	22	45
GRAND TOTAL	**1340**	**11.1**	**35**	**5**	**6**	**10**	**13**	**17**	**21**	**37**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	47	1.4		<1	<1	1	2	2	2	3
50-64	303	1.8	2	<1	<1	2	2	3	4	8
65+	494	2.3	3	<1	<1	2	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	2	8.5	25	5	5	8	12	12	12	12
20-34	6	5.7	21	<1	<1	5	9	12	12	12
35-49	35	2.8	8	<1	<1	2	3	6	9	14
50-64	301	4.1	51	<1	1	2	4	9	12	38
65+	811	4.7	24	1	1	3	6	11	15	25
TOT. SINGLE DX	847	2.1	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	1155	4.5	31	<1	1	2	5	10	14	25
TOTAL 0-19 YRS	3	6.7	22	3	3	5	10	12	12	12
20-34	8	4.5	20	<1	<1	2	8	11	12	12
35-49	82	2.0	4	<1	<1	1	2	3	6	13
50-64	604	3.0	28	<1	<1	2	2	5	9	21
65+	1305	3.8	18	<1	1	2	4	9	12	22
GRAND TOTAL	**2002**	**3.5**	**21**	**<1**	**1**	**2**	**4**	**8**	**12**	**21**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	1.8	2	<1	<1	1	2	3	5	10
20-34	57	2.2	4	1	1	2	2	5	6	13
35-49	46	2.1	2	<1	1	1	3	4	5	9
50-64	53	2.6	5	<1	1	2	3	5	5	17
65+	35	2.7	2	1	1	3	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	62	2.5	9	<1	<1	1	3	5	9	17
20-34	41	3.7	15	<1	1	3	4	7	10	23
35-49	45	5.2	16	1	2	4	6	9	14	20
50-64	50	4.8	18	1	1	3	7	11	15	20
65+	60	6.5	41	1	2	4	7	15	22	31
TOT. SINGLE DX	270	2.2	4	<1	1	2	3	4	5	12
" MULTIPLE DX	258	4.5	23	<1	1	3	5	10	15	24
TOTAL 0-19 YRS	141	2.1	6	<1	<1	1	2	4	5	14
20-34	98	2.9	10	<1	1	2	4	5	8	18
35-49	91	3.6	12	1	1	3	5	8	9	19
50-64	103	3.7	14	1	1	2	4	8	13	18
65+	95	5.1	31	1	1	3	6	11	18	29
GRAND TOTAL	**528**	**3.4**	**14**	**<1**	**1**	**2**	**4**	**7**	**11**	**20**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	1.9	1	<1	1	2	2	3	5	8
20-34	173	2.7	4	1	1	2	3	5	6	13
35-49	81	2.3	2	1	1	2	3	5	6	8
50-64	53	3.2	7	1	1	2	4	5	10	17
65+	138	3.6	12	1	1	2	4	8	12	20
2. MULTIPLE DX										
0-19 YRS	116	2.8	22	<1	<1	2	3	4	7	28
20-34	94	4.8	61	1	1	2	4	10	25	79
35-49	64	4.8	21	1	1	3	6	10	12	25
50-64	117	5.1	26	1	1	3	7	12	14	26
65+	578	6.9	55	1	2	4	8	16	22	39
TOT. SINGLE DX	563	2.7	7	1	1	2	3	5	7	14
" MULTIPLE DX	969	5.8	48	1	1	3	7	13	21	39
TOTAL 0-19 YRS	234	2.3	12	<1	1	2	2	4	6	14
20-34	267	3.4	26	1	1	2	4	6	10	38
35-49	145	3.4	12	1	1	2	4	7	10	24
50-64	170	4.5	21	1	1	3	6	11	13	23
65+	716	6.3	49	1	1	4	8	14	22	34
GRAND TOTAL	**1532**	**4.7**	**35**	**1**	**1**	**3**	**5**	**11**	**16**	**30**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	666	1.5		<1	<1	1	2	2	3	4
20-34	67	1.5		1	1	1	2	3	3	4
35-49	5	1.6		1	1	2	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	425	1.9	1	<1	<1	2	2	3	4	7
20-34	29	2.4	2	1	1	2	3	5	6	7
35-49	9	2.0	1	1	1	2	3	4	4	4
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	1	11.0		11	11	11	11	11	11	11
TOT. SINGLE DX	743	1.5	1	<1	<1	1	2	3	3	4
" MULTIPLE DX	467	2.0	2	<1	<1	2	2	3	5	7
TOTAL 0-19 YRS	1091	1.7	1	<1	<1	1	2	3	4	6
20-34	96	1.8	1	1	1	1	2	3	4	7
35-49	14	1.9	1	1	1	2	2	4	4	4
50-64	5	2.8	6	1	1	2	4	7	7	7
65+	4	4.0	23	1	1	2	7	11	11	11
GRAND TOTAL	1210	1.7	1	<1	<1	1	2	3	4	6

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	1.4		<1	<1	1	2	2	3	6
20-34	81	1.6	1	<1	<1	1	2	3	4	6
35-49	44	1.7		<1	<1	1	2	3	4	5
50-64	10	1.6		<1	<1	2	2	2	2	2
65+	7	3.3	2	2	2	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	45	3.0	52	<1	<1	1	2	3	8	48
20-34	40	2.4	8	<1	<1	1	2	5	8	17
35-49	28	2.1	1	1	1	2	3	4	4	5
50-64	18	5.3	76	<1	1	3	5	9	27	39
65+	9	5.4	13	1	1	5	8	11	11	11
TOT. SINGLE DX	238	1.6	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	140	3.1	31	<1	1	2	3	5	9	40
TOTAL 0-19 YRS	141	1.9	18	<1	<1	1	2	3	4	19
20-34	121	1.9	4	<1	<1	1	2	3	5	11
35-49	72	1.8	1	<1	1	2	2	3	4	5
50-64	28	4.0	51	<1	<1	2	3	7	12	39
65+	16	4.5	9	1	2	4	6	10	11	11
GRAND TOTAL	378	2.2	12	<1	<1	1	2	4	5	15

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	40	1.1		<1	<1	<1	1	2	2	2
35-49	32	1.4	1	<1	<1	<1	1	2	5	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	25	3.0	9	<1	<1	1	3	9	11	11
35-49	17	2.6	6	<1	<1	1	3	8	9	9
50-64	4	7.0	24	<1	<1	8	11	11	11	11
65+	5	8.0	33	2	2	8	12	16	16	16
TOT. SINGLE DX	74	1.2	1	<1	<1	<1	1	2	2	7
" MULTIPLE DX	54	3.5	14	<1	<1	2	5	11	11	16
TOTAL 0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	65	1.8	5	<1	<1	1	1	3	7	11
35-49	49	1.9	4	<1	<1	1	2	5	7	9
50-64	5	5.8	25	<1	<1	5	11	11	11	11
65+	5	8.0	34	2	2	8	12	16	16	16
GRAND TOTAL	128	2.2	8	<1	<1	1	2	6	9	12

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	1.4		<1	<1	1	2	2	3	4
20-34	310	1.7	3	<1	<1	1	2	3	4	8
35-49	227	1.6		<1	<1	1	2	3	3	5
50-64	205	2.1	1	<1	1	2	3	4	4	7
65+	138	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	178	1.6	1	<1	<1	1	2	3	4	6
20-34	203	2.1	2	<1	<1	2	3	4	5	7
35-49	165	2.4	3	<1	1	2	3	4	6	9
50-64	168	2.7	3	1	1	2	3	5	6	9
65+	141	3.7	11	1	1	3	4	7	12	19
TOT. SINGLE DX	1169	1.8	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	855	2.4	4	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	467	1.5	1	<1	<1	1	2	3	3	5
20-34	513	1.9	3	<1	<1	1	2	3	4	7
35-49	392	1.9	2	<1	<1	1	2	4	4	8
50-64	373	2.3	2	1	1	2	3	4	5	8
65+	279	3.1	7	1	1	2	3	5	7	17
GRAND TOTAL	2024	2.1	3	<1	<1	2	2	4	5	8

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	1.2		<1	<1	<1	1	2	2	2
20-34	58	1.4		<1	<1	1	2	2	3	5
35-49	43	1.3		<1	<1	1	1	2	3	3
50-64	41	1.5		<1	<1	1	2	2	2	5
65+	20	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	79	2.0	16	<1	<1	1	1	3	5	28
20-34	28	5.1	60	<1	<1	2	6	15	27	31
35-49	66	2.7	15	<1	<1	2	2	4	8	23
50-64	63	3.2	32	<1	<1	2	2	6	11	38
65+	78	4.1	16	<1	1	3	5	10	13	19
TOT. SINGLE DX	540	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	365	3.5	46	<1	<1	1	3	8	12	32
TOTAL 0-19 YRS	448	1.3	3	<1	<1	<1	1	2	2	5
20-34	97	2.5	20	<1	<1	1	2	4	8	29
35-49	123	2.0	9	<1	<1	1	2	3	5	22
50-64	124	3.3	79	<1	<1	1	2	5	10	54
65+	113	4.0	28	<1	1	2	4	10	14	27
GRAND TOTAL	**905**	**2.1**	**20**	**<1**	**<1**	**1**	**2**	**3**	**6**	**19**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	2.7	8	<1	<1	1	3	6	8	15
20-34	36	3.0	5	<1	<1	2	5	6	7	10
35-49	52	3.3	5	<1	1	3	4	6	9	11
50-64	118	3.3	4	1	1	3	4	6	7	10
65+	75	3.6	4	1	2	3	5	6	7	13
2. MULTIPLE DX										
0-19 YRS	40	3.4	24	<1	<1	2	4	7	10	30
20-34	52	5.3	72	1	1	3	5	9	17	58
35-49	103	6.2	61	1	1	4	6	13	21	49
50-64	239	4.3	12	1	1	3	5	8	11	20
65+	184	4.8	24	1	2	4	5	8	11	28
TOT. SINGLE DX	341	3.2	5	<1	<1	3	4	6	7	13
" MULTIPLE DX	618	4.8	30	1	1	3	5	9	12	28
TOTAL 0-19 YRS	100	3.0	15	<1	<1	2	3	6	10	22
20-34	88	4.3	46	<1	<1	3	5	8	10	44
35-49	155	5.2	45	1	1	3	6	9	15	42
50-64	357	4.0	10	1	1	3	5	7	9	17
65+	259	4.4	19	1	2	3	5	8	9	27
GRAND TOTAL	**959**	**4.2**	**22**	**<1**	**1**	**3**	**5**	**8**	**10**	**24**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	4.1	2	2	2	4	5	6	7	10
20-34	652	4.3	1	2	3	4	5	6	6	8
35-49	83	4.6	4	1	2	4	6	7	8	12
50-64	13	5.2	5	<1	2	5	7	8	9	9
65+	14	9.1	16	4	5	8	10	15	18	19
2. MULTIPLE DX										
0-19 YRS	174	5.1	11	2	3	4	6	8	10	21
20-34	1240	4.9	4	2	3	5	6	7	8	12
35-49	217	5.8	12	3	3	5	6	9	12	25
50-64	32	8.3	23	2	4	7	8	17	21	22
65+	44	14.9	198	4	5	10	17	30	52	66
TOT. SINGLE DX	958	4.4	3	2	3	4	5	6	7	9
" MULTIPLE DX	1707	5.3	14	2	3	5	6	7	10	19
TOTAL 0-19 YRS	370	4.6	7	2	3	4	5	7	8	12
20-34	1892	4.7	3	2	3	5	5	6	7	10
35-49	300	5.5	11	2	3	5	6	8	11	21
50-64	45	7.4	20	2	3	7	8	13	18	22
65+	58	13.5	160	4	5	9	15	26	41	66
GRAND TOTAL	**2665**	**5.0**	**10**	**2**	**3**	**5**	**6**	**7**	**8**	**16**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	4.7	1	3	3	5	5	6	7	10
20-34	579	4.8	3	3	3	5	5	6	8	12
35-49	185	5.0	2	3	3	5	6	7	7	10
50-64	34	5.7	5	4	4	5	6	7	9	17
65+	23	6.8	4	4	4	7	8	9	11	13
2. MULTIPLE DX										
0-19 YRS	131	5.7	8	3	3	5	6	8	10	19
20-34	1412	5.4	7	3	3	5	6	8	9	15
35-49	535	5.9	9	3	4	5	6	8	11	18
50-64	81	7.3	14	4	4	6	8	11	15	24
65+	100	14.1	102	5	6	11	18	25	32	54
TOT. SINGLE DX	912	4.9	3	3	3	5	6	7	8	12
" MULTIPLE DX	2259	6.0	16	3	3	5	6	9	11	23
TOTAL 0-19 YRS	222	5.3	6	3	3	5	6	8	9	17
20-34	1991	5.2	6	3	3	5	6	7	9	14
35-49	720	5.7	8	3	4	5	6	8	10	16
50-64	115	6.9	12	4	4	6	8	10	14	23
65+	123	12.7	92	5	5	9	15	25	30	51
GRAND TOTAL	**3171**	**5.7**	**12**	**3**	**3**	**5**	**6**	**8**	**11**	**19**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	88	5.1	3	2	3	5	6	8	8	9
35-49	127	5.5	3	3	4	5	6	8	9	12
50-64	57	7.0	32	4	4	6	7	9	10	44
65+	33	8.1	8	5	5	8	9	11	14	18
2. MULTIPLE DX										
0-19 YRS	3	5.7	1	5	5	5	7	7	7	7
20-34	371	5.8	7	3	4	5	6	8	10	14
35-49	620	6.6	16	4	4	6	7	9	13	21
50-64	250	8.1	24	4	5	7	9	13	16	29
65+	176	12.0	67	4	5	10	15	22	27	46
TOT. SINGLE DX	307	5.9	10	3	4	6	7	9	9	16
" MULTIPLE DX	1420	7.3	25	4	4	6	8	12	16	30
TOTAL 0-19 YRS	5	5.8	3	4	4	5	7	8	8	8
20-34	459	5.7	7	3	4	5	6	8	10	14
35-49	747	6.4	14	4	4	6	7	9	12	20
50-64	307	7.9	26	4	5	7	9	12	16	29
65+	209	11.4	60	4	5	9	14	20	25	42
GRAND TOTAL	**1727**	**7.1**	**23**	**4**	**4**	**6**	**8**	**11**	**15**	**27**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	2.5	4	<1	<1	2	3	4	6	12
20-34	158	3.2	3	<1	1	3	4	5	6	8
35-49	21	3.6	4	1	1	3	4	7	8	9
50-64	3	5.3	26	1	1	4	9	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	38	3.9	3	<1	1	4	5	6	7	7
20-34	490	4.3	5	1	1	4	5	6	7	15
35-49	74	4.6	7	1	1	5	6	7	10	15
50-64	6	6.5	14	4	4	5	6	13	14	14
65+	8	15.9	113	6	6	12	24	32	34	34
TOT. SINGLE DX	225	3.2	4	<1	1	3	4	5	6	11
" MULTIPLE DX	616	4.5	9	1	1	4	5	6	8	16
TOTAL 0-19 YRS	81	3.1	4	<1	1	3	4	6	7	11
20-34	648	4.0	5	1	1	4	5	6	7	14
35-49	95	4.4	7	1	1	4	5	7	9	14
50-64	9	6.1	16	1	2	5	7	13	14	14
65+	8	15.9	113	6	6	12	24	32	34	34
GRAND TOTAL	**841**	**4.1**	**8**	**1**	**1**	**4**	**5**	**6**	**7**	**15**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	1161	1.1		<1	<1	<1	1	1	2	3
35-49	630	1.1		<1	<1	<1	1	1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	561	1.5	1	<1	<1	1	1	3	4	7
35-49	318	1.3	1	<1	<1	<1	1	2	3	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	1798	1.1		<1	<1	<1	1	1	1	2
" MULTIPLE DX	884	1.4	1	<1	<1	1	1	3	3	6
TOTAL 0-19 YRS	11	1.3		<1	<1	1	1	2	3	3
20-34	1722	1.2	1	<1	<1	<1	1	2	2	5
35-49	948	1.1		<1	<1	<1	1	1	2	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	**2682**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**4**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.7	5	<1	<1	2	4	4	9	10
20-34	1150	1.7	1	<1	<1	1	2	3	4	5
35-49	499	1.6	1	<1	<1	1	2	3	4	6
50-64	3	3.3	16	<1	<1	<1	6	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	18	2.7	3	<1	<1	2	3	5	7	8
20-34	1908	2.9	2	1	1	3	4	4	5	8
35-49	644	2.9	4	<1	1	3	4	5	6	8
50-64	3	4.7	9	2	2	4	7	8	8	8
65+										
TOT. SINGLE DX	1667	1.7	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	2573	2.9	3	1	1	3	4	5	5	8
TOTAL 0-19 YRS	33	2.7	4	<1	<1	2	3	5	8	10
20-34	3058	2.4	2	<1	<1	2	3	4	5	7
35-49	1143	2.4	3	<1	<1	2	3	4	5	7
50-64	6	4.0	11	<1	<1	3	8	8	8	8
65+										
GRAND TOTAL	**4240**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	4.0	1	2	3	4	5	5	6	8
20-34	1409	4.0	1	2	3	4	5	5	6	8
35-49	187	4.0	2	1	2	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	99	4.7	2	3	3	4	5	7	8	12
20-34	1920	4.2	2	2	3	4	5	6	7	9
35-49	293	4.5	10	1	2	4	5	6	7	13
50-64	7	5.7	11	1	1	6	8	10	10	10
65+	3	6.0	12	4	4	4	9	10	10	10
TOT. SINGLE DX	1669	4.0	2	2	2	4	5	5	6	8
" MULTIPLE DX	2322	4.3	4	2	3	4	5	6	7	10
TOTAL 0-19 YRS	172	4.4	2	2	3	4	5	6	7	10
20-34	3329	4.1	3	2	3	4	5	6	6	9
35-49	480	4.3	7	1	2	4	5	6	7	11
50-64	7	5.7	11	1	1	6	8	10	10	10
65+	3	6.0	12	4	4	4	9	10	10	10
GRAND TOTAL	**3991**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	1.5		<1	<1	1	2	3	3	3
20-34	471	1.5	1	<1	<1	1	2	2	3	7
35-49	208	1.6	1	<1	<1	1	2	2	3	8
50-64	68	1.5	1	<1	<1	1	2	2	3	7
65+	32	1.8		<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	13	5.3	180	<1	<1	1	2	13	43	50
20-34	295	1.8	8	<1	<1	1	2	3	5	11
35-49	170	1.8	2	<1	<1	1	2	4	6	8
50-64	69	2.2	8	<1	<1	1	2	4	5	18
65+	41	3.5	18	<1	<1	2	4	8	9	26
TOT. SINGLE DX	792	1.5	2	<1	<1	1	2	2	3	7
" MULTIPLE DX	588	2.1	12	<1	<1	1	2	4	6	15
TOTAL 0-19 YRS	26	3.4	91	<1	<1	1	2	3	13	50
20-34	766	1.6	5	<1	<1	1	2	2	4	7
35-49	378	1.7	2	<1	<1	1	2	3	5	8
50-64	137	1.8	5	<1	<1	1	2	3	5	18
65+	73	2.7	12	<1	<1	2	3	6	8	22
GRAND TOTAL	**1380**	**1.8**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	1.1		<1	<1	<1	1	2	2	2
20-34	114	1.7	2	<1	<1	1	2	3	5	9
35-49	64	1.5		<1	<1	1	2	2	3	5
50-64	52	2.3	4	<1	<1	2	2	5	7	11
65+	32	4.0	11	<1	1	2	6	8	12	15
2. MULTIPLE DX										
0-19 YRS	7	1.7	1	<1	<1	1	2	4	4	4
20-34	107	2.1	3	<1	<1	1	2	5	6	10
35-49	115	2.9	25	<1	<1	1	3	6	9	32
50-64	103	3.8	23	<1	<1	2	5	9	14	27
65+	127	6.7	74	1	2	5	8	12	15	50
TOT. SINGLE DX	272	2.0	4	<1	<1	1	2	4	6	12
" MULTIPLE DX	459	4.0	36	<1	<1	2	5	8	12	26
TOTAL 0-19 YRS	17	1.4	1	<1	<1	1	1	2	3	4
20-34	221	1.9	3	<1	<1	1	2	4	6	9
35-49	179	2.4	17	<1	<1	1	2	4	8	23
50-64	155	3.3	17	<1	<1	2	3	7	12	21
65+	159	6.1	63	1	1	5	7	11	15	38
GRAND TOTAL	**731**	**3.2**	**25**	**<1**	**<1**	**2**	**3**	**7**	**9**	**20**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.8	4	1	1	2	4	5	7	8
20-34	417	1.9	1	<1	1	2	2	3	4	7
35-49	36	2.1	1	<1	1	2	3	4	5	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	9	5.1	28	1	1	3	6	15	17	17
20-34	161	3.7	52	1	1	2	4	6	9	49
35-49	26	2.8	5	<1	1	2	3	4	10	10
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	20.0		20	20	20	20	20	20	20
TOT. SINGLE DX	472	2.0	2	<1	1	2	3	4	4	7
" MULTIPLE DX	198	3.7	46	1	1	2	4	6	11	38
TOTAL 0-19 YRS	24	3.7	14	1	1	3	4	8	13	17
20-34	578	2.4	17	<1	1	2	3	4	5	15
35-49	62	2.4	3	<1	1	2	3	4	6	10
50-64	3	1.7		1	1	2	2	2	2	2
65+	3	9.0	97	1	1	2	16	20	20	20
GRAND TOTAL	670	2.5	16	<1	1	2	3	4	6	16

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.7	5	<1	<1	2	5	6	6	6
20-34	141	4.2	2	<1	1	4	5	6	7	8
35-49	53	3.8	4	<1	1	4	6	6	7	8
50-64	4	2.5		2	2	2	3	3	3	3
65+	7	3.7	4	1	1	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	10	3.5	7	<1	<1	3	5	7	9	9
20-34	352	4.6	5	1	1	5	6	6	7	10
35-49	178	4.9	13	<1	1	5	6	8	11	21
50-64	27	5.5	45	<1	<1	3	5	12	19	33
65+	27	9.9	122	1	1	4	14	30	33	41
TOT. SINGLE DX	212	4.0	3	<1	1	4	5	6	6	8
" MULTIPLE DX	594	5.0	16	<1	1	5	6	7	10	25
TOTAL 0-19 YRS	17	3.2	6	<1	<1	2	5	6	8	9
20-34	493	4.5	4	<1	1	5	6	6	7	10
35-49	231	4.7	12	<1	1	4	6	8	10	20
50-64	31	5.1	40	<1	<1	3	5	11	17	33
65+	34	8.6	104	1	1	4	11	29	32	41
GRAND TOTAL	806	4.7	13	<1	1	5	6	7	9	20

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	8.2	78	2	3	6	7	20	33	33
20-34	698	5.7	2	4	4	5	6	7	8	12
35-49	1192	5.8	2	4	4	6	6	7	8	10
50-64	396	6.4	3	4	5	6	7	8	10	15
65+	221	7.1	5	5	5	7	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	32	6.6	4	4	4	6	8	10	11	12
20-34	4837	6.1	6	4	4	6	7	8	9	15
35-49	10392	6.2	5	4	5	6	7	8	9	15
50-64	2867	6.9	10	5	5	6	7	9	11	21
65+	1180	8.9	25	5	5	7	10	15	18	30
TOT. SINGLE DX	2517	6.0	3	4	4	6	7	8	9	13
" MULTIPLE DX	19308	6.5	8	4	5	6	7	9	10	17
TOTAL 0-19 YRS	42	7.0	21	4	4	6	7	10	12	33
20-34	5535	6.1	6	4	4	6	7	8	9	14
35-49	11584	6.2	5	4	5	6	7	8	9	14
50-64	3263	6.9	10	4	5	6	7	9	11	20
65+	1401	8.7	23	5	5	7	9	14	17	28
GRAND TOTAL	21825	6.4	7	4	5	6	7	8	10	17

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	448	4.8	1	3	3	5	5	6	7	8
35-49	496	5.1	1	3	3	5	6	7	7	9
50-64	169	6.0	3	3	4	6	7	8	10	12
65+	144	6.6	2	4	5	6	8	9	9	11
2. MULTIPLE DX										
0-19 YRS	10	4.9	1	4	4	5	5	6	7	7
20-34	2156	5.2	2	3	4	5	6	7	8	11
35-49	3849	5.4	3	3	4	5	6	7	8	12
50-64	1044	6.3	4	4	4	6	7	8	10	12
65+	776	7.3	9	4	5	7	8	10	12	21
TOT. SINGLE DX	1259	5.3	2	3	4	5	6	7	8	10
" MULTIPLE DX	7835	5.7	4	3	4	5	6	8	9	13
TOTAL 0-19 YRS	12	4.8	1	4	4	5	5	6	7	7
20-34	2604	5.1	2	3	4	5	6	7	8	10
35-49	4345	5.4	3	3	4	5	6	7	8	11
50-64	1213	6.3	4	4	4	6	7	8	10	12
65+	920	7.2	9	4	5	7	8	10	12	19
GRAND TOTAL	9094	5.6	4	3	4	5	6	8	9	12

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	10.6	6	6	7	11	12	14	14	14
35-49	12	10.6	10	5	6	10	13	15	16	16
50-64	9	12.2	11	9	9	12	15	17	17	17
65+	9	14.1	93	7	7	9	17	31	34	34
2. MULTIPLE DX										
0-19 YRS										
20-34	19	12.1	28	5	7	11	13	15	24	31
35-49	26	11.7	36	4	6	10	12	19	24	31
50-64	28	16.2	87	7	7	14	19	32	39	41
65+	23	20.2	181	8	9	14	23	36	49	68
TOT. SINGLE DX	38	11.7	30	6	7	10	13	17	23	34
" MULTIPLE DX	96	15.1	93	6	7	12	17	29	35	56
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	26	11.7	22	6	7	11	13	14	18	31
35-49	38	11.3	28	5	6	10	12	19	21	31
50-64	37	15.4	71	7	8	13	17	28	37	41
65+	32	18.5	161	7	8	14	23	34	39	68
GRAND TOTAL	134	14.1	78	6	7	12	19	24	33	45

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	1.3		<1	<1	1	1	2	3	6
20-34	260	1.3		<1	<1	1	1	2	3	5
35-49	37	1.2		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	31	2.0	8	<1	<1	<1	2	3	4	17
20-34	270	2.0	10	<1	<1	1	2	4	5	18
35-49	64	1.5		<1	<1	1	2	2	4	6
50-64										
65+										
TOT. SINGLE DX	361	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	365	1.9	9	<1	<1	1	2	4	5	17
TOTAL 0-19 YRS	95	1.5	3	<1	<1	<1	1	3	3	12
20-34	530	1.6	6	<1	<1	1	1	3	4	11
35-49	101	1.4	1	<1	<1	1	2	2	3	5
50-64										
65+										
GRAND TOTAL	726	1.6	5	<1	<1	1	1	3	4	9

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	749	1.3		<1	<1	1	1	2	3	5
20-34	5512	1.3		<1	<1	1	1	2	3	5
35-49	2145	1.2		<1	<1	1	1	2	2	5
50-64	859	1.2		<1	<1	1	1	2	3	6
65+	336	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	359	2.3	6	<1	<1	1	1	3	5	12
20-34	3111	2.1	7	<1	<1	1	1	3	4	10
35-49	2408	1.9	5	<1	<1	1	1	2	4	12
50-64	1235	2.1	11	<1	<1	1	1	3	6	19
65+	713	3.2	28	<1	<1	1	2	5	10	25
TOT. SINGLE DX	9601	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	7826	2.2	9	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	1108	1.7	3	<1	<1	1	1	3	4	8
20-34	8623	1.6	3	<1	<1	1	1	2	4	7
35-49	4553	1.6	3	<1	<1	1	1	2	4	9
50-64	2094	1.7	5	<1	<1	1	1	3	4	11
65+	1049	2.7	21	<1	<1	1	2	4	6	20
GRAND TOTAL	17427	1.7	5	<1	<1	1	2	3	4	9

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	1.2		<1	<1	<1	<1	1	2	4
20-34	553	1.1		<1	<1	<1	1	1	2	4
35-49	83	1.2		<1	<1	<1	1	1	2	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	34	5.1	140	<1	<1	1	3	7	40	55
20-34	319	2.4	15	<1	<1	1	1	4	8	22
35-49	100	1.6	6	<1	<1	1	1	2	3	16
50-64										
65+										
TOT. SINGLE DX	762	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	453	2.4	24	<1	<1	1	2	4	7	28
TOTAL 0-19 YRS	160	2.0	32	<1	<1	<1	1	3	4	43
20-34	872	1.6	6	<1	<1	<1	1	2	4	11
35-49	183	1.4	4	<1	<1	1	1	2	3	7
50-64										
65+										
GRAND TOTAL	1215	1.6	9	<1	<1	<1	1	2	4	11

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	122	1.4	1	<1	<1	1	1	2	3	11
20-34	953	1.3	4	<1	<1	1	1	2	2	4
35-49	137	1.1		<1	<1	1	1	2	2	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	41	1.8	1	<1	<1	1	2	4	5	6
20-34	306	2.1	4	<1	<1	1	2	4	6	13
35-49	71	2.1	8	<1	<1	1	2	3	4	19
50-64	4	8.8	19	5	5	7	11	15	15	15
65+	8	5.5	12	1	1	6	8	10	11	11
TOT. SINGLE DX	1215	1.3	4	<1	<1	1	1	2	2	4
" MULTIPLE DX	430	2.2	6	<1	<1	1	2	5	7	14
TOTAL 0-19 YRS	163	1.5	2	<1	<1	1	1	2	3	10
20-34	1259	1.5	4	<1	<1	1	1	2	3	7
35-49	208	1.5	3	<1	<1	1	1	2	3	12
50-64	5	7.2	26	<1	<1	7	10	15	15	15
65+	10	5.3	12	1	1	6	8	10	11	11
GRAND TOTAL	**1645**	**1.5**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	22	2.8	4	<1	<1	2	4	6	7	9
35-49	4	2.8	8	1	1	2	4	7	7	7
50-64	3	6.7	1	6	6	6	8	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	6	5.2		4	4	5	6	6	6	6
20-34	79	4.8	2	2	3	5	6	7	7	10
35-49	13	5.7	3	4	4	5	6	8	10	11
50-64										
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	31	3.4	6	<1	<1	2	5	7	8	9
" MULTIPLE DX	99	5.0	3	2	3	5	6	7	8	11
TOTAL 0-19 YRS	7	5.0	1	4	4	5	6	6	6	6
20-34	101	4.4	4	<1	1	5	5	6	7	10
35-49	17	5.0	6	1	1	5	6	7	10	11
50-64	3	6.7	1	6	6	6	8	8	8	8
65+	2	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**130**	**4.6**	**4**	**<1**	**1**	**5**	**6**	**7**	**8**	**11**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.7	4	<1	<1	2	4	6	7	8
20-34	122	2.3	3	<1	<1	1	3	5	5	9
35-49	38	2.6	2	<1	<1	2	3	5	5	8
50-64	9	3.1	1	1	1	3	4	5	5	5
65+	14	3.1		<1	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	12	4.0	12	<1	<1	4	5	9	12	13
20-34	202	3.8	23	<1	<1	3	5	7	9	14
35-49	52	3.3	18	<1	<1	2	4	6	11	26
50-64	28	4.7	14	1	1	4	5	10	13	17
65+	27	4.6	11	1	2	4	5	10	12	15
TOT. SINGLE DX	199	2.4	3	<1	<1	2	3	5	5	8
" MULTIPLE DX	321	3.9	20	<1	1	3	5	7	10	17
TOTAL 0-19 YRS	28	3.3	8	<1	<1	2	4	7	8	13
20-34	324	3.2	16	<1	<1	2	5	6	8	13
35-49	90	3.0	12	<1	<1	2	4	5	6	22
50-64	37	4.3	12	1	1	4	5	9	12	17
65+	41	4.1	8	1	2	3	4	7	11	15
GRAND TOTAL	**520**	**3.3**	**14**	**<1**	**<1**	**3**	**4**	**6**	**8**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	46	3.8	3	1	1	4	5	6	7	9
35-49	123	4.7	4	1	2	5	6	7	8	11
50-64	248	5.4	5	2	3	5	7	8	9	12
65+	213	5.9	7	2	3	6	7	9	10	17
2. MULTIPLE DX										
0-19 YRS	8	6.5	1	5	5	6	7	8	8	8
20-34	88	5.2	4	2	3	5	6	8	10	11
35-49	315	6.1	5	3	4	6	7	9	10	14
50-64	543	6.3	6	3	4	6	7	9	11	17
65+	501	6.7	9	3	4	6	8	10	12	18
TOT. SINGLE DX	630	5.3	6	2	3	5	7	8	9	13
" MULTIPLE DX	1455	6.3	7	3	4	6	7	9	11	17
TOTAL 0-19 YRS	8	6.5	1	5	5	6	7	8	8	8
20-34	134	4.8	5	1	2	5	6	7	9	11
35-49	438	5.7	6	2	3	5	7	8	10	14
50-64	791	6.0	7	3	3	6	7	9	10	16
65+	714	6.5	9	3	4	6	8	10	11	18
GRAND TOTAL	**2085**	**6.0**	**7**	**3**	**3**	**6**	**7**	**9**	**10**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.3	8	<1	<1	1	2	5	6	16
20-34	110	2.9	5	<1	<1	2	4	6	8	12
35-49	54	4.0	29	<1	1	3	5	7	9	38
50-64	27	4.4	6	<1	1	5	6	7	8	11
65+	22	5.5	3	2	3	6	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	25	4.4	18	<1	1	4	6	9	12	20
20-34	75	4.5	44	<1	1	3	5	8	11	45
35-49	55	5.8	33	1	1	5	8	9	11	40
50-64	57	8.5	89	2	3	6	9	14	20	67
65+	58	8.4	34	4	5	7	9	14	20	36
TOT. SINGLE DX	241	3.5	12	<1	<1	3	5	7	8	14
" MULTIPLE DX	270	6.4	50	1	1	5	8	11	15	41
TOTAL 0-19 YRS	53	3.3	14	<1	<1	2	5	7	10	20
20-34	185	3.5	22	<1	<1	2	4	7	9	18
35-49	109	4.9	32	<1	1	4	6	9	9	40
50-64	84	7.2	66	1	2	6	8	12	16	54
65+	80	7.6	27	3	4	6	8	12	16	34
GRAND TOTAL	511	5.0	34	<1	1	4	6	9	12	32

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	2.2	4	<1	<1	1	2	5	7	10
20-34	254	2.5	4	<1	<1	1	3	5	7	10
35-49	70	4.0	28	<1	<1	2	5	12	13	32
50-64	45	3.4	5	<1	<1	3	5	7	8	8
65+	61	4.7	8	1	1	4	6	9	10	16
2. MULTIPLE DX										
0-19 YRS	77	4.3	15	<1	1	3	6	10	13	18
20-34	278	4.3	21	<1	1	3	5	9	12	29
35-49	111	5.4	15	<1	1	5	8	11	13	20
50-64	117	5.2	12	1	1	5	6	9	12	18
65+	196	7.7	61	1	2	6	8	14	21	48
TOT. SINGLE DX	503	3.0	9	<1	<1	2	4	6	8	13
" MULTIPLE DX	779	5.4	30	<1	1	4	7	11	14	30
TOTAL 0-19 YRS	150	3.3	11	<1	<1	2	4	8	11	15
20-34	532	3.4	14	<1	<1	2	5	7	9	17
35-49	181	4.9	21	<1	<1	4	7	11	13	21
50-64	162	4.7	11	<1	1	4	6	8	11	16
65+	257	7.0	51	1	2	6	8	13	17	34
GRAND TOTAL	1282	4.5	24	<1	<1	3	6	9	12	23

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	1.9	1	<1	<1	1	2	4	5	7
20-34	228	1.5	1	<1	<1	1	2	3	3	6
35-49	150	2.0	23	<1	<1	1	2	3	4	12
50-64	44	2.0	3	<1	<1	1	2	4	5	11
65+	23	2.3	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	27	3.7	14	<1	1	3	5	7	13	18
20-34	121	3.3	23	<1	<1	2	4	5	9	35
35-49	90	3.3	18	<1	<1	2	3	7	9	27
50-64	61	5.3	67	<1	<1	3	5	12	22	49
65+	70	5.9	48	1	1	4	6	17	24	87
TOT. SINGLE DX	504	1.8	8	<1	<1	1	2	3	4	8
" MULTIPLE DX	369	4.2	34	<1	<1	2	4	8	16	37
TOTAL 0-19 YRS	86	2.5	7	<1	<1	1	3	5	6	16
20-34	349	2.1	10	<1	<1	1	2	4	5	12
35-49	240	2.5	22	<1	<1	1	2	5	8	24
50-64	105	3.9	43	<1	<1	2	4	6	16	39
65+	93	5.0	39	<1	1	3	6	12	20	73
GRAND TOTAL	873	2.8	21	<1	<1	1	3	5	8	28

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	6	1.3		<1	<1	1	2	2	2	2
35-49	10	3.1	3	1	1	3	4	6	7	7
50-64	7	8.0	18	<1	1	8	11	14	14	14
65+	13	7.5	43	1	2	4	11	19	21	21
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	7.4	16	<1	<1	8	10	12	12	12
35-49	6	6.5	6	4	4	6	7	11	11	11
50-64	14	14.1	512	2	2	7	13	29	76	90
65+	38	16.4	200	3	4	14	19	27	45	79
TOT. SINGLE DX	36	5.3	26	<1	1	4	7	14	17	21
" MULTIPLE DX	64	14.0	240	2	3	11	17	23	38	88
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	4.1	17	<1	<1	2	8	10	12	12
35-49	16	4.4	7	1	1	4	6	7	10	11
50-64	21	12.0	347	1	2	7	12	18	53	90
65+	51	14.1	174	2	3	11	18	24	32	79
GRAND TOTAL	100	10.9	180	1	1	7	14	21	26	84

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	1.3		<1	<1	1	2	2	2	3
20-34	47	2.4	2	<1	1	2	3	4	5	7
35-49	7	2.4	2	<1	<1	2	3	5	5	5
50-64	8	2.3	4	<1	<1	2	3	6	7	7
65+	3	2.7	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	1.6	1	<1	<1	1	2	3	4	4
20-34	28	4.3	16	<1	1	3	6	7	17	17
35-49	13	3.3	4	1	1	2	5	6	7	7
50-64	7	10.7	455	<1	<1	3	5	48	59	59
65+	5	6.8	26	1	1	6	11	13	13	13
TOT. SINGLE DX	101	2.0	2	<1	<1	1	3	4	5	7
" MULTIPLE DX	64	4.5	60	<1	1	3	5	7	14	53
TOTAL 0-19 YRS	47	1.4		<1	<1	1	2	2	3	4
20-34	75	3.1	8	<1	1	3	4	6	7	17
35-49	20	3.0	4	<1	<1	2	4	6	7	7
50-64	15	6.2	216	<1	<1	2	4	7	46	59
65+	8	5.3	20	<1	<1	4	8	12	13	13
GRAND TOTAL	**165**	**3.0**	**26**	**<1**	**<1**	**2**	**3**	**6**	**7**	**17**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.8	3	<1	<1	1	2	5	5	5
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	17.7	1362	1	1	3	3	84	93	93
20-34	11	5.6	99	<1	<1	2	5	19	34	35
35-49	4	3.0	8	1	1	2	5	7	7	7
50-64	5	3.0	11	1	1	2	4	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	11	1.7	2	<1	<1	1	2	4	5	5
" MULTIPLE DX	27	7.3	337	<1	1	2	4	9	44	93
TOTAL 0-19 YRS	11	10.5	751	<1	<1	3	3	40	59	93
20-34	16	4.4	71	<1	<1	2	4	8	27	35
35-49	5	2.8	6	1	1	2	4	7	7	7
50-64	5	3.0	12	1	1	2	4	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**38**	**5.7**	**244**	**<1**	**<1**	**2**	**3**	**8**	**25**	**93**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1083	2.2		1	1	2	3	3	4	4
20-34	6583	2.5	1	1	1	2	3	4	4	5
35-49	411	2.5		1	1	2	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	990	2.7	6	1	1	2	3	4	5	9
20-34	6802	2.9	4	1	2	3	3	4	5	7
35-49	533	3.2	3	1	2	3	4	4	6	10
50-64										
65+										
TOT. SINGLE DX	8077	2.4	2	1	1	2	3	3	4	5
" MULTIPLE DX	8325	2.9	5	1	2	3	3	4	5	8
TOTAL 0-19 YRS	2073	2.4	4	1	1	2	3	4	4	6
20-34	13385	2.7	3	1	1	3	3	4	4	6
35-49	944	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**16402**	**2.7**	**3**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	1.9	1	1	1	2	3	3	4	4
20-34	122	2.3	1	1	1	2	3	4	4	7
35-49	13	2.0		1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	39	2.1	1	1	1	2	3	3	4	5
20-34	269	2.5	2	1	1	2	3	4	5	9
35-49	32	2.3	1	<1	<1	2	3	4	4	6
50-64										
65+										
TOT. SINGLE DX	147	2.3	1	1	1	2	3	3	4	6
" MULTIPLE DX	340	2.5	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	51	2.0	1	1	1	2	3	3	4	5
20-34	391	2.5	2	1	1	2	3	4	5	9
35-49	45	2.2	1	<1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**487**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	327	2.2		1	1	2	3	3	4	5
20-34	2013	2.4		1	1	2	3	3	4	5
35-49	121	2.6		1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	436	2.9	4	1	2	3	3	4	5	8
20-34	3267	2.8	2	1	2	3	3	4	5	7
35-49	287	3.2	4	1	2	3	4	4	5	17
50-64										
65+										
TOT. SINGLE DX	2461	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	3990	2.9	3	1	2	3	3	4	5	7
TOTAL 0-19 YRS	763	2.6	3	1	1	2	3	4	4	7
20-34	5280	2.7	2	1	1	3	3	4	4	6
35-49	408	3.0	3	1	2	3	3	4	5	12
50-64										
65+										
GRAND TOTAL	6451	2.7	2	1	1	3	3	4	4	7

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9085	2.0		1	1	2	2	3	3	4
20-34	61569	2.0	1	1	1	2	3	3	3	4
35-49	3704	2.2	2	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2830	2.5	2	1	1	2	3	4	5	8
20-34	21440	2.6	3	1	1	2	3	4	5	8
35-49	2193	2.9	8	1	1	3	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	74358	2.0	1	1	1	2	3	3	3	4
" MULTIPLE DX	26463	2.6	4	1	1	2	3	4	5	8
TOTAL 0-19 YRS	11915	2.1	1	1	1	2	3	3	4	6
20-34	83009	2.2	2	1	1	2	3	3	4	5
35-49	5897	2.5	5	1	1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	100821	2.2	2	1	1	2	3	3	4	5

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	873	4.3	1	3	3	4	5	5	6	8
20-34	9647	4.4	1	3	3	4	5	6	6	8
35-49	705	4.8	4	3	3	5	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2170	5.1	8	3	3	5	5	7	9	16
20-34	20777	5.0	8	3	3	5	5	6	8	15
35-49	2394	5.3	7	3	4	5	6	7	8	16
50-64										
65+										
TOT. SINGLE DX	11225	4.5	2	3	3	4	5	6	6	8
" MULTIPLE DX	25341	5.1	9	3	3	5	5	7	8	15
TOTAL 0-19 YRS	3043	4.9	6	3	3	4	5	6	8	15
20-34	30424	4.8	7	3	3	5	5	6	7	13
35-49	3099	5.2	7	3	3	5	6	7	8	15
50-64										
65+										
GRAND TOTAL	36566	4.9	7	3	3	5	5	6	7	13

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	4.3	1	3	3	4	5	6	6	10
20-34	488	4.4	1	3	3	4	5	6	6	9
35-49	43	4.8	4	3	3	5	5	6	7	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	79	5.8	11	3	3	5	6	10	11	23
20-34	821	5.4	14	3	4	5	6	7	9	22
35-49	106	5.5	4	3	3	5	6	8	10	14
50-64										
65+										
TOT. SINGLE DX	582	4.4	2	3	3	4	5	6	6	9
" MULTIPLE DX	1006	5.5	13	3	3	5	6	7	9	20
TOTAL 0-19 YRS	130	5.2	8	3	3	5	5	8	10	16
20-34	1309	5.0	10	3	3	5	5	6	8	16
35-49	149	5.3	5	3	3	5	6	7	9	14
50-64										
65+										
GRAND TOTAL	1588	5.1	9	3	3	5	5	7	8	15

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	68	3.9	1	2	2	4	5	5	6	8
35-49	3	4.3	17	1	1	3	7	9	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	84	4.6	9	2	3	4	5	6	7	23
35-49	4	5.3	8	2	2	5	7	9	9	9
50-64										
65+										
TOT. SINGLE DX	75	3.9	2	1	2	4	5	6	7	9
" MULTIPLE DX	91	4.6	10	2	2	4	5	6	7	21
TOTAL 0-19 YRS	7	4.3	2	3	3	4	5	7	7	7
20-34	152	4.3	6	2	2	4	5	6	7	9
35-49	7	4.9	10	1	1	5	8	9	9	9
50-64										
65+										
GRAND TOTAL	**166**	**4.3**	**6**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	151	1.1		<1	<1	1	1	2	2	2
20-34	147	1.4	2	<1	<1	1	1	2	3	10
35-49	16	1.6		<1	<1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	37	1.3		<1	<1	1	1	2	4	5
20-34	95	1.5	1	<1	<1	1	1	3	4	7
35-49	24	1.4		<1	1	1	2	2	3	3
50-64										
65+										
TOT. SINGLE DX	314	1.3	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	156	1.4	1	<1	<1	1	1	3	3	5
TOTAL 0-19 YRS	188	1.2		<1	<1	1	1	2	2	4
20-34	242	1.4	2	<1	<1	1	1	2	3	10
35-49	40	1.5		<1	<1	1	2	2	3	3
50-64										
65+										
GRAND TOTAL	**470**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**4**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	2.7	7	<1	<1	2	3	5	6	18
20-34	246	3.6	15	<1	<1	2	4	7	11	24
35-49	17	5.5	64	<1	1	3	7	14	27	33
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	52	4.3	22	<1	1	3	5	8	15	24
20-34	262	5.1	63	1	1	3	5	10	16	43
35-49	18	4.6	14	1	1	4	6	10	13	15
50-64										
65+										
TOT. SINGLE DX	307	3.6	17	<1	<1	2	4	7	11	24
" MULTIPLE DX	332	4.9	54	1	1	3	5	10	15	37
TOTAL 0-19 YRS	96	3.6	16	<1	<1	2	4	7	13	22
20-34	508	4.4	41	<1	1	3	5	8	14	29
35-49	35	5.0	38	1	1	3	7	11	15	33
50-64										
65+										
GRAND TOTAL	**639**	**4.3**	**37**	**<1**	**1**	**3**	**5**	**8**	**14**	**28**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	586	1.7		<1	<1	1	2	3	3	5
20-34	3719	1.9	1	<1	<1	2	2	3	4	5
35-49	223	2.1	1	<1	<1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	314	2.4	4	<1	<1	2	3	4	5	8
20-34	2034	2.5	2	<1	1	2	3	4	5	8
35-49	175	2.6	2	<1	1	2	3	4	6	8
50-64										
65+										
TOT. SINGLE DX	4528	1.9	2	<1	<1	2	2	3	4	5
" MULTIPLE DX	2523	2.5	3	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	900	2.0	2	<1	<1	2	3	3	4	6
20-34	5753	2.1	2	<1	<1	2	3	3	4	6
35-49	398	2.3	2	<1	<1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	**7051**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**3**	**4**	**6**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1273	2.0		1	1	2	2	3	3	4
20-34	10276	2.0		1	1	2	2	3	3	4
35-49	664	2.0		1	1	2	3	3	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1454	2.3	1	1	1	2	3	3	4	6
20-34	9956	2.4	2	1	1	2	3	4	4	7
35-49	914	2.7	6	1	1	2	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	12213	2.0	1	1	1	2	2	3	3	4
" MULTIPLE DX	12324	2.4	3	1	1	2	3	4	4	7
TOTAL 0-19 YRS	2727	2.2	1	1	1	2	3	3	4	5
20-34	20232	2.2	2	1	1	2	3	3	4	5
35-49	1578	2.4	4	1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**24537**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.6	5	<1	<1	2	3	5	8	12
20-34	23	3.2	5	<1	1	3	3	6	9	10
35-49	22	4.9	65	<1	1	3	4	9	23	39
50-64	17	4.9	9	1	2	4	8	9	10	11
65+	15	9.3	41	1	1	11	14	16	20	22
2. MULTIPLE DX										
0-19 YRS	6	2.8	10	1	1	1	4	8	9	9
20-34	25	5.9	26	1	2	4	7	14	17	22
35-49	16	11.2	377	<1	1	4	9	31	64	78
50-64	27	8.4	67	1	1	4	12	23	24	29
65+	54	14.9	160	2	3	13	21	35	51	98
TOT. SINGLE DX	105	4.6	28	<1	1	3	5	11	13	30
" MULTIPLE DX	128	10.8	147	1	2	6	15	23	35	83
TOTAL 0-19 YRS	34	2.6	6	<1	1	2	3	5	9	12
20-34	48	4.6	18	1	1	3	5	10	14	22
35-49	38	7.6	200	<1	1	4	5	13	37	78
50-64	44	7.1	48	1	2	4	10	20	23	29
65+	69	13.7	139	2	2	12	18	28	38	92
GRAND TOTAL	**233**	**8.0**	**102**	**1**	**1**	**4**	**11**	**21**	**28**	**65**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	273	3.3	1	2	2	3	4	5	5	7
20-34	469	3.3	1	2	2	3	4	5	5	7
35-49	186	3.3	1	1	2	3	4	5	6	7
50-64	45	3.5	5	1	2	3	4	5	6	16
65+	8	3.6	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	266	3.6	1	2	2	4	4	5	5	8
20-34	358	3.8	3	2	2	4	4	5	6	13
35-49	160	4.0	5	2	2	4	5	6	7	14
50-64	56	6.4	97	1	2	3	6	10	30	56
65+	29	7.6	115	2	2	3	8	16	24	57
TOT. SINGLE DX	981	3.3	2	2	2	3	4	5	5	7
" MULTIPLE DX	869	4.1	14	2	2	4	4	6	7	16
TOTAL 0-19 YRS	539	3.5	2	2	2	3	4	5	5	7
20-34	827	3.5	2	2	2	3	4	5	6	9
35-49	346	3.6	3	1	2	3	4	5	6	9
50-64	101	5.1	58	1	2	3	4	9	13	49
65+	37	6.7	94	1	2	3	8	14	20	57
GRAND TOTAL	**1850**	**3.7**	**7**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	2.0	4	<1	1	1	2	3	5	12
20-34	165	2.2	1	1	1	2	3	3	5	8
35-49	29	2.3	1	1	1	2	3	4	5	6
50-64	13	2.0		1	1	2	2	3	3	3
65+	6	4.0	12	2	2	3	3	10	11	11
2. MULTIPLE DX										
0-19 YRS	109	3.7	33	1	1	2	4	7	10	32
20-34	161	4.9	55	1	1	3	5	8	16	45
35-49	51	3.9	7	1	2	3	5	8	10	14
50-64	19	6.6	45	1	1	5	8	18	24	25
65+	27	11.1	159	<1	1	5	17	30	41	49
TOT. SINGLE DX	314	2.2	3	<1	1	2	3	3	5	11
" MULTIPLE DX	367	4.9	52	1	1	3	5	9	16	45
TOTAL 0-19 YRS	210	2.9	20	1	1	2	3	6	9	14
20-34	326	3.5	30	1	1	2	4	6	8	27
35-49	80	3.4	6	1	1	3	4	6	9	13
50-64	32	4.8	32	1	1	3	5	11	21	25
65+	33	9.8	139	<1	1	4	15	23	39	49
GRAND TOTAL	**681**	**3.7**	**31**	**1**	**1**	**2**	**4**	**6**	**10**	**30**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	2.3	2	1	1	2	3	3	4	11
20-34	250	2.5	4	1	1	2	3	5	6	11
35-49	104	2.7	4	1	1	2	4	5	6	12
50-64	25	3.7	15	1	1	2	4	10	12	17
65+	17	3.7	16	<1	1	2	4	11	14	15
2. MULTIPLE DX										
0-19 YRS	183	4.8	59	1	1	3	5	8	12	36
20-34	434	5.9	76	1	1	3	6	12	16	61
35-49	167	6.4	127	1	1	3	7	13	18	74
50-64	84	7.9	87	1	2	5	10	17	29	52
65+	49	8.8	62	1	2	6	11	21	27	34
TOT. SINGLE DX	517	2.6	5	1	1	2	3	5	6	13
" MULTIPLE DX	917	6.1	83	1	1	4	7	12	17	54
TOTAL 0-19 YRS	304	3.8	39	1	1	2	4	7	10	22
20-34	684	4.7	53	1	1	3	5	10	13	38
35-49	271	5.0	83	1	1	3	5	9	14	51
50-64	109	7.0	74	1	2	4	9	15	21	51
65+	66	7.5	55	1	2	5	10	19	23	34
GRAND TOTAL	1434	4.8	58	1	1	3	5	10	14	37

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.4	3	<1	1	2	3	4	7	8
20-34	26	3.3	4	<1	1	3	4	8	8	9
35-49	13	3.9	2	<1	<1	3	4	6	6	6
50-64	7	3.6	9	1	1	3	4	7	9	16
65+	10	6.8	108	<1	<1	3	7	23	35	35
2. MULTIPLE DX										
0-19 YRS	20	3.3	1	1	2	3	4	5	6	6
20-34	20	4.0	4	<1	1	4	5	7	8	9
35-49	17	4.4	42	1	1	3	4	6	21	29
50-64	22	4.0	8	1	2	3	5	7	11	14
65+	17	10.9	144	1	2	6	17	23	40	48
TOT. SINGLE DX	68	3.6	18	<1	1	3	4	7	8	28
" MULTIPLE DX	96	5.1	42	1	2	3	5	10	18	39
TOTAL 0-19 YRS	34	2.9	2	<1	1	3	4	5	6	8
20-34	44	3.6	5	<1	1	3	4	7	8	9
35-49	30	3.9	25	<1	1	3	4	6	6	29
50-64	29	3.8	9	1	1	3	5	7	9	16
65+	27	9.4	131	<1	1	4	12	23	37	48
GRAND TOTAL	184	4.4	31	1	1	3	4	8	13	33

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	321	5.2	47	<1	1	3	5	9	18	44
20-34	276	4.2	21	<1	1	3	5	8	12	18
35-49	164	4.6	28	1	1	3	5	9	12	39
50-64	119	5.5	21	1	1	3	6	9	14	19
65+	91	6.4	29	1	1	3	6	11	17	33
2. MULTIPLE DX										
0-19 YRS	310	5.6	31	1	2	4	6	12	16	40
20-34	247	6.0	49	1	1	4	7	13	22	41
35-49	253	6.2	58	1	1	4	7	13	18	44
50-64	305	6.6	47	1	1	3	8	12	21	39
65+	173	9.7	132	1	2	4	11	21	35	76
TOT. SINGLE DX	1071	5.0	32	<1	1	4	6	9	13	32
" MULTIPLE DX	1288	6.6	60	1	1	4	7	13	21	43
TOTAL 0-19 YRS	631	5.4	41	1	1	4	6	11	17	41
20-34	523	5.0	35	<1	1	3	6	10	15	33
35-49	417	5.6	48	1	1	4	6	11	16	43
50-64	524	6.1	37	1	2	5	7	11	18	32
65+	264	8.6	99	1	2	6	9	17	24	66
GRAND TOTAL	2359	5.9	40	1	1	4	7	12	17	42

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	151	2.7	1	<1	1	3	4	5	5	6
20-34	258	3.0	1	1	1	3	4	5	6	10
35-49	309	2.9	1	1	1	3	4	5	5	6
50-64	369	3.1	1	1	1	3	4	5	6	6
65+	172	3.3	2	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	201	3.1	3	1	1	3	4	5	6	12
20-34	455	3.1	4	1	1	3	4	5	6	6
35-49	645	3.4	5	1	1	3	4	5	6	9
50-64	1098	3.9	3	1	2	3	4	6	7	10
65+	835	4.5	16	1	2	4	5	7	10	20
TOT. SINGLE DX	1259	3.0	3	1	1	3	4	5	6	6
" MULTIPLE DX	3234	3.7	8	1	2	3	4	6	7	13
TOTAL 0-19 YRS	352	2.9	3	1	1	3	4	5	6	7
20-34	713	3.1	4	1	1	3	4	5	6	9
35-49	954	3.3	4	1	1	3	4	5	6	9
50-64	1467	3.4	4	1	2	3	4	5	7	9
65+	1007	4.3	14	1	2	4	5	7	9	18
GRAND TOTAL	4493	3.5	6	1	1	3	4	6	7	11

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1043	3.1	22	<1	1	2	3	5	8	30
20-34	1315	3.1	11	<1	1	2	4	6	8	18
35-49	886	3.4	16	<1	1	2	4	7	9	18
50-64	623	3.7	18	<1	1	3	4	7	10	22
65+	331	4.3	24	<1	1	3	5	9	15	25
2. MULTIPLE DX										
0-19 YRS	542	6.7	109	1	1	3	6	16	31	53
20-34	1187	6.3	114	<1	1	3	5	15	29	66
35-49	993	6.2	85	1	1	3	6	14	25	56
50-64	1013	7.2	103	1	1	4	7	17	30	54
65+	916	10.8	178	1	2	6	14	28	40	82
TOT. SINGLE DX	4198	3.3	18	<1	1	2	4	6	9	22
" MULTIPLE DX	4651	7.4	121	1	1	3	7	18	31	65
TOTAL 0-19 YRS	1585	4.4	55	<1	1	2	4	8	16	43
20-34	2502	4.6	63	<1	1	2	4	9	16	50
35-49	1879	4.9	55	<1	1	3	5	10	17	45
50-64	1636	5.8	74	<1	1	3	6	12	23	49
65+	1247	9.1	145	1	1	5	10	22	35	73
GRAND TOTAL	**8849**	**5.5**	**76**	**<1**	**1**	**3**	**5**	**12**	**21**	**50**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	5.5	39	1	1	4	6	10	18	35
20-34	326	4.4	31	1	1	3	5	8	10	34
35-49	149	4.5	11	1	1	3	6	9	11	15
50-64	87	7.3	62	1	2	6	9	12	16	51
65+	155	9.4	35	2	3	8	13	18	20	29
2. MULTIPLE DX										
0-19 YRS	221	8.4	110	1	2	4	8	24	32	52
20-34	255	7.5	130	1	1	4	8	15	22	65
35-49	139	8.6	65	1	1	6	11	18	23	45
50-64	153	11.7	151	2	2	8	15	25	43	80
65+	438	15.0	109	4	5	13	18	27	34	56
TOT. SINGLE DX	1094	5.7	37	1	1	4	7	11	16	32
" MULTIPLE DX	1206	11.0	124	1	2	8	14	24	31	56
TOTAL 0-19 YRS	598	6.6	68	1	1	4	7	15	24	41
20-34	581	5.8	78	1	1	4	6	11	16	48
35-49	288	6.5	42	1	1	4	8	14	18	36
50-64	240	10.1	123	1	2	7	12	21	27	70
65+	593	13.5	96	3	4	11	16	25	31	53
GRAND TOTAL	**2300**	**8.5**	**90**	**1**	**2**	**5**	**11**	**19**	**26**	**49**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	1.9	3	<1	<1	1	2	3	5	9
20-34	1074	2.1	3	<1	<1	2	3	4	5	8
35-49	533	2.3	9	<1	<1	2	3	4	5	9
50-64	358	2.5	6	<1	<1	2	3	5	6	12
65+	309	4.4	31	<1	<1	3	5	9	14	27
2. MULTIPLE DX										
0-19 YRS	268	3.5	23	<1	<1	2	4	7	9	29
20-34	414	5.8	110	<1	1	3	6	13	22	57
35-49	266	6.2	90	<1	1	3	6	14	28	44
50-64	256	7.0	93	<1	1	3	7	17	27	47
65+	446	9.5	98	1	2	6	12	23	30	49
TOT. SINGLE DX	2891	2.4	8	<1	<1	2	3	4	6	14
" MULTIPLE DX	1650	6.7	91	<1	1	3	7	16	26	47
TOTAL 0-19 YRS	885	2.4	10	<1	<1	1	3	5	6	20
20-34	1488	3.2	36	<1	<1	2	3	6	8	30
35-49	799	3.6	40	<1	<1	2	3	6	10	36
50-64	614	4.4	47	<1	<1	2	4	9	16	34
65+	755	7.4	77	<1	1	4	9	18	26	47
GRAND TOTAL	**4541**	**4.0**	**43**	**<1**	**<1**	**2**	**4**	**8**	**14**	**34**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	14.3	138	2	3	10	23	32	35	48
20-34	37	12.4	43	5	7	10	16	19	30	32
35-49	17	9.2	22	3	6	7	10	17	20	21
50-64	37	8.8	33	3	3	7	12	16	18	32
65+	118	11.8	32	6	6	11	15	18	20	66
2. MULTIPLE DX										
0-19 YRS	82	20.6	197	5	6	18	26	40	48	64
20-34	66	18.3	190	7	9	14	20	27	55	72
35-49	24	16.9	163	5	6	12	18	32	49	56
50-64	74	16.1	181	5	6	12	18	32	39	81
65+	499	15.6	83	6	8	14	18	25	30	56
TOT. SINGLE DX	281	11.9	63	3	5	10	15	21	30	48
" MULTIPLE DX	745	16.5	119	6	7	14	19	28	39	62
TOTAL 0-19 YRS	154	17.6	179	2	4	15	25	37	42	64
20-34	103	16.2	145	7	8	13	17	25	47	69
35-49	41	13.7	118	5	6	11	16	29	38	56
50-64	111	13.7	143	4	5	10	16	30	35	65
65+	617	14.8	75	6	7	13	17	23	29	56
GRAND TOTAL	**1026**	**15.2**	**108**	**5**	**6**	**13**	**18**	**27**	**35**	**58**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	7.8	21	2	2	7	11	14	18	20
20-34	95	10.0	27	3	4	9	12	18	21	25
35-49	92	8.6	22	3	4	8	10	12	17	30
50-64	200	10.1	19	4	6	10	12	16	19	29
65+	1002	13.5	42	6	8	12	16	20	24	35
2. MULTIPLE DX										
0-19 YRS	132	14.7	109	4	6	12	17	28	36	58
20-34	228	17.7	174	5	6	14	21	35	50	69
35-49	189	15.7	145	4	6	13	19	29	39	83
50-64	437	17.7	192	6	8	14	20	34	49	84
65+	3723	16.6	90	7	9	14	19	27	35	60
TOT. SINGLE DX	1481	12.2	40	4	6	11	15	19	23	34
" MULTIPLE DX	4709	16.7	107	7	8	14	19	28	37	64
TOTAL 0-19 YRS	224	11.8	85	2	4	10	14	21	29	50
20-34	323	15.5	143	4	5	12	18	30	40	63
35-49	281	13.4	116	4	5	10	15	25	32	63
50-64	637	15.3	151	5	6	12	17	29	40	82
65+	4725	15.9	82	7	8	14	18	26	32	55
GRAND TOTAL	6190	15.6	95	6	7	13	18	26	34	60

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	8.5	89	1	1	4	14	22	27	40
20-34	11	9.0	172	<1	<1	3	12	28	44	45
35-49	9	5.2	27	<1	<1	4	6	14	18	18
50-64	10	11.3	182	2	2	7	12	31	48	48
65+	38	8.4	33	1	1	8	12	17	20	21
2. MULTIPLE DX										
0-19 YRS	114	14.5	166	2	3	10	20	31	37	58
20-34	33	21.7	413	2	2	15	40	55	59	66
35-49	13	17.3	218	1	4	12	37	51	89	99+
50-64	27	18.6	320	4	4	12	23	49	80	99+
65+	111	19.7	248	4	6	15	25	39	64	89
TOT. SINGLE DX	275	8.5	85	1	1	5	12	21	26	44
" MULTIPLE DX	298	17.8	244	2	3	14	24	40	54	91
TOTAL 0-19 YRS	321	10.7	124	1	1	6	17	26	32	54
20-34	44	18.5	378	1	2	12	30	49	59	66
35-49	22	12.4	173	<1	1	8	17	43	65	99+
50-64	37	15.6	288	3	4	10	21	49	66	99+
65+	149	16.9	218	2	4	13	21	35	43	83
GRAND TOTAL	573	13.3	189	1	2	9	19	31	44	77

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	295	3.4	20	<1	1	2	3	9	14	20
20-34	226	2.8	7	<1	<1	2	3	6	8	16
35-49	130	2.5	4	<1	1	2	3	5	6	13
50-64	147	3.6	41	1	1	2	4	6	8	24
65+	112	3.8	15	1	1	2	4	11	12	20
2. MULTIPLE DX										
0-19 YRS	100	6.2	59	<1	1	3	7	18	22	38
20-34	148	7.0	114	1	1	4	8	15	31	99+
35-49	88	7.5	91	1	1	5	10	17	20	59
50-64	97	8.7	117	1	1	5	11	20	33	58
65+	117	9.6	85	1	2	7	13	23	39	99+
TOT. SINGLE DX	910	3.2	18	<1	1	2	4	7	11	17
" MULTIPLE DX	550	7.8	96	1	1	4	10	19	29	74
TOTAL 0-19 YRS	395	4.1	31	<1	1	2	4	11	17	27
20-34	374	4.5	54	<1	<1	2	5	10	15	52
35-49	218	4.6	46	<1	1	2	5	11	15	25
50-64	244	5.6	77	1	1	3	6	13	20	54
65+	229	6.8	60	1	1	4	9	15	24	55
GRAND TOTAL	1460	4.9	52	<1	1	2	6	12	17	41

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1553	2.6	4	<1	1	2	3	5	6	11
20-34	2179	3.3	6	<1	1	3	4	6	8	12
35-49	1167	4.0	10	1	1	3	5	7	9	17
50-64	862	4.5	9	1	2	4	6	8	10	16
65+	510	6.2	23	1	2	5	8	12	15	23
2. MULTIPLE DX										
0-19 YRS	728	5.6	63	1	1	3	6	11	16	41
20-34	1529	6.8	76	1	1	4	8	14	22	47
35-49	876	7.3	74	1	2	5	8	15	22	52
50-64	839	8.6	103	1	2	6	10	17	26	70
65+	953	10.4	89	2	3	8	13	20	27	52
TOT. SINGLE DX	6271	3.6	10	1	1	3	5	7	9	16
" MULTIPLE DX	4925	7.7	84	1	2	5	9	16	24	52
TOTAL 0-19 YRS	2281	3.6	25	1	1	2	4	6	9	25
20-34	3708	4.7	38	1	1	3	5	9	13	32
35-49	2043	5.4	41	1	1	4	6	10	15	35
50-64	1701	6.5	60	1	2	5	7	12	17	49
65+	1463	9.0	70	2	3	7	11	17	23	40
GRAND TOTAL	11196	5.4	46	1	1	4	6	11	16	35

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2259	2.0	7	<1	<1	1	2	3	5	14
20-34	588	3.1	8	<1	1	2	4	6	9	14
35-49	380	3.0	13	<1	1	2	4	5	7	15
50-64	328	3.2	11	<1	1	2	4	7	10	15
65+	340	3.2	8	1	1	2	4	6	9	14
2. MULTIPLE DX										
0-19 YRS	623	4.6	47	1	1	2	5	10	17	39
20-34	471	6.7	88	1	1	4	7	15	26	56
35-49	286	6.6	79	1	1	4	7	14	19	55
50-64	305	7.0	80	1	1	4	8	15	22	55
65+	619	8.2	81	1	2	6	10	16	24	47
TOT. SINGLE DX	3695	2.5	9	<1	1	1	3	5	7	15
" MULTIPLE DX	2304	6.6	75	1	1	4	8	15	21	51
TOTAL 0-19 YRS	2882	2.5	17	<1	1	1	2	5	8	20
20-34	1059	4.7	48	<1	1	3	5	9	15	45
35-49	666	4.6	45	1	1	3	5	9	14	35
50-64	633	5.1	48	1	1	3	6	11	16	47
65+	959	6.4	61	1	1	4	8	14	19	39
GRAND TOTAL	**6199**	**4.0**	**38**	**<1**	**1**	**2**	**4**	**9**	**14**	**33**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	206	4.2	40	<1	<1	2	4	12	16	26
20-34	167	2.5	13	<1	<1	1	3	5	8	13
35-49	83	2.6	17	<1	<1	1	2	5	7	28
50-64	89	3.3	29	<1	<1	2	3	7	12	29
65+	163	4.7	46	1	1	2	5	11	17	33
2. MULTIPLE DX										
0-19 YRS	93	5.4	60	1	1	3	6	12	21	44
20-34	145	6.9	110	<1	1	3	8	19	24	57
35-49	80	7.9	118	1	1	4	9	18	29	63
50-64	86	5.5	38	<1	1	3	8	16	19	27
65+	243	8.7	108	1	1	5	11	21	32	60
TOT. SINGLE DX	708	3.6	32	<1	<1	2	4	9	15	30
" MULTIPLE DX	647	7.3	95	1	1	4	9	18	25	56
TOTAL 0-19 YRS	299	4.6	47	<1	1	2	5	12	17	27
20-34	312	4.6	63	<1	<1	2	5	9	19	42
35-49	163	5.2	74	<1	<1	2	5	12	19	47
50-64	175	4.4	35	<1	1	2	5	13	18	29
65+	406	7.1	87	1	1	3	9	18	29	51
GRAND TOTAL	**1355**	**5.4**	**66**	**<1**	**1**	**2**	**6**	**14**	**20**	**43**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	3.2	14	1	1	3	4	5	7	27
20-34	232	2.5	1	1	1	2	3	4	5	7
35-49	86	3.3	9	1	1	3	4	5	7	19
50-64	51	4.7	15	1	1	3	6	10	12	22
65+	27	8.5	35	1	2	8	12	18	19	22
2. MULTIPLE DX										
0-19 YRS	78	5.1	24	1	1	4	6	9	19	24
20-34	97	5.6	56	1	1	3	6	11	18	45
35-49	57	7.3	78	1	2	4	8	17	32	41
50-64	39	8.2	89	1	2	5	10	18	31	44
65+	71	12.4	89	2	3	10	16	24	30	47
TOT. SINGLE DX	537	3.3	11	1	1	2	4	6	9	19
" MULTIPLE DX	342	7.5	70	1	1	5	9	17	24	44
TOTAL 0-19 YRS	219	3.9	19	1	1	3	4	7	11	25
20-34	329	3.4	20	1	1	2	4	6	9	25
35-49	143	4.9	40	1	1	3	5	9	17	38
50-64	90	6.2	50	1	1	4	7	12	20	42
65+	98	11.3	77	2	2	9	15	23	26	46
GRAND TOTAL	**879**	**4.9**	**38**	**1**	**1**	**3**	**5**	**11**	**17**	**34**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	684	2.8	8	<1	1	2	3	5	7	17
20-34	720	2.7	7	<1	<1	2	3	5	6	16
35-49	302	3.1	10	<1	1	2	4	6	9	16
50-64	173	4.3	26	<1	1	3	4	10	15	30
65+	89	9.0	133	1	1	4	12	23	28	67
2. MULTIPLE DX										
0-19 YRS	474	5.1	53	1	1	3	5	12	20	37
20-34	628	4.7	44	<1	1	3	5	10	16	35
35-49	386	5.1	61	<1	1	3	5	11	15	49
50-64	303	9.1	156	1	1	4	9	27	39	64
65+	310	16.4	251	2	2	11	24	40	56	75
TOT. SINGLE DX	1968	3.2	17	<1	1	2	3	6	10	21
" MULTIPLE DX	2101	7.2	113	1	1	3	7	18	30	59
TOTAL 0-19 YRS	1158	3.7	28	<1	1	2	4	7	13	29
20-34	1348	3.6	26	<1	1	2	4	6	11	25
35-49	688	4.3	40	<1	1	3	4	8	13	37
50-64	476	7.3	114	1	1	3	7	19	31	57
65+	399	14.8	234	1	2	9	21	37	50	74
GRAND TOTAL	**4069**	**5.3**	**71**	**<1**	**1**	**3**	**5**	**12**	**21**	**46**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	6.9	18	2	3	6	8	13	18	77
20-34	1971	7.0	18	2	3	6	9	12	15	22
35-49	2768	7.3	19	2	3	6	9	13	16	23
50-64	1242	7.9	23	3	3	7	10	14	17	26
65+	329	10.4	41	3	4	9	13	18	21	31
2. MULTIPLE DX										
0-19 YRS	31	12.2	145	2	3	9	19	28	42	51
20-34	639	9.7	46	3	4	8	11	17	22	40
35-49	1407	10.4	50	3	4	9	13	19	25	38
50-64	1292	11.4	65	4	5	9	14	21	26	40
65+	815	14.6	98	5	6	12	18	27	34	54
TOT. SINGLE DX	6389	7.5	22	2	3	6	9	13	16	24
" MULTIPLE DX	4184	11.5	67	4	5	9	14	21	27	43
TOTAL 0-19 YRS	110	8.7	61	2	3	6	10	19	24	70
20-34	2610	7.7	27	2	3	7	9	14	17	27
35-49	4175	8.4	32	3	3	7	10	15	19	29
50-64	2534	9.7	48	3	4	8	12	18	22	34
65+	1144	13.4	86	4	5	11	16	24	31	51
GRAND TOTAL	**10573**	**9.1**	**43**	**3**	**3**	**7**	**11**	**16**	**21**	**34**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	577	1.9	1	<1	<1	1	2	4	4	7
20-34	1771	2.1	2	<1	<1	2	3	4	5	7
35-49	1064	2.0	2	<1	<1	2	2	4	5	8
50-64	639	2.3	2	<1	<1	2	3	4	5	9
65+	196	2.7	3	<1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	459	2.7	8	<1	1	2	3	5	6	10
20-34	1519	2.5	4	<1	<1	2	3	5	6	11
35-49	1121	2.6	8	<1	<1	2	3	5	6	14
50-64	1248	2.7	5	<1	<1	2	3	5	6	12
65+	717	3.4	9	<1	1	3	4	6	9	17
TOT. SINGLE DX	4247	2.1	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	5064	2.7	7	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	1036	2.2	5	<1	<1	2	3	4	5	9
20-34	3290	2.2	4	<1	<1	2	3	4	5	9
35-49	2185	2.3	5	<1	<1	2	3	4	6	10
50-64	1887	2.5	5	<1	<1	2	3	5	6	11
65+	913	3.2	8	<1	1	2	4	6	9	17
GRAND TOTAL	**9311**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	934	1.8	3	<1	<1	1	2	3	4	9
20-34	1590	1.9	4	<1	<1	1	2	3	4	9
35-49	841	2.2	4	<1	<1	2	3	4	5	8
50-64	479	2.8	11	<1	<1	2	3	5	8	17
65+	265	3.2	12	<1	<1	2	4	6	9	17
2. MULTIPLE DX										
0-19 YRS	498	3.2	32	<1	<1	2	3	5	10	30
20-34	1134	2.8	15	<1	<1	2	3	5	8	19
35-49	783	3.2	25	<1	<1	2	3	6	10	28
50-64	696	4.2	40	<1	1	2	4	9	13	33
65+	475	6.8	78	1	1	4	8	16	25	48
TOT. SINGLE DX	4109	2.1	6	<1	<1	1	2	4	5	12
" MULTIPLE DX	3586	3.8	35	<1	<1	2	4	8	12	32
TOTAL 0-19 YRS	1432	2.3	14	<1	<1	1	2	4	6	19
20-34	2724	2.3	9	<1	<1	2	2	4	6	15
35-49	1624	2.7	15	<1	<1	2	3	5	7	20
50-64	1175	3.6	29	<1	<1	2	4	7	12	28
65+	740	5.5	58	<1	1	3	6	12	20	47
GRAND TOTAL	**7695**	**2.9**	**20**	**<1**	**<1**	**2**	**3**	**5**	**9**	**25**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	9.7	15	5	6	9	11	16	17	23
20-34	193	9.8	25	4	5	9	11	16	21	28
35-49	245	8.9	31	3	4	8	10	16	19	32
50-64	143	8.1	15	3	4	7	10	13	15	22
65+	31	9.3	21	4	4	8	11	17	20	21
2. MULTIPLE DX										
0-19 YRS	126	12.7	65	4	6	10	15	22	28	46
20-34	243	15.3	169	4	5	12	17	33	43	86
35-49	363	11.6	82	4	5	9	13	21	26	43
50-64	255	12.6	138	4	4	10	15	23	39	99
65+	92	17.3	209	4	5	12	23	39	46	97
TOT. SINGLE DX	761	9.1	23	4	4	8	11	15	18	27
" MULTIPLE DX	1079	13.3	127	4	5	10	15	25	37	86
TOTAL 0-19 YRS	275	11.1	40	4	6	9	12	18	23	33
20-34	436	12.9	113	4	5	10	15	24	34	62
35-49	608	10.5	64	4	4	9	12	20	24	38
50-64	398	11.0	99	4	4	9	12	18	31	83
65+	123	15.3	174	4	5	11	17	35	43	95
GRAND TOTAL	**1840**	**11.6**	**88**	**4**	**5**	**9**	**13**	**21**	**28**	**57**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.1	4	<1	1	2	4	6	7	10
20-34	241	4.0	8	<1	1	3	5	8	10	16
35-49	210	4.0	11	<1	1	3	5	8	9	19
50-64	238	4.1	17	<1	1	3	5	8	10	29
65+	129	4.7	57	<1	1	3	5	9	13	40
2. MULTIPLE DX										
0-19 YRS	110	4.0	7	1	1	3	5	7	9	15
20-34	185	4.5	14	1	1	4	5	8	11	23
35-49	195	5.1	23	1	1	4	6	10	12	24
50-64	288	5.0	49	1	1	3	6	9	12	55
65+	237	6.6	77	1	2	4	7	15	22	68
TOT. SINGLE DX	907	4.1	18	<1	1	3	5	8	10	19
" MULTIPLE DX	1015	5.2	41	1	1	4	6	10	14	29
TOTAL 0-19 YRS	199	3.6	6	1	1	3	5	6	9	13
20-34	426	4.2	11	<1	1	4	5	8	11	16
35-49	405	4.5	17	1	1	4	5	8	11	21
50-64	526	4.6	35	<1	1	3	5	8	12	31
65+	366	6.0	71	1	1	4	7	13	19	61
GRAND TOTAL	**1922**	**4.7**	**30**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	11.5	13	9	9	11	14	14	14	14
20-34	49	10.4	15	6	6	9	13	15	17	24
35-49	110	11.6	23	6	6	11	14	18	20	28
50-64	531	11.5	25	6	7	11	13	17	20	29
65+	1104	13.0	29	7	8	12	15	18	22	35
2. MULTIPLE DX										
0-19 YRS	9	12.0	46	1	3	11	16	22	23	23
20-34	66	12.8	42	7	8	10	15	22	25	38
35-49	159	14.0	46	7	8	12	17	24	30	36
50-64	747	14.3	67	7	8	12	16	23	33	47
65+	2298	16.0	68	8	9	14	18	26	32	50
TOT. SINGLE DX	1796	12.4	28	7	7	11	15	18	21	32
" MULTIPLE DX	3279	15.5	67	7	8	13	18	25	32	49
TOTAL 0-19 YRS	11	11.9	39	1	5	11	14	22	23	23
20-34	115	11.8	32	6	7	10	14	21	24	33
35-49	269	13.0	39	6	7	11	15	21	28	35
50-64	1278	13.2	52	7	7	11	15	20	27	45
65+	3402	15.1	58	8	8	13	17	23	30	46
GRAND TOTAL	**5075**	**14.4**	**55**	**7**	**8**	**13**	**16**	**22**	**29**	**45**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.4	8	1	2	7	9	10	11	11
20-34	14	12.5	58	4	6	10	15	24	30	32
35-49	22	11.5	20	6	7	11	14	16	20	25
50-64	134	11.7	43	5	6	10	14	19	24	36
65+	653	12.9	36	7	7	12	15	19	22	32
2. MULTIPLE DX										
0-19 YRS	9	10.6	29	3	3	13	14	17	18	18
20-34	14	14.0	170	3	5	11	17	23	49	56
35-49	49	16.0	185	6	7	12	17	31	41	99+
50-64	240	15.3	80	7	8	13	18	25	30	53
65+	2155	16.5	88	8	9	15	19	27	35	57
TOT. SINGLE DX	834	12.6	38	6	7	12	15	19	22	32
" MULTIPLE DX	2467	16.6	90	8	9	14	19	27	35	57
TOTAL 0-19 YRS	20	8.3	21	2	3	7	12	15	16	18
20-34	28	13.3	111	4	5	11	16	22	34	56
35-49	71	14.6	138	6	7	11	16	27	33	98
50-64	374	14.0	70	6	7	12	16	23	29	52
65+	2808	15.9	79	7	8	14	18	25	32	54
GRAND TOTAL	**3301**	**15.6**	**80**	**7**	**8**	**14**	**18**	**25**	**32**	**54**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	600	3.8	6	1	2	4	5	6	7	10
20-34	1046	4.2	5	1	2	4	5	7	8	13
35-49	291	5.4	18	1	2	4	6	11	15	20
50-64	402	10.5	35	2	3	10	14	18	21	29
65+	940	13.0	29	6	8	12	15	19	22	32
2. MULTIPLE DX										
0-19 YRS	532	4.6	6	2	2	4	5	7	9	15
20-34	1262	4.8	7	1	2	4	6	8	9	17
35-49	496	6.2	42	1	2	5	7	11	15	31
50-64	633	11.7	67	2	3	11	15	20	25	35
65+	1627	15.3	76	7	8	14	18	24	29	51
TOT. SINGLE DX	3279	7.5	33	2	2	5	11	15	18	26
" MULTIPLE DX	4550	9.6	67	2	3	7	13	19	23	38
TOTAL 0-19 YRS	1132	4.2	7	1	2	4	5	6	8	13
20-34	2308	4.5	7	1	2	4	5	7	9	15
35-49	787	5.9	34	1	2	5	7	11	15	27
50-64	1035	11.3	55	2	3	10	15	19	23	33
65+	2567	14.5	60	7	8	13	17	22	27	46
GRAND TOTAL	**7829**	**8.8**	**54**	**2**	**2**	**6**	**12**	**17**	**21**	**33**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	649	2.6	1	1	1	2	3	4	5	7
20-34	1423	2.9	3	1	1	3	4	5	5	8
35-49	509	3.1	4	1	1	3	4	5	6	10
50-64	506	3.6	7	1	1	3	4	6	8	13
65+	250	4.6	13	1	2	4	5	9	11	20
2. MULTIPLE DX										
0-19 YRS	192	3.2	5	1	1	3	4	6	7	14
20-34	477	3.5	7	1	1	3	4	5	7	17
35-49	403	3.7	9	1	1	3	4	6	9	19
50-64	543	4.7	24	1	2	3	5	8	11	24
65+	447	6.5	53	1	2	5	8	12	18	35
TOT. SINGLE DX	3337	3.1	5	1	1	3	4	5	6	11
" MULTIPLE DX	2062	4.5	23	1	1	3	5	8	11	23
TOTAL 0-19 YRS	841	2.8	3	1	1	2	3	4	5	8
20-34	1900	3.1	5	1	1	3	4	5	6	10
35-49	912	3.4	7	1	1	3	4	6	7	14
50-64	1049	4.1	16	1	1	3	5	7	10	18
65+	697	5.8	39	1	2	4	7	11	16	30
GRAND TOTAL	5399	3.6	12	1	1	3	4	6	8	18

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	255	3.0	14	<1	<1	2	3	6	11	19
20-34	307	2.8	6	<1	<1	2	4	6	8	13
35-49	237	2.5	5	<1	<1	2	3	5	7	12
50-64	218	2.0	5	<1	<1	1	2	4	8	11
65+	78	2.7	5	<1	<1	2	3	7	9	9
2. MULTIPLE DX										
0-19 YRS	253	5.3	54	1	1	3	6	11	15	42
20-34	254	6.4	66	<1	1	4	7	14	20	45
35-49	197	5.5	38	<1	1	4	7	11	18	41
50-64	195	7.7	103	<1	1	3	9	19	33	50
65+	130	11.2	203	1	1	5	13	33	42	67
TOT. SINGLE DX	1095	2.6	8	<1	<1	2	3	6	8	14
" MULTIPLE DX	1029	6.8	86	<1	1	4	7	16	25	48
TOTAL 0-19 YRS	508	4.2	36	<1	<1	3	4	8	14	29
20-34	561	4.4	37	<1	<1	3	5	9	14	30
35-49	434	3.9	23	<1	<1	2	5	8	11	29
50-64	413	4.7	60	<1	<1	2	5	12	18	43
65+	208	8.0	146	<1	<1	3	8	21	36	59
GRAND TOTAL	2124	4.7	50	<1	<1	2	5	10	16	41

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	339	1.5	1	<1	<1	1	2	2	3	7
20-34	547	1.7	3	<1	<1	1	2	3	4	11
35-49	400	2.2	10	<1	<1	1	2	4	6	16
50-64	315	2.2	5	<1	<1	2	3	4	6	12
65+	176	3.1	13	<1	<1	2	3	7	10	22
2. MULTIPLE DX										
0-19 YRS	66	4.4	42	<1	<1	2	4	12	21	90
20-34	166	4.6	74	<1	<1	2	4	9	17	45
35-49	217	5.3	107	<1	<1	2	5	12	18	58
50-64	263	6.0	77	<1	1	3	7	13	23	49
65+	235	8.5	102	<1	1	4	11	22	33	44
TOT. SINGLE DX	1777	2.0	6	<1	<1	1	2	4	5	13
" MULTIPLE DX	947	6.1	89	<1	<1	3	7	16	24	46
TOTAL 0-19 YRS	405	2.0	9	<1	<1	1	2	3	5	19
20-34	713	2.4	21	<1	<1	1	2	4	6	22
35-49	617	3.3	47	<1	<1	2	3	6	10	26
50-64	578	3.9	42	<1	<1	2	4	9	13	31
65+	411	6.2	71	<1	<1	3	7	17	25	41
GRAND TOTAL	2724	3.4	39	<1	<1	2	3	7	13	33

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.5	16	<1	<1	1	2	4	13	19
20-34	54	2.2	4	<1	<1	2	2	4	8	12
35-49	98	1.7	1	<1	<1	1	2	3	4	7
50-64	254	1.7		<1	<1	1	2	3	4	6
65+	232	1.7	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	16	2.6	3	1	1	2	3	5	7	8
20-34	36	3.2	8	<1	<1	2	4	6	10	14
35-49	51	3.1	15	<1	1	2	3	6	13	20
50-64	125	2.6	7	<1	<1	2	2	5	8	17
65+	138	2.8	7	<1	1	2	3	6	10	31
TOT. SINGLE DX	657	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	366	2.8	9	<1	1	2	3	5	9	18
TOTAL 0-19 YRS	35	2.5	10	<1	<1	2	2	5	7	19
20-34	90	2.6	6	<1	<1	2	3	5	8	13
35-49	149	2.2	7	<1	<1	1	2	4	5	16
50-64	379	2.0	3	<1	<1	2	2	3	5	9
65+	370	2.1	4	<1	<1	2	2	3	6	11
GRAND TOTAL	1023	2.1	4	<1	<1	2	2	4	5	13

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	309	1.6	1	<1	<1	1	2	3	3	7
20-34	462	1.7	1	<1	<1	1	2	3	4	7
35-49	187	1.6	1	<1	<1	1	2	3	4	7
50-64	112	2.2	3	<1	<1	1	2	4	6	10
65+	34	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	217	2.2	3	<1	<1	1	3	4	6	11
20-34	409	2.7	13	<1	<1	1	3	5	8	18
35-49	174	2.3	4	<1	<1	1	3	4	7	12
50-64	121	2.7	5	<1	1	2	3	5	8	12
65+	92	3.7	42	<1	1	2	4	7	9	43
TOT. SINGLE DX	1104	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	1013	2.6	12	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	526	1.8	2	<1	<1	1	2	3	4	9
20-34	871	2.2	8	<1	<1	1	2	4	6	15
35-49	361	2.0	3	<1	<1	1	2	4	5	9
50-64	233	2.5	4	<1	1	2	3	4	6	12
65+	126	3.3	32	<1	1	2	3	5	8	30
GRAND TOTAL	2117	2.2	7	<1	<1	1	2	4	5	12

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	2.1	1	<1	1	2	3	4	5	6
20-34	367	2.4	2	<1	1	2	3	4	5	8
35-49	351	2.9	4	1	1	2	4	5	6	11
50-64	395	3.4	3	1	1	3	4	6	7	9
65+	173	4.2	8	1	1	4	5	7	9	20
2. MULTIPLE DX										
0-19 YRS	109	3.9	32	<1	1	2	4	8	15	36
20-34	256	3.8	17	1	1	3	5	7	11	25
35-49	229	4.9	51	1	1	3	5	7	13	40
50-64	376	5.5	36	1	2	4	6	9	16	34
65+	208	7.5	86	1	2	5	8	14	23	62
TOT. SINGLE DX	1431	3.0	4	<1	1	3	4	5	7	10
" MULTIPLE DX	1178	5.2	45	1	1	4	5	10	15	40
TOTAL 0-19 YRS	254	2.9	16	<1	1	2	3	5	7	19
20-34	623	3.0	9	<1	1	2	4	6	7	17
35-49	580	3.7	24	1	1	3	4	6	8	29
50-64	771	4.4	21	1	2	4	5	7	10	24
65+	381	6.0	54	1	2	4	6	11	16	55
GRAND TOTAL	2609	4.0	24	1	1	3	5	7	10	25

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	364	2.7	2	<1	1	2	4	5	5	7
20-34	399	3.0	8	1	1	2	4	5	6	11
35-49	235	3.1	6	1	1	2	4	5	7	11
50-64	114	3.1	4	1	1	2	4	5	6	12
65+	46	5.1	33	1	1	3	5	11	17	29
2. MULTIPLE DX										
0-19 YRS	408	3.5	15	1	1	2	4	6	7	27
20-34	231	5.2	67	1	1	2	5	8	14	62
35-49	121	5.5	82	1	1	2	5	10	19	55
50-64	114	6.4	110	1	1	4	6	10	19	70
65+	92	10.3	203	2	2	6	10	22	40	76
TOT. SINGLE DX	1158	3.0	7	1	1	2	4	5	6	11
" MULTIPLE DX	966	5.1	69	1	1	3	5	8	14	59
TOTAL 0-19 YRS	772	3.1	9	1	1	2	4	5	6	13
20-34	630	3.8	31	1	1	2	4	6	8	26
35-49	356	3.9	34	1	1	2	4	6	9	47
50-64	228	4.8	60	1	1	3	5	8	11	38
65+	138	8.6	152	1	2	5	8	15	30	72
GRAND TOTAL	2124	4.0	36	1	1	3	4	6	9	33

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.9	6	<1	<1	1	2	3	5	18
20-34	118	2.0	3	<1	<1	1	2	4	6	8
35-49	51	2.3	9	<1	<1	1	2	5	7	22
50-64	39	2.4	16	<1	<1	1	2	4	7	25
65+	26	2.3	5	<1	1	1	2	5	9	10
2. MULTIPLE DX										
0-19 YRS	31	3.8	16	1	1	2	5	9	12	20
20-34	104	4.3	27	1	1	2	5	10	15	27
35-49	69	6.6	129	1	1	2	6	12	36	59
50-64	61	4.0	35	1	1	2	4	9	17	30
65+	63	5.5	90	1	1	2	4	11	25	52
TOT. SINGLE DX	291	2.1	7	<1	<1	1	2	4	6	15
" MULTIPLE DX	337	4.9	61	1	1	2	5	10	19	49
TOTAL 0-19 YRS	95	2.7	12	<1	<1	1	3	5	9	20
20-34	224	3.1	15	<1	1	2	3	6	10	21
35-49	120	4.8	83	<1	1	2	4	9	15	58
50-64	100	3.4	28	<1	1	2	3	7	12	29
65+	89	4.6	67	1	1	2	4	9	20	49
GRAND TOTAL	628	3.6	37	<1	1	2	3	8	11	33

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.2	5	1	1	2	5	7	7	7
20-34	5	4.8	27	1	1	2	8	13	13	13
35-49	2	1.0		1	1	1	1	1	1	1
50-64	5	6.6	57	2	2	3	9	20	20	20
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	9	16.8	987	1	1	6	25	99	99+	99+
35-49	9	15.0	365	2	2	9	17	46	63	63
50-64	11	18.6	732	1	1	5	26	64	85	87
65+	11	20.4	474	4	4	9	23	61	66	67
TOT. SINGLE DX	19	4.3	23	1	1	3	5	11	17	20
" MULTIPLE DX	42	17.1	573	1	1	8	21	64	91	99+
TOTAL 0-19 YRS	7	3.0	5	1	1	2	4	6	7	7
20-34	14	12.5	651	1	1	5	12	98	99+	99+
35-49	11	12.5	324	1	1	4	15	37	61	63
50-64	16	14.9	537	1	2	4	18	46	75	87
65+	13	17.8	436	3	4	8	22	59	65	67
GRAND TOTAL	**61**	**13.1**	**435**	**1**	**1**	**5**	**16**	**51**	**75**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.4	104	<1	<1	3	4	10	32	45
20-34	27	4.3	22	<1	1	3	5	13	16	18
35-49	14	5.7	116	<1	<1	2	4	13	36	42
50-64	18	5.4	106	1	1	3	4	7	31	46
65+	34	5.1	41	<1	1	3	6	10	21	32
2. MULTIPLE DX										
0-19 YRS	16	10.1	276	<1	1	4	9	33	55	64
20-34	54	9.9	101	1	2	5	17	23	28	46
35-49	87	13.1	159	1	2	10	17	31	40	88
50-64	198	15.7	168	2	3	12	20	34	41	64
65+	364	15.1	190	2	3	11	20	31	45	74
TOT. SINGLE DX	111	5.1	64	<1	1	3	5	10	18	45
" MULTIPLE DX	719	14.5	178	2	3	11	19	32	42	72
TOTAL 0-19 YRS	34	7.6	185	<1	1	3	6	15	43	64
20-34	81	8.0	81	1	1	4	11	22	26	43
35-49	101	12.1	159	1	1	9	16	29	40	83
50-64	216	14.8	171	2	3	11	19	34	41	63
65+	398	14.2	185	2	2	10	20	30	44	74
GRAND TOTAL	**830**	**13.2**	**173**	**1**	**2**	**9**	**18**	**29**	**41**	**69**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	14.0	73	6	6	13	20	23	23	23
35-49	6	8.0	5	5	5	8	10	11	11	11
50-64	9	12.1	152	3	4	7	13	34	42	42
65+	13	13.2	114	3	4	9	20	25	39	42
2. MULTIPLE DX										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	20	23.2	527	4	5	13	37	52	74	94
35-49	53	22.1	345	4	6	15	31	49	58	90
50-64	166	23.4	262	7	8	19	33	51	64	99+
65+	442	24.0	259	7	8	19	32	47	59	98
TOT. SINGLE DX	32	11.7	96	3	4	8	14	22	40	42
" MULTIPLE DX	683	23.6	273	7	8	19	32	49	62	99+
TOTAL 0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	23	22.0	472	4	6	13	33	51	68	94
35-49	59	20.6	328	4	5	13	29	48	58	89
50-64	175	22.8	262	6	8	18	32	48	64	99+
65+	455	23.7	258	7	8	19	31	47	59	98
GRAND TOTAL	**715**	**23.1**	**271**	**6**	**8**	**18**	**31**	**47**	**60**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.8	1	4	4	6	7	7	7	7
20-34	5	22.0	341	3	3	22	34	49	49	49
35-49										
50-64	5	11.4	38	6	6	11	15	21	21	21
65+	16	16.7	494	5	6	9	18	24	75	97
2. MULTIPLE DX										
0-19 YRS	6	7.2	24	1	1	7	10	14	14	14
20-34	4	24.3	381	10	10	17	36	53	53	53
35-49	22	24.4	272	6	8	19	41	54	72	99+
50-64	74	22.0	159	8	10	20	30	50	87	99+
65+	446	21.1	255	6	7	16	28	45	61	99+
TOT. SINGLE DX	32	14.7	316	4	5	8	18	26	47	97
" MULTIPLE DX	552	21.3	243	6	8	16	28	45	62	99+
TOTAL 0-19 YRS	12	6.5	12	1	3	6	8	11	14	14
20-34	9	23.0	315	3	5	19	34	51	53	53
35-49	22	24.4	272	6	8	19	41	54	72	99+
50-64	79	21.4	158	7	9	20	28	44	79	99+
65+	462	21.0	264	6	7	16	28	45	61	99
GRAND TOTAL	**584**	**20.9**	**249**	**6**	**7**	**16**	**28**	**45**	**61**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.8	4	3	3	5	6	7	7	7
20-34	2	13.0	200	3	3	13	23	23	23	23
35-49	6	7.5	26	<1	<1	6	12	15	15	15
50-64	6	11.3	55	<1	1	11	18	20	20	20
65+	5	13.0	76	4	4	14	19	25	25	25
2. MULTIPLE DX										
0-19 YRS	5	16.0	356	2	2	10	25	48	48	48
20-34	17	25.4	625	1	2	20	42	85	98	99+
35-49	27	25.9	248	6	9	24	35	66	99+	99+
50-64	65	23.2	277	5	6	20	32	55	61	96
65+	116	23.7	307	7	8	18	31	52	64	99+
TOT. SINGLE DX	23	9.7	52	<1	2	7	15	21	24	25
" MULTIPLE DX	230	23.8	312	4	7	20	31	55	71	99+
TOTAL 0-19 YRS	9	11.0	215	2	2	6	12	36	48	48
20-34	19	24.1	582	1	2	19	35	79	97	99+
35-49	33	22.5	258	4	6	22	32	57	93	99+
50-64	71	22.2	268	5	6	20	30	52	58	95
65+	121	23.2	302	5	8	18	30	50	64	99+
GRAND TOTAL	253	22.5	305	3	6	18	30	52	67	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.1	13	1	1	3	5	11	12	13
20-34	19	5.3	19	1	1	4	9	11	14	16
35-49	14	9.1	99	1	3	6	10	15	36	42
50-64	11	5.2	8	1	1	6	8	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS	15	4.5	13	1	1	4	8	10	10	10
20-34	18	9.7	77	2	3	7	13	18	31	39
35-49	11	15.0	248	1	3	12	15	37	57	59
50-64	9	8.3	44	3	3	7	8	19	25	25
65+										
TOT. SINGLE DX	73	5.5	33	1	1	4	8	11	12	36
" MULTIPLE DX	53	9.1	97	1	1	7	10	16	25	58
TOTAL 0-19 YRS	44	4.3	13	1	1	3	6	10	11	13
20-34	37	7.4	51	1	1	6	10	15	18	39
35-49	25	11.7	167	1	4	8	12	23	46	59
50-64	20	6.6	26	1	2	7	8	9	17	25
65+										
GRAND TOTAL	126	7.0	62	1	1	5	9	13	17	46

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	2.2	3	<1	<1	2	3	4	6	9
20-34	64	2.9	15	<1	<1	1	3	6	10	23
35-49	29	3.4	15	<1	<1	2	4	7	9	21
50-64	29	5.9	48	<1	<1	2	9	18	20	24
65+	25	8.9	78	1	2	6	11	16	34	35
2. MULTIPLE DX										
0-19 YRS	17	2.5	2	<1	1	2	4	5	5	5
20-34	34	5.3	31	1	1	3	6	12	14	28
35-49	19	9.3	79	1	1	7	9	22	29	34
50-64	55	15.1	333	<1	1	7	20	42	59	82
65+	103	13.6	183	1	2	11	15	28	48	87
TOT. SINGLE DX	180	4.2	31	<1	<1	2	4	10	16	31
" MULTIPLE DX	228	11.5	190	1	1	7	13	28	42	77
TOTAL 0-19 YRS	50	2.3	3	<1	<1	2	3	5	5	9
20-34	98	3.7	22	<1	1	2	4	10	13	26
35-49	48	5.7	48	<1	1	3	7	17	21	34
50-64	84	11.9	253	<1	1	6	15	32	45	76
65+	128	12.7	166	1	2	10	14	28	36	81
GRAND TOTAL	408	8.3	133	<1	1	4	11	21	31	67

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	9.2	58	2	2	5	17	18	18	18
35-49	3	3.3		3	3	3	4	4	4	4
50-64	3	4.3	1	3	3	5	5	5	5	5
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS										
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	15.8	655	1	1	4	30	54	54	54
65+	4	10.5	21	4	4	11	13	15	15	15
TOT. SINGLE DX	12	6.5	30	2	2	4	7	17	18	18
" MULTIPLE DX	12	10.3	217	1	1	5	13	27	50	54
TOTAL 0-19 YRS										
20-34	7	8.7	54	1	1	5	16	18	18	18
35-49	5	2.8	1	1	1	3	3	4	4	4
50-64	7	10.9	365	1	1	5	6	44	54	54
65+	5	10.2	17	4	4	11	13	15	15	15
GRAND TOTAL	24	8.4	122	1	1	4	11	17	29	54

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	1.3		<1	<1	1	1	2	2	4
20-34	534	1.4		<1	<1	1	2	2	3	5
35-49	1236	1.6		<1	<1	1	2	3	3	5
50-64	1003	1.8	1	<1	<1	2	2	3	4	7
65+	621	2.2	3	<1	<1	2	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	24	2.1	2	<1	<1	1	3	6	6	6
20-34	269	3.0	29	<1	<1	1	3	6	8	40
35-49	808	2.8	14	<1	<1	2	3	5	8	24
50-64	862	3.4	19	<1	<1	2	4	8	11	20
65+	826	5.6	52	1	1	3	7	13	20	37
TOT. SINGLE DX	3526	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	2789	3.8	30	<1	<1	2	4	8	13	30
TOTAL 0-19 YRS	156	1.4	1	<1	<1	1	2	2	3	6
20-34	803	2.0	11	<1	<1	1	2	3	5	12
35-49	2044	2.1	7	<1	<1	1	2	4	5	11
50-64	1865	2.6	10	<1	<1	2	2	5	8	14
65+	1447	4.1	35	<1	1	2	4	9	14	31
GRAND TOTAL	6315	2.7	15	<1	<1	2	2	5	8	20

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	1.6		<1	<1	1	2	2	4	4
20-34	23	3.6	3	<1	1	3	5	6	7	8
35-49	35	3.7	4	<1	1	4	5	6	8	9
50-64	52	4.5	8	<1	1	4	6	8	10	15
65+	100	5.2	9	1	2	5	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	19	3.1	3	<1	<1	3	5	5	6	6
35-49	78	4.8	17	1	2	4	5	9	13	23
50-64	104	5.3	22	1	2	4	6	9	13	31
65+	208	7.4	32	2	2	6	8	14	17	31
TOT. SINGLE DX	242	4.2	8	<1	1	4	6	8	10	14
" MULTIPLE DX	411	6.1	27	1	2	5	7	12	15	29
TOTAL 0-19 YRS	34	1.9	2	<1	<1	1	2	3	4	9
20-34	42	3.4	3	<1	1	3	5	6	7	8
35-49	113	4.5	13	1	2	4	5	7	11	23
50-64	156	5.0	18	1	1	4	6	9	12	26
65+	308	6.6	26	2	2	6	8	13	16	28
GRAND TOTAL	653	5.4	21	1	2	4	7	10	14	26

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	73	5.1	3	2	3	5	6	7	8	10
35-49	370	5.6	5	3	3	5	6	8	9	13
50-64	617	5.8	5	3	4	5	7	8	10	14
65+	609	6.3	5	3	4	6	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	3	8.0	1	7	7	8	9	9	9	9
20-34	77	6.1	10	3	4	5	7	8	11	22
35-49	530	6.1	10	3	3	5	7	9	11	20
50-64	954	6.8	16	3	4	6	8	10	12	20
65+	1133	7.8	22	3	4	7	9	12	15	26
TOT. SINGLE DX	1672	5.9	5	3	4	6	7	9	10	14
" MULTIPLE DX	2697	7.0	18	3	4	6	8	11	14	22
TOTAL 0-19 YRS	6	5.8	10	1	1	7	8	9	9	9
20-34	150	5.6	7	2	3	5	6	8	10	18
35-49	900	5.9	8	3	3	5	7	9	11	18
50-64	1571	6.4	12	3	4	6	7	9	11	18
65+	1742	7.2	17	3	4	6	8	11	14	21
GRAND TOTAL	4369	6.6	14	3	4	6	8	10	12	20

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	2.4	1	<1	1	2	3	4	5	6
20-34	504	2.6	3	<1	<1	2	4	5	6	8
35-49	523	3.3	4	<1	<1	3	4	6	6	10
50-64	232	3.3	2	1	1	3	4	5	6	8
65+	66	3.2	2	<1	1	3	4	6	6	7
2. MULTIPLE DX										
0-19 YRS	72	2.9	2	1	1	3	4	5	5	8
20-34	355	3.2	4	<1	1	3	4	6	7	9
35-49	735	3.8	5	1	1	3	5	7	8	12
50-64	439	4.3	13	1	2	4	5	7	9	22
65+	122	4.7	15	1	2	4	5	9	12	23
TOT. SINGLE DX	1510	3.0	3	<1	<1	3	4	5	6	8
" MULTIPLE DX	1723	3.8	8	1	1	3	5	7	8	15
TOTAL 0-19 YRS	257	2.6	2	<1	1	2	3	4	5	7
20-34	859	2.9	4	<1	<1	3	4	5	6	9
35-49	1258	3.6	5	<1	1	3	5	6	7	11
50-64	671	4.0	10	1	1	3	5	6	8	18
65+	188	4.1	12	1	1	3	5	8	10	19
GRAND TOTAL	**3233**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	299	2.5	2	1	1	2	3	5	5	8
20-34	616	2.6	2	1	1	2	3	4	5	8
35-49	90	2.9	4	<1	1	2	3	6	8	11
50-64	20	2.4	2	<1	<1	2	3	5	6	7
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	38	3.9	8	1	2	3	5	7	10	16
20-34	102	4.3	43	1	1	3	4	7	12	41
35-49	34	5.8	181	1	2	3	5	8	9	81
50-64	16	6.9	81	2	2	3	7	22	30	33
65+	12	5.7	34	2	2	4	6	13	22	23
TOT. SINGLE DX	1028	2.6	3	1	1	2	3	5	6	8
" MULTIPLE DX	202	4.8	62	1	1	3	5	8	13	41
TOTAL 0-19 YRS	337	2.7	3	1	1	2	3	5	6	9
20-34	718	2.8	9	1	1	2	3	5	6	12
35-49	124	3.7	53	1	1	2	4	6	8	30
50-64	36	4.4	42	<1	1	2	3	11	20	33
65+	15	5.0	29	2	2	4	5	9	19	23
GRAND TOTAL	**1230**	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	591	1.7	3	<1	<1	1	2	3	4	10
20-34	564	2.2	5	<1	<1	1	2	4	7	12
35-49	530	2.5	12	<1	<1	1	3	5	7	15
50-64	441	2.4	9	<1	<1	2	3	5	7	14
65+	378	3.4	22	<1	<1	2	3	8	12	24
2. MULTIPLE DX										
0-19 YRS	295	4.2	62	<1	<1	2	4	7	15	48
20-34	461	7.2	95	<1	1	4	8	18	28	53
35-49	509	7.0	101	<1	<1	3	8	19	26	59
50-64	685	7.8	112	<1	1	4	8	19	29	57
65+	1050	9.6	128	1	1	6	11	23	32	63
TOT. SINGLE DX	2504	2.4	10	<1	<1	1	2	4	8	15
" MULTIPLE DX	3000	7.9	111	<1	1	4	9	20	29	56
TOTAL 0-19 YRS	886	2.5	24	<1	<1	1	2	4	7	23
20-34	1025	4.4	52	<1	<1	2	4	10	17	40
35-49	1039	4.7	61	<1	<1	2	5	11	19	41
50-64	1126	5.7	79	<1	<1	3	6	14	22	49
65+	1428	7.9	108	<1	<1	4	10	20	29	54
GRAND TOTAL	**5504**	**5.4**	**73**	**<1**	**<1**	**2**	**6**	**13**	**22**	**47**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	770	3.4	18	<1	<1	2	4	8	11	20
20-34	944	4.0	22	<1	1	3	5	8	13	22
35-49	525	4.3	19	<1	1	3	6	10	12	22
50-64	408	5.0	45	<1	<1	3	6	11	15	34
65+	393	6.2	53	<1	1	4	8	13	19	38
2. MULTIPLE DX										
0-19 YRS	1535	5.7	72	1	1	3	6	13	22	50
20-34	2419	6.2	82	<1	1	3	7	15	23	57
35-49	1375	8.5	125	1	1	5	10	21	30	66
50-64	1468	10.7	159	1	1	7	13	26	38	73
65+	2128	13.3	194	1	2	9	17	31	43	78
TOT. SINGLE DX	3040	4.3	29	<1	<1	3	5	10	14	25
" MULTIPLE DX	8925	8.9	136	1	1	5	11	22	33	66
TOTAL 0-19 YRS	2305	4.9	56	<1	1	2	5	11	17	43
20-34	3363	5.6	66	<1	1	3	6	12	20	45
35-49	1900	7.4	100	1	1	4	9	18	26	59
50-64	1876	9.5	140	1	1	6	12	22	35	65
65+	2521	12.2	180	1	2	8	16	28	41	73
GRAND TOTAL	**11965**	**7.8**	**113**	**<1**	**1**	**4**	**9**	**19**	**28**	**60**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	5.1	39	<1	1	3	6	12	19	28
20-34	169	4.5	27	<1	1	3	5	10	16	27
35-49	114	6.2	71	<1	<1	3	7	15	22	43
50-64	82	8.0	102	1	1	4	11	19	28	54
65+	90	10.5	93	<1	1	8	16	23	32	42
2. MULTIPLE DX										
0-19 YRS	150	9.4	77	1	1	7	14	22	27	46
20-34	236	11.9	171	1	2	8	16	27	42	74
35-49	141	11.7	101	1	1	8	18	28	30	39
50-64	218	17.7	333	1	2	13	23	39	58	92
65+	352	21.8	278	3	4	17	32	46	56	90
TOT. SINGLE DX	640	6.3	61	<1	1	3	8	16	22	39
" MULTIPLE DX	1097	15.8	239	1	2	11	22	37	48	85
TOTAL 0-19 YRS	335	7.0	61	1	1	4	9	18	23	43
20-34	405	8.8	124	1	1	5	11	21	31	64
35-49	255	9.2	95	<1	1	5	14	23	30	38
50-64	300	15.1	289	1	1	10	20	36	47	89
65+	442	19.5	261	1	3	15	29	42	54	87
GRAND TOTAL	**1737**	**12.3**	**195**	**1**	**1**	**7**	**17**	**31**	**41**	**71**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	2.7	7	<1	1	2	3	5	9	15
20-34	95	5.2	93	<1	1	2	4	14	21	57
35-49	30	2.3	2	<1	<1	2	3	5	6	7
50-64	38	5.7	74	<1	<1	2	7	17	36	99+
65+	15	3.5	14	<1	<1	2	5	5	13	16
2. MULTIPLE DX										
0-19 YRS	48	7.4	134	<1	1	3	8	19	35	62
20-34	89	11.9	247	<1	1	4	16	38	47	71
35-49	61	14.5	255	1	1	9	27	43	62	99+
50-64	61	14.8	321	1	1	9	18	36	53	84
65+	71	21.3	455	1	2	17	34	55	66	97
TOT. SINGLE DX	255	4.1	51	<1	1	2	4	9	17	48
" MULTIPLE DX	330	14.3	307	1	1	7	19	42	56	90
TOTAL 0-19 YRS	125	4.5	61	<1	1	2	4	9	14	43
20-34	184	8.4	178	<1	1	3	9	21	42	62
35-49	91	10.5	204	1	1	4	14	32	54	99+
50-64	99	11.3	245	<1	1	4	15	33	51	92
65+	86	18.2	424	<1	1	9	31	52	65	96
GRAND TOTAL	**585**	**9.8**	**221**	**<1**	**1**	**3**	**11**	**32**	**47**	**86**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	215	2.0	4	<1	<1	1	2	3	6	13
20-34	154	2.5	12	<1	<1	1	3	4	6	16
35-49	143	2.2	2	<1	<1	2	3	5	6	8
50-64	142	2.2	4	<1	<1	1	3	5	6	10
65+	71	2.0	2	<1	<1	1	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	163	2.8	10	<1	<1	2	3	6	8	24
20-34	158	4.1	21	<1	1	3	5	8	12	25
35-49	204	4.7	35	<1	1	3	5	9	15	35
50-64	227	4.6	55	<1	1	2	5	8	14	51
65+	206	8.6	99	1	1	5	11	20	28	49
TOT. SINGLE DX	725	2.2	6	<1	<1	1	3	4	6	12
" MULTIPLE DX	958	5.1	51	<1	1	3	5	11	18	42
TOTAL 0-19 YRS	378	2.4	7	<1	<1	2	2	4	7	18
20-34	312	3.3	18	<1	<1	2	4	6	10	23
35-49	347	3.7	24	<1	<1	2	4	7	11	23
50-64	369	3.7	37	<1	<1	2	4	7	10	34
65+	277	6.9	83	<1	1	4	8	16	23	46
GRAND TOTAL	**1683**	**3.8**	**33**	**<1**	**<1**	**2**	**4**	**8**	**13**	**34**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98, 92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.8	2	1	1	3	4	5	5	5
20-34	10	6.5	91	1	1	2	4	24	29	29
35-49	13	3.7	9	<1	1	3	5	9	10	10
50-64	9	4.2	5	2	2	4	6	7	8	8
65+	6	3.8	7	1	1	3	4	9	9	9
2. MULTIPLE DX										
0-19 YRS	27	7.0	113	1	2	4	6	10	29	55
20-34	17	4.6	7	1	2	4	6	9	10	10
35-49	21	4.8	19	1	2	3	4	12	17	18
50-64	30	8.4	155	1	1	5	9	13	40	62
65+	107	11.4	157	2	3	8	14	22	32	70
TOT. SINGLE DX	47	4.2	24	1	1	3	5	9	11	29
" MULTIPLE DX	202	9.1	130	2	2	6	10	17	30	58
TOTAL 0-19 YRS	36	5.9	88	1	1	4	6	9	20	55
20-34	27	5.3	37	1	1	3	6	10	20	29
35-49	34	4.4	16	1	1	3	4	9	16	18
50-64	39	7.4	123	1	2	4	8	11	29	62
65+	113	11.0	152	2	3	7	13	21	31	68
GRAND TOTAL	**249**	**8.2**	**113**	**1**	**2**	**5**	**9**	**17**	**26**	**55**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	2.9	13	1	1	2	3	8	10	17
20-34	2235	3.1	10	1	1	2	4	8	10	15
35-49	2874	3.1	13	1	1	2	3	7	10	18
50-64	1619	3.1	15	1	1	2	3	7	10	18
65+	494	3.2	14	1	1	2	3	8	11	18
2. MULTIPLE DX										
0-19 YRS	122	4.1	26	1	1	2	5	9	13	33
20-34	1290	5.1	31	1	1	3	7	11	16	28
35-49	2029	4.8	24	1	1	3	7	11	15	24
50-64	1961	5.1	37	1	1	3	7	12	17	29
65+	1264	7.4	90	1	1	4	9	16	25	51
TOT. SINGLE DX	7369	3.1	13	1	1	2	3	8	10	17
" MULTIPLE DX	6666	5.4	43	1	1	3	7	12	17	32
TOTAL 0-19 YRS	269	3.4	20	1	1	2	4	8	11	28
20-34	3525	3.8	19	1	1	2	5	9	12	20
35-49	4903	3.8	19	1	1	2	5	9	12	21
50-64	3580	4.2	28	1	1	2	5	10	14	25
65+	1758	6.2	73	1	1	3	8	14	21	46
GRAND TOTAL	14035	**4.2**	**29**	**1**	**1**	**2**	**5**	**10**	**14**	**25**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	3.1	19	1	1	2	3	6	7	29
20-34	151	3.4	16	1	1	2	4	8	12	20
35-49	230	3.1	15	1	1	2	3	6	13	19
50-64	418	3.0	10	1	1	2	3	7	8	19
65+	549	2.6	10	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	59	5.3	29	1	1	3	8	13	21	92
20-34	153	7.1	130	1	1	4	7	14	24	76
35-49	358	6.1	60	1	1	4	7	14	19	47
50-64	1169	5.3	31	1	1	3	7	12	16	29
65+	2331	6.2	46	1	1	4	8	13	19	34
TOT. SINGLE DX	1406	2.9	12	1	1	2	3	6	8	18
" MULTIPLE DX	4070	6.0	46	1	1	4	7	12	19	35
TOTAL 0-19 YRS	117	4.2	26	1	1	2	5	11	18	52
20-34	304	5.2	77	1	1	2	6	11	16	54
35-49	588	5.0	45	1	1	2	6	12	17	33
50-64	1587	4.7	27	1	1	3	6	10	14	25
65+	2880	5.5	41	1	1	3	7	11	17	33
GRAND TOTAL	**5476**	**5.2**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	2.1		1	1	2	2	3	4	4
35-49	48	2.4	3	1	1	2	3	5	7	9
50-64	89	3.2	9	1	1	2	3	8	9	17
65+	22	2.0	1	<1	<1	2	2	4	4	5
2. MULTIPLE DX										
0-19 YRS	12	2.0		1	1	2	3	3	4	4
20-34	16	4.1	11	1	1	3	6	9	12	13
35-49	184	3.7	9	1	1	2	5	8	10	14
50-64	433	4.2	18	1	1	2	5	10	12	21
65+	316	4.6	24	<1	1	2	6	11	15	25
TOT. SINGLE DX	170	2.7	6	1	1	2	3	6	8	14
" MULTIPLE DX	961	4.2	19	1	1	2	5	10	13	24
TOTAL 0-19 YRS	12	2.0	1	1	1	2	3	3	4	4
20-34	27	3.3	8	1	1	2	4	8	10	13
35-49	232	3.5	9	1	1	2	4	8	9	14
50-64	522	4.0	17	1	1	2	5	9	12	20
65+	338	4.5	24	<1	1	2	5	11	15	25
GRAND TOTAL	**1131**	**4.0**	**17**	**1**	**1**	**2**	**5**	**9**	**12**	**22**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	3.1	9	<1	1	2	3	8	11	13
20-34	404	4.3	14	1	1	3	7	10	12	16
35-49	434	4.1	18	<1	1	2	6	10	12	20
50-64	605	3.6	12	1	1	2	5	9	11	14
65+	678	3.3	9	1	1	2	4	8	10	14
2. MULTIPLE DX										
0-19 YRS	186	4.5	27	1	1	2	5	11	15	28
20-34	469	6.8	51	1	1	5	9	14	19	40
35-49	896	6.6	38	1	1	5	9	13	17	32
50-64	2207	6.1	42	1	1	4	9	13	16	31
65+	3521	7.1	53	1	1	5	10	15	21	36
TOT. SINGLE DX	2224	3.7	13	1	1	2	5	9	11	15
" MULTIPLE DX	7279	6.6	48	1	1	4	9	14	19	34
TOTAL 0-19 YRS	289	4.0	21	1	1	2	5	10	13	24
20-34	873	5.7	36	1	1	4	8	12	16	28
35-49	1330	5.8	33	1	1	4	8	12	15	28
50-64	2812	5.5	37	1	1	3	8	12	15	29
65+	4199	6.5	49	1	1	4	9	14	19	35
GRAND TOTAL	9503	6.0	42	1	1	4	8	13	17	32

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4822	3.0	13	<1	1	2	3	6	8	19
20-34	7513	3.5	14	1	1	2	4	7	9	20
35-49	5353	4.0	18	1	1	3	5	8	11	21
50-64	4404	4.4	20	1	1	3	5	9	12	23
65+	4316	5.3	21	1	1	4	7	11	14	23
2. MULTIPLE DX										
0-19 YRS	7592	5.0	51	1	1	2	5	10	16	39
20-34	11860	5.3	41	1	1	3	6	10	16	34
35-49	12937	5.9	41	1	2	4	7	12	17	32
50-64	22059	6.7	44	1	2	5	8	13	18	34
65+	52055	8.2	55	2	2	6	10	16	22	40
TOT. SINGLE DX	26408	4.0	18	1	1	3	5	8	11	22
" MULTIPLE DX	106503	7.1	51	1	2	5	9	14	20	37
TOTAL 0-19 YRS	12414	4.2	38	1	1	3	4	8	13	32
20-34	19373	4.6	32	1	1	3	5	9	13	30
35-49	18290	5.4	36	1	1	4	6	11	15	30
50-64	26463	6.3	41	1	2	5	8	12	17	33
65+	56371	8.0	53	2	2	6	10	16	21	39
GRAND TOTAL	132911	6.5	46	1	1	4	8	13	18	35

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3395	4.3	36	1	1	3	4	8	17	30
20-34	1700	5.8	36	1	1	4	7	12	17	28
35-49	1655	5.9	25	1	1	5	7	11	15	26
50-64	1432	5.7	30	1	1	4	7	10	14	27
65+	1350	6.4	32	1	2	5	8	12	16	30
2. MULTIPLE DX										
0-19 YRS	3982	5.4	58	1	1	3	5	10	19	43
20-34	2504	8.0	83	1	2	5	9	18	26	50
35-49	3043	7.8	60	1	2	5	9	16	22	39
50-64	5278	7.9	65	2	2	6	9	15	22	44
65+	13413	9.0	61	2	3	7	11	17	23	44
TOT. SINGLE DX	9532	5.3	34	1	1	4	6	11	16	28
" MULTIPLE DX	28220	8.1	65	1	2	6	10	16	23	43
TOTAL 0-19 YRS	7377	4.9	49	1	1	3	5	9	18	38
20-34	4204	7.1	66	1	1	4	8	15	23	42
35-49	4698	7.1	49	1	2	5	8	14	19	37
50-64	6710	7.4	59	1	2	5	9	14	20	41
65+	14763	8.8	60	2	3	7	11	17	22	43
GRAND TOTAL	37752	7.4	59	1	2	5	9	15	21	41

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3459	2.8	10	<1	1	2	3	5	7	14
20-34	2183	3.6	21	<1	1	2	4	7	10	24
35-49	1640	4.3	24	1	1	3	5	9	12	28
50-64	1752	4.8	25	1	1	3	6	10	13	26
65+	1724	5.2	21	1	1	4	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	6555	4.9	53	1	1	3	5	9	14	42
20-34	4524	5.1	45	1	1	3	6	10	17	35
35-49	5520	5.5	38	1	1	4	7	11	16	32
50-64	11364	6.3	35	1	2	4	8	12	17	31
65+	25650	7.7	48	2	2	6	10	15	20	36
TOT. SINGLE DX	10758	3.9	20	1	1	3	5	8	11	22
" MULTIPLE DX	53613	6.6	47	1	2	5	8	13	18	35
TOTAL 0-19 YRS	10014	4.2	40	1	1	3	4	7	11	35
20-34	6707	4.6	38	1	1	3	5	9	15	33
35-49	7160	5.2	36	1	1	3	6	10	15	30
50-64	13116	6.1	35	1	2	4	8	12	16	30
65+	27374	7.5	47	2	2	6	9	15	20	36
GRAND TOTAL	64371	6.2	43	1	1	4	8	13	17	34

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
545	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin